

	code	axis	preferred term	description
1	10000270	J	絶対値	「状態」の一つ。
		<i>syn</i>	ゼツタイチ	
2	10007343	J	予測値	「絶対値」の一つで、以下の固有の特徴をもつ：平均値。可能性の高い、または予想される量・質・強度。
		<i>syn</i>	ヨソクチ	
3	10009007	J	高い	「絶対値」の一つで、以下の固有の特徴をもつ：平均の、または正常な量・質・強度を上回っている。
		<i>syn</i>	タカイ	
4	10011438	J	低い	「絶対値」の一つで、以下の固有の特徴をもつ：欠乏、欠損。正常な量・質・強度を下回っている。
		<i>syn</i>	ヒクイ	
5	10023605	J	*Complexity	*State
6	10023583	J	*Complex	*Complexity
7	10024061	J	*Simple	*Complexity
8	10007423	J	程度	「状態」の一つ。
		<i>syn</i>	テイド	
9	10013253	J	なし	「程度」の一つで、以下の固有の特徴をもつ：一切ないこと。一部でもないこと。
		<i>syn</i>	ナシ	
10	10014081	J	部分的	「程度」の一つ。
		<i>syn</i>	ブブンテキ	
11	10019876	J	全体的	「程度」の一つ。
		<i>syn</i>	ゼンタイテキ	
12	10013305	J	正常度状態	「状態」の一つで、以下の固有の特徴をもつ：正常ではない。典型的、視覚的、定期的ではない。
		<i>syn</i>	セイジョウドジョウタイ	
13	10013269	J	異常	「正常度状態」の一つ。
		<i>syn</i>	イジョウ	
14	10013295	J	正常	「正常度状態」の一つで、以下の固有の特徴をもつ：基準に一致していること。典型的、標準的、通常の、または予測される状態。
		<i>syn</i>	セイジョウ	
15	10010981	J	肯定的または否定的な判断	「判断」の一つで、以下の固有の特徴をもつ：肯定的または否定的な判断が下されること。
		<i>syn</i>	コウテキマタハヒテイテキナハンダン	
16	10014956	J	促進	「肯定的または否定的な判断」の一つで、以下の固有の特徴をもつ：肯定的に判断された状態で、効果があること。
		<i>syn</i>	ソクシン	
17	10012938	J	障害	「肯定的または否定的な判断」の一つで、以下の固有の特徴をもつ：否定的に判断された状態で、変調がある、効果がないこと。
		<i>syn</i>	ショウガイ	
18	10017252	J	リスク	「可能性」の一つで、以下の固有の特徴をもつ：損失または問題が起こる可能性。ある程度の確率で起こると予測される問題。潜在的に否定的な状態。
19	10032289	DC	*Risk for Abuse	*Abuse
20	10032301	DC	*Risk for Child Abuse	*Child Abuse
21	10032340	DC	*Risk for Elder Abuse	*Elder Abuse
22	10015011	DC	*Risk For Activity Intolerance	*Activity Intolerance
23	10032291	DC	*Risk for Anaphylaxis	*Anaphylactic Shcok
24	10015024	DC	*Risk For Aspiration	*Aspiration
25	10015030	DC	*Risk For Autonomic Dysreflexia□	*Autonomic Dysreflexia□
26	10027787	DC	*Risk for Caregiver Stress	*Caregiver Stress
27	10023202	DC	*Risk For Complication With Contraception Use	*Complication
28	10023241	DC	*Risk For Complications During Child Delivery	*Complication
29	10023225	DC	*Risk For Complications During Pregnancy	*Complication
30	10023256	DC	*Risk For Complications Postpartum	*Complication

31	10023218	DC	*Risk For Complications Related To Childbirth	*Complication
32	10023239	DC	*Risk For Complications During Labour	*Complication
33	10023803	DC	*Risk For Compromised Dignity	*Compromised Dignity
34	10023050	DC	*Risk For Confusion	*Confusion
35	10023874	DC	*Risk For Acute Confusion	*Risk for Confusion
36	10015053	DC	*Risk For Constipation	*Constipation
37	10027509	DC	*Risk for Deep Vein Thrombosis	*Deep Vein Thrombosis
38	10034935	DC	*Risk For Delayed Growth	*Delayed Growth
39	10022070	DC	*Risk For Delirium	*Delirium
40	10032329	DC	*Risk for Depression	*Depression
41	10032338	DC	*Risk for Post Partum Depression	*Risk for Depression
42	10032386	DC	*Risk for Disease	*Pathological Process
43	10025245	DC	*Risk For Contamination Exposure	*Contamination Exposure
44	10015133	DC	*Risk For Infection	*Infection
45	10032372	DC	*Risk for Eye Infection	*Risk for Infection
46	10015271	DC	*Risk For Poisoning	*Poisoning
47	10015360	DC	*Risk For Trauma	*Trauma
48	10015146	DC	*Risk For Injury	*Injury
49	10032355	DC	*Risk for Environmental Injury	*Environmental Injury
50	10023107	DC	*Risk For Perioperative Injury	*Injury
51	10015263	DC	*Risk For Perioperative Positioning Injury	*Perioperative Positioning Injury
52	10015082	DC	*Risk For Disorganised Infant Behaviour	*Disorganised Behaviour
53	10034957	DC	*Risk For Disproportionate Growth	*Disproportionate Growth
54	10015105	DC	*Risk For Disuse	*Disuse
55	10021735	DC	*Risk For Dysfunctional Grief	*Grief
56	10027411	DC	*Risk For Elopement	*Elopement
57	10015122	DC	*Risk For Fall	*Fall
58	10017268	DC	*Risk For Haemorrhaging Process	*Haemorrhaging
59	10034394	DC	*Risk for Hospital Acquired Complication	*Hospital Acquired Complication
60	10032270	DC	*Risk For Impaired Ability To Perform Caretaking	*Ability To Perform Caretaking
61	10015198	DC	*Risk For Impaired Ability To Perform Parenting	*Ability To Parent
62	10027235	DC	*Risk for Impaired Caregiver Child Attachment	*Caregiver Child Attachment
63	10027203	DC	*Risk For Impaired Parent Child Attachment	*Parent Child Attachment
64	10032364	DC	*Risk for Impaired Family Coping	*Family Coping Process
65	10023195	DC	*Risk For Impaired Fertility	*Fertility
66	10026951	DC	*Risk For Impaired Fluid Volume	*Impaired Fluid Volume
67	10015069	DC	*Risk For Deficient Fluid Volume□	*Fluid Volume
68	10022313	DC	*Risk For Excess Fluid Volume	*Fluid Volume
69	10033375	DC	*Risk for Impaired Infant Development	*Infant Development
70	10015228	DC	*Risk For Impaired Peripheral Neurovascular Process	*Impaired Neurovascular Process
71	10032393	DC	*Risk For Impaired Psychological Status	*Psychological Status
72	10021774	DC	*Risk For Impaired Religious Belief	*Negative Religious Belief
73	10023176	DC	*Risk For Impaired Reproductive Function	*Impaired Reproductive System Process
74	10023182	DC	*Risk For Unintended Pregnancy	*Unintended Pregnancy
75	10015237	DC	*Risk For Impaired Skin Integrity	*Skin Integrity
76	10015244	DC	*Risk For Impaired Thermoregulation	*Impaired Thermoregulation
77	10027328	DC	*Risk for Hyperthermia	*Hyperthermia
78	10017275	DC	*Risk For Hypothermia	*Hypothermia
79	10017281	DC	*Risk For Ineffective Tissue Perfusion□	*Tissue Perfusion
80	10015167	DC	*Risk For Latex Allergy	*Latex Allergy
81	10015179	DC	*Risk For Loneliness	*Loneliness
82	10022977	DC	*Risk For Negative Response to Medication	*Response To Medication
83	10033436	DC	*Risk for Neglect	*Neglect

84	10033470	DC	*Risk for Child Neglect	*Child Neglect
85	10033489	DC	*Risk for Elder Neglect	*Elder Neglect
86	10023013	DC	*Risk For Nutritional Deficit□	*Nutrition
87	10025471	DC	*Risk For High Nutritional Intake	*Risk For Nutritional Deficit□
88	10015114	DC	*Risk For Excess Food Intake	*Food Intake
89	10025561	DC	*Risk For Low Nutritional Intake	*Risk For Nutritional Deficit□
90	10023021	DC	*Risk For Deficient Food Intake□	*Food Intake
91	10027453	DC	*Risk for Polypharmacy	*Polypharmacy
92	10015259	DC	*Risk For Post Trauma Response	*Trauma Response
93	10015285	DC	*Risk For Powerlessness	*Powerlessness
94	10027337	DC	*Risk for Pressure Ulcer	*Pressure Ulcer
95	10015292	DC	*Risk For Relocation Stress	*Relocation Stress
96	10015302	DC	*Risk For Self Destructive Behaviour	*Self Destructive Behaviour
97	10015318	DC	*Risk For Self Mutilation	*Self Mutilation
98	10015356	DC	*Risk For Suicide	*Suicide
99	10027938	DC	*Improved Suicide Risk	*Risk for Suicide
100	10015180	DC	*Risk For Situational Low Self Esteem	*Low Self Esteem
101	10015325	DC	*Risk For Spiritual Distress	*Spiritual Distress
102	10015339	DC	*Risk For Sudden Infant Death	*Sudden Infant Death
103	10015341	DC	*Risk For Suffocation□	*Suffocation□
104	10026848	DC	*Risk for Urge Incontinence	*Urge Incontinence
105	10022487	DC	*Risk For Violence	*Violence
106	10015387	DC	*Risk For Violence Toward Others	*Risk for Violence
107	10015151	J	可能性	「状態」の一つ。
<i>syn</i> カノウセイ				
108	10000420	J	実在	「可能性」の一つで、以下の固有の特徴をもつ：現存する、そのまゝの状態。現実。
<i>syn</i> ジツザイ				
109	10015007	J	促進の可能性	「可能性」の一つで、以下の固有の特徴をもつ：改善できること。成長またはさらに発展する能力を有していること。
<i>syn</i> ソクシンノカノウセイ				
110	10015534	J	*Prescription State	*State
111	10015506	J	*Prescribed State	*Prescription State
112	10015789	J	進展	「状態」の一つ。
<i>syn</i> シンテン				
113	10004849	J	完了	「進展」の一つで、以下の固有の特徴をもつ：終結した、終わった、終了した。
<i>syn</i> カンリョウ				
114	10022089	J	*Delayed	*Progress: Happening more slowly than expected.
115	10010519	J	中断	「進展」の一つで、以下の固有の特徴をもつ：一時的に中止すること。
<i>syn</i> チュウダン				
116	10018764	J	開始	「進展」の一つで、以下の固有の特徴をもつ：始まること。
<i>syn</i> カイシ				
117	10026750	J	*Relative Judged State	*State
118	10026685	J	*Deteriorated	*Relative Judged State
119	10026692	J	*Improved	*Relative Judged State
120	10025849	J	*Severity	*State
121	10025854	J	*Mild	*Severity
122	10025865	J	*Moderate	*Severity
123	10025877	J	*Severe	*Severity
124	10018218	J	サイズ	「状態」の一つ。
125	10003065	J	平均サイズ	「サイズ」の一つ。
<i>syn</i> ヘイキンサイズ				
126	10011116	J	大きい	「サイズ」の一つで、以下の固有の特徴をもつ：規模が平均を上回ること。
<i>syn</i> オオキイ				
127	10018315	J	小さい	「サイズ」の一つで、以下の固有の特徴をもつ：規模が平均を下回ること。
<i>syn</i> チイサイ				
128	10007900	C	胎児	「クライアント」の一つ。
<i>syn</i> タイジ				
129	10008544	C	集団	「クライアント」の一つで、以下の固有の特徴をもつ：社会的単位または集合体とみなされる人間の集まり。集合体とし

てのグループで構成される社会的単位は、そのグループの一員である個人や個人間の関係以上のものとみなされる。

		<i>syn</i>	シュウダン		
130	10004733	C	コミュニティ		「集団」の一つで、以下の固有の特徴をもつ：社会的単位または集合体とみなされる人間の集まりで、地理的その他の条件の共有や、共通の利害によって結びついた構成員から成る。コミュニティで構成される社会的単位は、そのグループを構成する一員である個人およびその個人間の地理的その他条件の共有関係や、共通の利害関係以上のものとみなされる。
131	10001870	C	青年コミュニティ		「コミュニティ」の一つで、以下の固有の特徴をもつ：10代の若者からなる集団。
		<i>syn</i>	セイネンコミュニティ		
132	10007554	C	家族		「集団」の一つで、以下の固有の特徴をもつ：社会的単位または共同集合体とみなされる人間の集まりで、血縁・親族関係、情緒的・法的関係によって結ばれた構成員から成る（重要他者を含む）。集合体としての家族で構成される社会的単位は、そのグループを構成する一員である個人およびその個人間の血縁・親戚関係（重要他者を含む）、情緒的・法的関係以上のものとみなされる。
		<i>syn</i>	カゾク		
133	10021611	C	カップル		「家族」の一つ。
134	10007410	C	拡大家族		「家族」の一つで、以下の固有の特徴をもつ：祖父母、両親、子ども、孫、その他親族のうちの3世代以上で構成される家族。
		<i>syn</i>	カクダイカゾク		
135	10013322	C	核家族		「家族」の一つで、以下の固有の特徴をもつ：夫、妻、および1人か複数の法律上の子どもで構成された家族。
		<i>syn</i>	カクカゾク		
136	10018176	C	片親家族		「家族」の一つで、以下の固有の特徴をもつ：父親、母親のいずれかまたは1人の介護者と、1人以上の子どもや他の被扶養者とで構成される家族。
		<i>syn</i>	カタオヤカゾク		
137	10007842	C	女性世帯主の片親家族		「片親家族」の一つで、以下の固有の特徴をもつ：母親、祖母その他女性と、1人以上の子どもや他の被扶養者とで構成される家族。
		<i>syn</i>	ジョセイセタイヌシノカタオヤカゾク		
138	10025416	C	*Street Children		*Group
139	10010018	C	個人		「クライアント」の一つで、以下の固有の特徴をもつ：1人の人間。
		<i>syn</i>	コジン		
140	10001862	C	青年		「個人」の一つ。
		<i>syn</i>	セイネン		
141	10001889	C	成人		「個人」の一つ。
		<i>syn</i>	セイジン		
142	10006604	C	高齢者		「個人」の一つ。
		<i>syn</i>	コウレイシャ		
143	10004266	C	小児		「個人」の一つ。
		<i>syn</i>	ショウニ		
144	10025437	C	*Street Child		*Child with the specific characteristics: Legal minor;□ runaway; orphaned or abandoned child; focused on survival; inadequately protected, supervised or directed by responsible adults; often associated with lack of regular schooling, exposure to environmental hazards, violence and abuse; and limited or no contact with family members.
145	10010025	F	*Individual Playing Role		*Individual
146	10003989	M	ケア提供者		「手段」の一つ。
		<i>syn</i>	ケアテイキョウシャ		
147	10013333	M	看護師		「ケア提供者」の一つ。
		<i>syn</i>	カンゴシ		
148	10026628	M	*Occupational Therapist		*Care Provider
149	10023992	M	*Pharmacist		*Care Provider
150	10014522	M	医師		「ケア提供者」の一つ。
		<i>syn</i>	イシ		
151	10024003	M	*Physiotherapist		*Care Provider
152	10024088	M	*Social Worker		*Care Provider
153	10019190	M	外科医		「ケア提供者」の一つ。

		<i>syn</i>	ゲカイ	
154	10003958	C	介護者	「個人」の一つで、以下の固有の特徴をもつ：疾患や障害を特定・予防・治療することによって援助する人。被介護者のニーズの世話をする。
		<i>syn</i>	カイゴシャ	
155	10007565	C	家族介護者	「介護者」の一つで、以下の固有の特徴をもつ：家族構成員の疾患や障害の予防・治療をする責任を担っている人。
		<i>syn</i>	カゾクカイゴシャ	
156	10007596	C	家族構成員	「個人」の一つ。
		<i>syn</i>	カゾクコウセイイン	
157	10007565	C	家族介護者	[see line 155]
158	10021624	C	祖父	「家族構成員」の一つ。
		<i>syn</i>	ソフ	
159	10021630	C	祖母	「家族構成員」の一つ。
		<i>syn</i>	ソボ	
160	10014023	C	親	「家族構成員」の一つ。
		<i>syn</i>	オヤ	
161	10027261	C	*Father	*Parent
162	10027257	C	*Mother	*Parent
163	10018097	C	同胞	「家族構成員」の一つ。
		<i>syn</i>	ドウホウ	
164	10021648	C	兄弟	「同胞」の一つ。
		<i>syn</i>	キョウダイ	
165	10021653	C	姉妹	「同胞」の一つ。
		<i>syn</i>	シマイ	
166	10027610	C	*Legal Guardian	*Individual
167	10014132	C	患者	「個人」の一つ。
		<i>syn</i>	カンジャ	
168	10010060	C	乳児	「個人」の一つ。
		<i>syn</i>	ニュウジ	
169	10013187	C	新生児	「個人」の一つ。
		<i>syn</i>	シンセイジ	
170	10005001	L	建造物	「位置」の一つ。
		<i>syn</i>	ケンゾウブツ	
171	10002074	L	空港	「建造物」の一つで、以下の固有の特徴をもつ：航空機が離着陸するスペースを提供する施設。
		<i>syn</i>	クウコウ	
172	10003697	L	橋	「建造物」の一つで、以下の固有の特徴をもつ：道路、通路、鉄道などを支える構造物で、川、峡谷、道路、鉄道などを横断するもの。
		<i>syn</i>	ハシ	
173	10003744	L	建物	「建造物」の一つで、以下の固有の特徴をもつ：人が使用するために設計・建設された構造物。
		<i>syn</i>	タテモノ	
174	10004672	L	商業用建物	「建物」の一つで、以下の固有の特徴をもつ：商品の販売、交換、ビジネスベンチャー、企業設立などを目的として、営利事業または商業のために設計・建設された建造物。
		<i>syn</i>	ショウギョウヨウタテモノ	
175	10016110	L	公共施設	「建物」の一つで、以下の固有の特徴をもつ：政府、教育、保健医療、公益事業、運輸、通信、市民保護などの公共基盤や、そのシステムを支援するために設計・建設された構造物。
		<i>syn</i>	コウキョウシセツ	
176	10016887	L	住居用建物	「建物」の一つで、以下の固有の特徴をもつ：人間に保護とスペースを提供する住まい、住居、家庭、または避難所として設計・建設された構造物。
		<i>syn</i>	ジュウキョウヨウタテモノ	
177	10008674	L	港	「建造物」の一つで、以下の固有の特徴をもつ：船舶用のスペースと避難所を提供する施設。
		<i>syn</i>	ミナト	
178	10010143	F	不法居住地	「環境実体」の一つで、以下の固有の特徴をもつ：一時的に建てられた居住構造物で、基本的設備が限定的またはない。人口密度が高く、居住の保証や適切な境界がなく、過密、プライバシーが制限されるか欠如しており、生活水準が低く、病気や災害に見舞われる危険性が増す高リスク地域にあることと関連することが多い。
		<i>syn</i>	フホウキョジュウチ	
179	10016319	L	鉄道	「建造物」の一つで、以下の固有の特徴をもつ：鉄道線路と

駅からなるシステム。

		<i>syn</i>	テツドウ	
180	10017313	L	道路	「建造物」の一つで、以下の固有の特徴をもつ：人と自動車 が通行する走行路または通路。
		<i>syn</i>	ドウロ	
181	10009030	L	住居	「社会構造」の一つ。
		<i>syn</i>	ジュウキョ	
182	10014788	L	場所	「位置」の一つ。
		<i>syn</i>	バシヨ	
183	10002377	L	*Anterior Posterior Position	*Position
184	10002365	L	前方	「場所」の一つ。
		<i>syn</i>	ゼンボウ	
185	10014994	L	後方	「場所」の一つ。
		<i>syn</i>	コウホウ	
186	10004127	L	*Central Peripheral Position	*Position
187	10004104	L	中心的	「場所」の一つ。
		<i>syn</i>	チュウシンテキ	
188	10014386	L	末梢的	「場所」の一つ。
		<i>syn</i>	マッシュウテキ	
189	10011279	L	*Left Right Position	*Position
190	10011267	L	左側	「場所」の一つ。
		<i>syn</i>	ヒダリガワ	
191	10017234	L	右側	「場所」の一つ。
		<i>syn</i>	ミギガワ	
192	10011464	L	*Lower Upper Position	*Position
193	10011440	L	下部	「場所」の一つ。
		<i>syn</i>	カブ	
194	10012022	L	中間	「場所」の一つ。
		<i>syn</i>	チュウカン	
195	10020325	L	上部	「場所」の一つ。
		<i>syn</i>	ジョウブ	
196	10015957	L	*Proximal Distal Position	*Position
197	10006085	L	遠位	「場所」の一つ。
		<i>syn</i>	エンイ	
198	10015942	L	近位	「場所」の一つ。
		<i>syn</i>	キンイ	
199	10027584	L	*Unilateral Bilateral Position	*Position
200	10027597	L	*Bilateral	*Unilateral Bilateral Position
201	10026732	L	*Unilateral	*Unilateral Bilateral Position
202	10018423	L	社会構造	「構造」の一つ。
		<i>syn</i>	シャカイコウゾウ	
203	10005518	L	デイケアセンター	「社会構造」の一つ。
204	10005525	L	成人用デイケアセンター	「デイケアセンター」の一つ。
		<i>syn</i>	セイジンヨウデイケアセンター	
205	10005541	L	高齢者用デイケアセンター	「デイケアセンター」の一つ。
		<i>syn</i>	コウレイシャヨウデイケアセン ター	
206	10005539	L	子ども用デイケアセンター	「デイケアセンター」の一つ。
		<i>syn</i>	コドモヨウデイケアセンター	
207	10013351	L	託児所	「子ども用デイケアセンター」の一つ。
		<i>syn</i>	タクジシヨ	
208	10008730	L	医療保健施設	「社会構造」の一つで、以下の固有の特徴をもつ：医療保健 サービスの提供を支援するために設計・建設された建造物。 病院やクリニックに関連することが多い。
		<i>syn</i>	イリョウホケンシセツ	
209	10004459	L	クリニック	「医療保健施設」の一つ。
210	10005732	L	歯科クリニック	「クリニック」の一つで、以下の固有の特徴をもつ：歯の治 療を提供する施設。
		<i>syn</i>	シカクリニック	
211	10012033	L	助産所	「クリニック」の一つ。
		<i>syn</i>	ジョサンジョ	
212	10013367	L	看護クリニック	「クリニック」の一つ。
		<i>syn</i>	カンゴクリニック	
213	10014579	L	理学療法クリニック	「クリニック」の一つ。

		<i>syn</i>	リガクリョウホウクリニック	
214	10004779	L	コミュニティ保健センター	「医療保健施設」の一つ。
		<i>syn</i>	コミュニティホケンセンター	
215	10009114	L	病院	「医療保健施設」の一つ。
		<i>syn</i>	ビョウシツ	
216	10013044	L	近隣	「社会構造」の一つ。
		<i>syn</i>	キンリン	
217	10015743	L	刑務所	「社会構造」の一つで、以下の固有の特徴をもつ：囚人を収容するために設計・建設された建造物。被告人や有罪になった人を監禁する場所。
		<i>syn</i>	ケイムショ	
218	10016096	F	心理社会的構造	「実体」の一つ。
		<i>syn</i>	シンリシャカイテキコウゾウ	
219	10003238	F	帰属	「心理社会的構造」の一つ。
		<i>syn</i>	キゾク	
220	10005458	F	文化	「心理社会的構造」の一つで、以下の固有の特徴をもつ：人が社会で受け入れられる方法で行動するために知っておくべきこと、または信すべきこと。
		<i>syn</i>	ブンカ	
221	10009030	L	住居	[see line 181]
222	10011214	F	法規	「心理社会的構造」の一つで、以下の固有の特徴をもつ：社会生活の側面に関して政府機関および公務員または一般市民に適用される、公式な法的規則・指針・命令の宣言。
		<i>syn</i>	ホウキ	
223	10004353	F	年少者労働法規	「法規」の一つで、以下の固有の特徴をもつ：雇用可能な最少年齢と未成年の労働条件を定めた基準。
		<i>syn</i>	ネンショウシャロウドウホウキ	
224	10013593	F	職業安全法規	「法規」の一つで、以下の固有の特徴をもつ：法律によって許可された職場の安全基準。
		<i>syn</i>	ショクギョウアンゼンホウキ	
225	10014726	F	政策	「心理社会的構造」の一つで、以下の固有の特徴をもつ：組織の目標や目的から生まれた広範な方針または行動原理で、意思決定の手引きとして繰り返し用いられる。
		<i>syn</i>	セイサク	
226	10008769	F	保健医療政策	「政策」の一つで、以下の固有の特徴をもつ：保健医療サービスの提供に関する意思決定を左右する指針が概説された書面による声明。
		<i>syn</i>	ホケンイリョウセイサク	
227	10016684	F	関係	「心理社会的構造」の一つ。
		<i>syn</i>	カンケイ	
228	10023124	F	*Rapport	*Relationship
229	10017537	L	学校	「社会構造」の一つで、以下の固有の特徴をもつ：教育、訓練のために設計・建設された建造物。
		<i>syn</i>	ガッコウ	
230	10006689	L	小学校	「学校」の一つ。
		<i>syn</i>	ショウガッコウ	
231	10009011	L	中学校、高校	「学校」の一つ。
		<i>syn</i>	チュウガッコウ、コウコウ	
232	10019126	L	援助付き住居	「社会構造」の一つ。
		<i>syn</i>	エンジョツキジュウキョ	
233	10013379	L	介護施設	「援助付き住居」の一つ。
		<i>syn</i>	カイゴシセツ	
234	10018021	L	保護施設	「援助付き住居」の一つ。
		<i>syn</i>	ホゴシセツ	
235	10020302	L	大学	「学校」の一つ。
		<i>syn</i>	ダイガク	
236	10021145	L	職場	「社会構造」の一つ。
		<i>syn</i>	ショクバ	
237	10018032	L	避難的職場	「職場」の一つ。
		<i>syn</i>	ヒナントキショクバ	
238	10018916	L	構造	「位置」の一つ。
		<i>syn</i>	コウゾウ	
239	10018900	L	身体構造	「構造」の一つ。
		<i>syn</i>	シントイコウゾウ	
240	10003388	L	身体	「身体構造」の一つ。
		<i>syn</i>	シントイ	

241	10005556	L	*Dead Body	*Body
242	10003390	L	体腔	「身体構造」の一つ。
		syn	タイクウ	
243	10000010	L	腹腔	「体腔」の一つ。
		syn	フククウ	
244	10005323	L	頭蓋腔	「体腔」の一つ。
		syn	ズガイクウ	
245	10011128	L	喉頭腔	「体腔」の一つ。
		syn	コウトウクウ	
246	10012424	L	鼻腔	「体腔」の一つ。
		syn	ビクウ	
247	10013720	L	口腔	「体腔」の一つ。
		syn	コウクウ	
248	10016548	L	直腸腔	「体腔」の一つ。
		syn	チョクチョウクウ	
249	10018959	L	クモ膜下腔	「体腔」の一つ。
		syn	クモマクカクウ	
250	10019685	L	胸腔	「体腔」の一つ。
		syn	キョウクウ	
251	10020575	L	腔腔	「体腔」の一つ。
		syn	チツクウ	
252	10003422	L	体孔	「身体構造」の一つ。
		syn	タイコウ	
253	10002417	L	肛門	「体孔」の一つ。
		syn	コウモン	
254	10018857	L	ストーマ（孔）	「体孔」の一つ。
		syn	ストーマ（コウ）	
255	10004590	L	結腸瘻（結腸ストーマ）	「ストーマ（孔）」の一つ。
		syn	ケツチョウロウ（ケツチョウ ストーマ）	
256	10009727	L	回腸瘻（回腸ストーマ）	「ストーマ（孔）」の一つ。
		syn	カイチョウロウ（カイチョウ ストーマ）	
257	10032145	L	*Nephrostomy	*Stoma
258	10019933	L	気管切開部	「ストーマ（孔）」の一つ。
		syn	キカンセツカイブ	
259	10020506	L	尿路瘻	「ストーマ（孔）」の一つ。
		syn	ニョウロロウ	
260	10003451	L	身体部位	「身体構造」の一つ。
		syn	シンタイバイ	
261	10000023	L	腹	「身体部位」の一つ。
		syn	ハラ／フク	
262	10002251	L	切断端	「身体部位」の一つ。
		syn	セツダンタン	
263	10002493	L	乳輪	「身体部位」の一つ。
		syn	ニュウリン	
264	10002504	L	腕	「身体部位」の一つ。
		syn	ウデ	
265	10003096	L	腋窩	「身体部位」の一つ。
		syn	エキカ	
266	10003106	L	背	「身体部位」の一つ。
		syn	セ／ハイ	
267	10003650	L	乳房	「身体部位」の一つ。
		syn	ニュウボウ／チブサ	
268	10003792	L	臀部	「身体部位」の一つ。
		syn	デンプ	
269	10004213	L	胸	「身体部位」の一つ。
		syn	ムネ／キョウ	
270	10004245	L	胸壁	「身体部位」の一つ。
		syn	キョウヘキ	
271	10004382	L	おとがい	「身体部位」の一つ。
		syn	オトガイ	
272	10007468	L	眼瞼	「身体部位」の一つ。
		syn	ガンケン	
273	10007481	L	顔	「身体部位」の一つ。

		<i>syn</i>	カオ	
274	10007937	L	指	「身体部位」の一つ。
		<i>syn</i>	ユビ	
275	10007971	L	側腹	「身体部位」の一つ。
		<i>syn</i>	ソクフク／ワキバラ	
276	10008155	L	足	「身体部位」の一つ。
		<i>syn</i>	アシ	
277	10008164	L	前腕	「身体部位」の一つ。
		<i>syn</i>	ゼンワン／マエウデ	
278	10008172	L	前頭	「身体部位」の一つ。
		<i>syn</i>	ゼントウ	
279	10008186	L	包皮	「身体部位」の一つ。
		<i>syn</i>	ホウヒ	
280	10008661	L	手	「身体部位」の一つ。
		<i>syn</i>	テ	
281	10008688	L	頭	「身体部位」の一つ。
		<i>syn</i>	アタマ／トウ	
282	10008908	L	踵	「身体部位」の一つ。
		<i>syn</i>	カカト／ショウ	
283	10010854	L	侵襲的器具挿入部位	「身体部位」の一つ。
		<i>syn</i>	シンシュウテキキグソウニュウブイ	
284	10010947	L	顎	「身体部位」の一つ。
		<i>syn</i>	アゴ／ガク	
285	10011298	L	脚	「身体部位」の一つ。
		<i>syn</i>	アシ／キヤク	
286	10011377	L	口唇	「身体部位」の一つ。
		<i>syn</i>	コウシン	
287	10029303	L	*Lower Body	*Body Region
288	10012476	L	首	「身体部位」の一つ。
		<i>syn</i>	クビ	
289	10013224	L	乳頭	「身体部位」の一つ。
		<i>syn</i>	ニュウトウ	
290	10014236	L	骨盤	「身体部位」の一つ。
		<i>syn</i>	コツパン	
291	10014340	L	会陰	「身体部位」の一つ。
		<i>syn</i>	エイン	
292	10016106	L	恥骨部	「身体部位」の一つ。
		<i>syn</i>	チコツブ	
293	10017402	L	仙骨	「身体部位」の一つ。
		<i>syn</i>	センコツ	
294	10017494	L	頭皮	「身体部位」の一つ。
		<i>syn</i>	トウヒ	
295	10019254	L	手術部位	「身体部位」の一つ。
		<i>syn</i>	シュジュツブイ	
296	10019659	L	大腿	「身体部位」の一つ。
		<i>syn</i>	ダイタイ	
297	10019692	L	胸郭	「身体部位」の一つ。
		<i>syn</i>	キョウカク	
298	10019797	L	足趾	「身体部位」の一つ。
		<i>syn</i>	ソクシ	
299	10020180	L	体幹	「身体部位」の一つ。
		<i>syn</i>	タイカン	
300	10020259	L	臍部	「身体部位」の一つ。
		<i>syn</i>	サイブ	
301	10029293	L	*Upper Body	*Body Region
302	10020872	L	外陰部	「身体部位」の一つ。
		<i>syn</i>	ガイインブ	
303	10021258	L	創傷部位	「身体部位」の一つ。
		<i>syn</i>	ソウショウブイ	
304	10021262	L	手首	「身体部位」の一つ。
		<i>syn</i>	テクビ	
305	10003467	L	体内経路	「身体構造」の一つ。
		<i>syn</i>	タイナイケイロ	

306	10002100	L <i>syn</i>	気道経路 キドウケイロ	「体内経路」の一つ。
307	10003008	L <i>syn</i>	耳介経路 ジカイケイロ	「体内経路」の一つ。
308	10004617	L <i>syn</i>	結腸瘻経路 ケッチョウロウケイロ	「体内経路」の一つ。
309	10005489	L <i>syn</i>	皮膚経路 ヒフケイロ	「体内経路」の一つ。
310	10006847	L <i>syn</i>	子宮頸管経路 シキュウケイカンケイロ	「体内経路」の一つ。
311	10006852	L <i>syn</i>	洞内経路 ドウナイケイロ	「体内経路」の一つ。
312	10007021	L <i>syn</i>	硬膜外経路 コウマクガイケイロ	「体内経路」の一つ。
313	10007434	L <i>syn</i>	羊膜外経路 ヨウマクガイケイロ	「体内経路」の一つ。
314	10008321	L <i>syn</i>	胃腸管経路 イチョウカンケイロ	「体内経路」の一つ。
315	10008439	L <i>syn</i>	歯肉経路 シニクケイロ	「体内経路」の一つ。
316	10009743	L <i>syn</i>	回腸瘻経路 カイチョウロウケイロ	「体内経路」の一つ。
317	10031585	L	*Inhalation Route	*Body Route
318	10010561	L <i>syn</i>	羊膜内経路 ヨウマクナイケイロ	「体内経路」の一つ。
319	10010574	L <i>syn</i>	動脈内経路 ドウミャクナイケイロ	「体内経路」の一つ。
320	10010588	L <i>syn</i>	関節内経路 カンセツナイケイロ	「体内経路」の一つ。
321	10010590	L <i>syn</i>	頬部内経路 キョウブナイケイロ	「体内経路」の一つ。
322	10010601	L <i>syn</i>	心内経路 シンナイケイロ	「体内経路」の一つ。
323	10010617	L <i>syn</i>	腔内経路 クウナイケイロ	「体内経路」の一つ。
324	10010629	L <i>syn</i>	頸内経路 ケイナイケイロ	「体内経路」の一つ。
325	10010638	L <i>syn</i>	冠状動脈内経路 カンジョウドウミャクナイケイロ	「体内経路」の一つ。
326	10010664	L <i>syn</i>	皮内経路 ヒナイケイロ	「体内経路」の一つ。
327	10010672	L <i>syn</i>	導管内経路 ドウカンナイケイロ	「体内経路」の一つ。
328	10010686	L <i>syn</i>	病変内経路 ビョウヘンナイケイロ	「体内経路」の一つ。
329	10010693	L <i>syn</i>	管腔内経路 カンクウナイケイロ	「体内経路」の一つ。
330	10010705	L <i>syn</i>	筋肉内経路 キンニクナイケイロ	「体内経路」の一つ。
331	10010714	L <i>syn</i>	眼内経路 ガンナイケイロ	「体内経路」の一つ。
332	10010751	L <i>syn</i>	胸骨内経路 キョウコツナイケイロ	「体内経路」の一つ。
333	10010767	L <i>syn</i>	クモ膜内経路 クモマクナイケイロ	「体内経路」の一つ。
334	10010779	L <i>syn</i>	子宮内経路 シキュウナイケイロ	「体内経路」の一つ。
335	10010798	L <i>syn</i>	静脈内経路 ジョウミャクナイケイロ	「体内経路」の一つ。
336	10010812	L <i>syn</i>	膀胱内経路 ボウコウナイケイロ	「体内経路」の一つ。
337	10012430	L <i>syn</i>	経鼻 ケイビ	「体内経路」の一つ。
338	10013615	L	経眼	「体内経路」の一つ。

		<i>syn</i>	ケイガン	
339	10013749	L	経口	「体内経路」の一つ。
		<i>syn</i>	ケイコウ	
340	10014047	L	非経口経路	「体内経路」の一つ。
		<i>syn</i>	ヒケイコウケイロ	
341	10014329	L	関節周囲経路	「体内経路」の一つ。
		<i>syn</i>	カンセツシュウイケイロ	
342	10014355	L	神経周囲経路	「体内経路」の一つ。
		<i>syn</i>	シンケイシュウイケイロ	
343	10016553	L	直腸経路	「体内経路」の一つ。
		<i>syn</i>	チョクチョウケイロ	
344	10017206	L	眼球後経路	「体内経路」の一つ。
		<i>syn</i>	ガンキュウゴケイロ	
345	10018963	L	皮下経路	「体内経路」の一つ。
		<i>syn</i>	ヒカケイロ	
346	10018985	L	舌下経路	「体内経路」の一つ。
		<i>syn</i>	ゼッカケイロ	
347	10033157	L	*Topical Route	*Body Route
348	10019946	L	気管切開経路	「体内経路」の一つ。
		<i>syn</i>	キカンセツカイケイロ	
349	10020011	L	経皮	「体内経路」の一つ。
		<i>syn</i>	ケイヒ	
350	10020341	L	経尿道	「体内経路」の一つ。
		<i>syn</i>	ケイニョウドウ	
351	10020510	L	尿路瘻経路	「体内経路」の一つ。
		<i>syn</i>	ニョウロロウケイロ	
352	10020581	L	経腔	「体内経路」の一つ。
		<i>syn</i>	ケイチツ	
353	10003480	F	生体システム	「実体」の一つ。
		<i>syn</i>	セитайシステム	
354	10003936	F	心臓血管系	「生体システム」の一つ。
		<i>syn</i>	シンゾウケツカンケイ	
355	10022949	DC	*Impaired Cardiovascular System	*Cardiovascular System
356	10025041	F	*Endocrine System	*Body System
357	10008332	F	消化器系	「生体システム」の一つ。
		<i>syn</i>	ショウカキケイ	
358	10025056	F	*Immune System	*Body System
359	10010428	F	外皮系	「生体システム」の一つで、以下の固有の特徴をもつ：体表面を覆うもの。皮膚、表皮、粘膜、組織（内部接合層）、汗、皮脂腺、毛髪、および爪を含む真皮で、体温を維持し、下部組織を剥離・細菌の浸入・脱水・紫外線放射から保護し、気温上昇時に身体を冷やし、感覚器官によって温度・接触・圧力・痛みに関する刺激を感知し、排出器官によって液体塩や有機化合物を排出し、汗や脂肪を分泌し、ビタミンDを合成し、免疫系の免疫成分を活性化する機能を有する。
		<i>syn</i>	ガイヒケイ	
360	10012344	F	筋骨格系	「生体システム」の一つ。
		<i>syn</i>	キンコツカクケイ	
361	10013085	F	神経系	「生体システム」の一つ。
		<i>syn</i>	シンケイケイ	
362	10016841	F	生殖器系	「生体システム」の一つ。
		<i>syn</i>	セイショクキケイ	
363	10007861	F	女性生殖器系	「生殖器系」の一つ。
		<i>syn</i>	ジョセイセイショクキケイ	
364	10011589	F	男性生殖器系	「生殖器系」の一つ。
		<i>syn</i>	ダンセイセイショクキケイ	
365	10016970	F	呼吸器系	「生体システム」の一つ。
		<i>syn</i>	コキュウキケイ	
366	10017867	F	感覚器系	「生体システム」の一つ。
		<i>syn</i>	カンカクキケイ	
367	10020421	F	泌尿器系	「生体システム」の一つ。
		<i>syn</i>	ヒニョウキケイ	
368	10007874	F	女性泌尿器系	「泌尿器系」の一つ。
		<i>syn</i>	ジョセイヒニョウキケイ	
369	10011591	F	男性泌尿器系	「泌尿器系」の一つ。

		<i>syn</i>	ダンセイヒニョウキケイ	
370	10003498	L	身体系の構成部位	「身体構造」の一つ。
		<i>syn</i>	シンタイケイノコウセイブイ	
371	10003943	L	心臓血管系の構成部位	「身体系の構成部位」の一つ。
		<i>syn</i>	シンゾウケツカンケイノコウセイブイ	
372	10003374	L	血管	「心臓血管系の構成部位」の一つ。
		<i>syn</i>	ケツカン	
373	10002562	L	動脈	「血管」の一つ。
		<i>syn</i>	ドウミャク	
374	10016123	L	肺動脈	「動脈」の一つ。
		<i>syn</i>	ハイドウミャク	
375	10003860	L	毛細血管	「血管」の一つ。
		<i>syn</i>	モウサイケツカン	
376	10020665	L	静脈	「血管」の一つ。
		<i>syn</i>	ジョウミャク	
377	10008822	L	心臓	「心臓血管系の構成部位」の一つ。
		<i>syn</i>	シンゾウ	
378	10025060	L	*Endocrine System Component	*Body System Component
379	10008345	L	消化器系の構成部位	「身体系の構成部位」の一つ。
		<i>syn</i>	ショウカキケイノコウセイブイ	
380	10002280	L	肛門括約筋	「消化器系の構成部位」の一つ。
		<i>syn</i>	コウモンカツヤクキン	
381	10010557	L	腸	「消化器系の構成部位」の一つ。
		<i>syn</i>	チョウ	
382	10017456	L	唾液腺	「消化器系の構成部位」の一つで、以下の固有の特徴をもつ：3対ある腺で、消化を高めるために口腔内に漿液性の液体と粘液性の物質を出す。
		<i>syn</i>	ダエキセン	
383	10018861	L	胃	「消化器系の構成部位」の一つ。
		<i>syn</i>	イ	
384	10008456	L	腺	「身体系の構成部位」の一つで、以下の固有の特徴をもつ：気管内にある同種の特異的な細胞の集合体で、通常の代謝過程に関連しない物質を分泌または排泄する。
		<i>syn</i>	セン	
385	10025073	L	*Immune System Component	*Body System Component
386	10010437	L	外皮系の構成部位	「身体系の構成部位」の一つ。
		<i>syn</i>	ガイヒケイノコウセイブイ	
387	10008626	L	体毛	「外皮系の構成部位」の一つで、以下の固有の特徴をもつ：体表面から生えている細い糸状体で、頭髮、ひげなどの顔の毛、体毛などがある。1本1本はケラチンの線維で、表皮に特殊な小胞の形をした毛根と毛幹がある。特に頭と顔の毛の完全性と機能は、弾力性、質感、太さに関連する。長さ、色、清潔さなどの外見、毛髪の有無などがある。
		<i>syn</i>	タイモウ	
388	10012288	L	粘膜	「外皮系の構成部位」の一つで、以下の固有の特徴をもつ：身体の内側を生まれつき覆っているケラチンを含まない薄いシートで、身体外部に開口部をもつ体腔や管（口、鼻、膈、消化管、気道、尿生殖器官）の内側を覆っている。粘膜は下部構造を保護し、関連する構造を潤滑にする粘液を分泌し、水分、塩分、その他の溶質を吸収する。
		<i>syn</i>	ネンマク	
389	10012760	F	*Impaired Mucous Membrane	*Mucous Membrane
390	10006351	F	乾燥粘膜	「外皮系プロセス」の一つで、以下の固有の特徴をもつ：水分が少なく、乾燥し、粘液の分泌が不足している。上皮の摩擦やひび割れの危険がある。
		<i>syn</i>	カンソウネンマク	
391	10013731	L	口腔粘膜	「粘膜」の一つ。
		<i>syn</i>	コウクウネンマク	
392	10012392	L	爪	「外皮系の構成部位」の一つで、以下の固有の特徴をもつ：手指や足趾の先端にある、蜂蜜色をした平たく弾性のある構造。根、本体、先端部分の遊離縁からなる。指と足趾の爪の完全性と機能は、質感、長さ、厚さに関連し、指の先端の保護や、小さな物体をつまみやすくする目的をもつ。長さ、色、清潔さなどを含む外見がある。
		<i>syn</i>	ツメ／ソウ	
393	10018239	L	皮膚	「外皮系の構成部位」の一つで、以下の固有の特徴をもつ：丈夫で柔軟性があり、生まれつき身体之最も外側にある表面。弾性、きめ、厚みに関連する機能をもち、角質化した被

層を損なわず、潤い、滑らかさを保ち、極度に冷えたり温まらないようにする働きをする。

		<i>syn</i>	ヒフ	
394	10012917	F	*Impaired Skin	*Skin
395	10029553	F	*Acne	*Impaired Skin: Skin eruption due to inflammation of skin glands or hair follicles.
396	10031070	F	*Cradle Cap	*Impaired Skin: Areas of scaling on head, usually with infants.
397	10006367	F	乾燥皮膚	「外皮系プロセス」の一つで、以下の固有の特徴をもつ：荒れてウロコ状のがさついた表皮のこと。水分が減少し、特に手足、肘膝など骨の突出部はひび割れの危険がある。
		<i>syn</i>	カンソウヒフ	
398	10031172	F	*Eczema	*Impaired Skin: Skin eruption with red, itching skin and vesicles, and oedema.
399	10012149	F	湿潤皮膚	「外皮系プロセス」の一つ。
		<i>syn</i>	シツジュンヒフ	
400	10018971	L	皮下組織	「外皮系の構成部位」の一つ。
		<i>syn</i>	ヒカソシキ	
401	10012359	L	筋骨格系の構成部位	「身体系の構成部位」の一つ。
		<i>syn</i>	キンコッカクケイノコウセイブイ	
402	10003553	L	骨	「筋骨格系の構成部位」の一つ。
		<i>syn</i>	ホネ／コツ	
403	10014227	L	恥骨	「骨」の一つ。
		<i>syn</i>	チコツ	
404	10017223	L	肋骨	「骨」の一つ。
		<i>syn</i>	ロッコツ	
405	10018260	L	頭蓋骨	「骨」の一つ。
		<i>syn</i>	ズガイコツ	
406	10019830	L	歯	「骨」の一つ。
		<i>syn</i>	ハ	
407	10010968	L	関節	「筋骨格系の構成部位」の一つ。
		<i>syn</i>	カンセツ	
408	10002354	L	足関節	「関節」の一つ。
		<i>syn</i>	ソクカンセツ／アシカンセツ	
409	10006593	L	肘関節	「関節」の一つ。
		<i>syn</i>	チュウカンセツ／ヒジカンセツ	
410	10009024	L	股関節	「関節」の一つ。
		<i>syn</i>	コカンセツ	
411	10011003	L	膝関節	「関節」の一つ。
		<i>syn</i>	シツカンセツ／ヒザカンセツ	
412	10012290	L	筋肉	「筋骨格系の構成部位」の一つ。
		<i>syn</i>	キンニク	
413	10013092	L	神経系の構成部位	「身体系の構成部位」の一つ。
		<i>syn</i>	シンケイケイノコウセイブイ	
414	10003621	L	脳	「神経系の構成部位」の一つ。
		<i>syn</i>	ノウ	
415	10013063	L	神経	「神経系の構成部位」の一つ。
		<i>syn</i>	シンケイ	
416	10016856	L	生殖器系の構成部位	「身体系の構成部位」の一つ。
		<i>syn</i>	セイショクキケイノコウセイブイ	
417	10007857	L	女性生殖器	「生殖器系の構成部位」の一つ。
		<i>syn</i>	ジョセイセイショクキ	
418	10004471	L	陰核	「女性生殖器」の一つ。
		<i>syn</i>	インカク	
419	10011618	L	乳腺	「女性生殖器」の一つで、以下の固有の特徴をもつ：2つある円板型半球状の腺で、成熟した女性の乳房にある。男性には発育不全の形で、女兒には未発達な形で存在する。乳児の栄養となる人乳を分泌する機能をもつ。女性の乳房は通常、女性の性的魅力の一部とみなされている。
		<i>syn</i>	ニュウセン	
420	10013868	L	卵巣	「女性生殖器」の一つ。
		<i>syn</i>	ランソウ	
421	10020547	L	子宮	「女性生殖器」の一つ。
		<i>syn</i>	シキユウ	
422	10011570	L	男性生殖器	「生殖器系の構成部位」の一つ。
		<i>syn</i>	ダンセイセイショクキ	

423	10014243	L	陰莖	「男性生殖器」の一つ。
		<i>syn</i>	インケイ	
424	10015840	L	前立腺	「男性生殖器」の一つ。
		<i>syn</i>	ゼンリツセン	
425	10017603	L	陰嚢	「男性生殖器」の一つ。
		<i>syn</i>	インノウ	
426	10019600	L	睪丸	「男性生殖器」の一つ。
		<i>syn</i>	コウガン	
427	10016989	L	呼吸器系の構成部位	「身体系の構成部位」の一つ。
		<i>syn</i>	コキュウキケイノコウセイブイ	
428	10003700	L	気管支	「呼吸器系の構成部位」の一つ。
		<i>syn</i>	キカンシ	
429	10011137	L	喉頭	「呼吸器系の構成部位」の一つ。
		<i>syn</i>	コウトウ	
430	10011486	L	肺	「呼吸器系の構成部位」の一つ。
		<i>syn</i>	ハイ	
431	10014695	L	胸膜	「呼吸器系の構成部位」の一つ。
		<i>syn</i>	キョウマク	
432	10019922	L	気管	「呼吸器系の構成部位」の一つ。
		<i>syn</i>	キカン	
433	10017879	L	感覚器系の構成部位	「身体系の構成部位」の一つ。
		<i>syn</i>	カンカクキケイノコウセイブイ	
434	10004968	L	結膜	「感覚器系の構成部位」の一つ。
		<i>syn</i>	ケツマク	
435	10005212	L	角膜	「感覚器系の構成部位」の一つ。
		<i>syn</i>	カクマク	
436	10006488	L	耳	「感覚器系の構成部位」の一つ。
		<i>syn</i>	ミミ/ジ	
437	10007452	L	眼	「感覚器系の構成部位」の一つ。
		<i>syn</i>	メ/ガン	
438	10013314	L	鼻	「感覚器系の構成部位」の一つ。
		<i>syn</i>	ハナ	
439	10019824	L	舌	「感覚器系の構成部位」の一つ。
		<i>syn</i>	ゼツ/シタ	
440	10020432	L	泌尿器系の構成部位	「身体系の構成部位」の一つ。
		<i>syn</i>	ヒニョウキケイノコウセイブイ	
441	10022439	L	*Kidney	*Urinary System Component
442	10020339	L	尿道	「泌尿器系の構成部位」の一つ。
		<i>syn</i>	ニョウドウ	
443	10020360	L	膀胱	「泌尿器系の構成部位」の一つ。
		<i>syn</i>	ボウコウ	
444	10020413	L	膀胱括約筋	「泌尿器系の構成部位」の一つ。
		<i>syn</i>	ボウコウカツヤクキン	
445	10012955	L	*Impaired Structural Body Part	*Body Structure
446	10022949	DC	*Impaired Cardiovascular System	[see line 355]
447	10012760	F	*Impaired Mucous Membrane	[see line 389]
448	10012917	F	*Impaired Skin	[see line 394]
449	10021178	F	創傷	「外皮系プロセス」の一つで、以下の固有の特徴をもつ：組織の損傷で、通常物理的・機械的損傷に関連する。表皮剥離や組織の穿孔、漿液性、血性または膿性の滲出液、皮膚の発赤、浮腫、水泡状で浸軟した異常な皮膚、皮膚温の上昇、創の悪臭、苦痛と疼痛を伴う。
		<i>syn</i>	ソウショウ	
450	10030866	F	*Burn Wound	*Wound
451	10029737	DC	*Burn Wound	*Burn Wound
452	10031129	F	*Diabetic Wound	*Wound
453	10029785	DC	*Diabetic Wound	*Diabetic Wound
454	10007963	F	亀裂	「創傷」の一つで、以下の固有の特徴をもつ：体表面を覆っている組織のひび割れ、裂け目、または割れ目。皮膚の弾性や伸縮性の低下を伴う。赤色の伸展線からは真皮組織が見える。
		<i>syn</i>	キレツ	
455	10011493	F	浸軟	「創傷」の一つで、以下の固有の特徴をもつ：体表面を覆っている組織の広範な剥離。持続的な水分の存在、湿潤皮膚に関連する。
		<i>syn</i>	シンナン	
456	10031688	F	*Malignant Wound	*Wound

457	10030019	DC	*Malignant Wound	*Malignant Wound
458	10018256	F	皮膚創傷	「創傷」の一つ。
		<i>syn</i>	ヒフソウショウ	
459	10019265	F	手術創	「創傷」の一つで、以下の固有の特徴をもつ：組織の切創で、体内や器官に到達する開口部を形成するために、鋭利な外科用具によって作られる。血漿と血液が流出するが、清潔だと予想される（感染や化膿の徴候がない）。
		<i>syn</i>	シュジュ ツソウ	
460	10023148	DC	*Surgical Wound	*Surgical Wound
461	10020122	F	外傷創	「創傷」の一つで、以下の固有の特徴をもつ：体表面組織の予期せぬ崩壊で、ケガや事故による機械的損傷に関連する。皮膚・粘膜・組織の不規則な損傷、痛くヒリヒリする組織、血漿と血液の流出。不潔で汚れ、感染した組織と関連する。
		<i>syn</i>	ガイショウソウ	
462	10003763	F	熱傷	「外傷創」の一つで、以下の固有の特徴をもつ：体表面の外側組織および深層組織の損傷で、熱、化学物質、電気や放射性の作用物質への曝露による熱傷害による。細胞内タンパク質の凝固、代謝亢進、筋および脂肪細胞に蓄えられた栄養素の破壊、タンパク質や窒素の喪失、激痛、不快とストレス、致命的ショックの危険性、組織壊死、創感染、拘縮、肥厚と硬結および著明な変形を伴う萎縮性瘢痕形成。第1度熱傷、第2度熱傷、第3度熱傷などがある。
		<i>syn</i>	ネッショウ	
463	10005161	F	挫創	「外傷創」の一つで、以下の固有の特徴をもつ：打撲傷で、体表面の組織の外側と内側を傷つける。不規則で星型の組織損傷。外皮の色調変化は、黒、青、緑、黄色と進行する。打撲や転落など物理的損傷と関連する。
		<i>syn</i>	ザソウ	
464	10005462	F	切創	「外傷創」の一つで、以下の固有の特徴をもつ：軽傷の小さな裂け目、ナイフなど鋭器による切り傷。
		<i>syn</i>	セツソウ	
465	10007287	F	擦過傷	「外傷創」の一つで、以下の固有の特徴をもつ：体表面の組織の剥離で、点状出血がある。乾いた血漿性の痂皮に覆われるまで痛くヒリヒリする。外傷による物理的損傷と関連する。硬い表面による擦り傷、化学的熱傷と関連する。
		<i>syn</i>	サッカショウ	
466	10008247	F	凍傷	「外傷創」の一つで、以下の固有の特徴をもつ：体表面の外側組織および深層組織の損傷で、寒冷条件に長時間曝露され、特に組織環流が少ない部位（指など）で組織毛細血管の血栓および細胞外液の凍結が起こることによる。寒冷への曝露時間と寒冷の程度に関連した重症度によって段階づけされる。皮膚表面の損傷、白斑、ちりちりする感じから始まり、表在神経末端の障害による激痛へと進行する（第1度凍傷）。深部組織の損傷、凍結した白い皮膚、硬いが下部組織構造に対しては可動、神経障害による知覚や痛みの喪失（第2度凍傷）。組織が破壊され壊死して黒変した皮膚、神経障害による知覚や痛みの喪失、創感染の危険性、足趾や手指など四肢末端の喪失（第3度凍傷）。
		<i>syn</i>	トウショウ	
467	10008619	F	銃創	「外傷創」の一つで、以下の固有の特徴をもつ：発砲によって生じた創傷。射入口、射出口、射創管に分類される。射入口が組織に及ぼす作用はさまざまで、発射された距離によって弾丸のみの衝撃の場合や、火薬による火傷などがある。また発射距離、発射角度、体の角度によって弾丸が体を貫通することもあるれば、体内に残留したり、体表面を損傷したり、皮膚表面をかする場合もある。
		<i>syn</i>	ジュウソウ	
468	10011090	F	裂傷	「外傷創」の一つで、以下の固有の特徴をもつ：裂けてギザギザな創傷。激しい、時には致命的な組織損傷や血液と血漿の喪失に関連する。ショックの危険性を伴う。
		<i>syn</i>	レッショウ	
469	10012482	F	壊死	「外傷創」の一つで、以下の固有の特徴をもつ：組織の死んだ状態で、局所の炎症、感染、悪性過程または物理的な組織損傷に関連する。表在神経への影響による激痛を伴う皮膚蒼白から、青黒い壊死、神経障害による感覚と痛みの喪失、創感染の危険性、損傷組織と身体部位の喪失まで、組織への酸素供給途絶の持続期間に関連し重症度がつけられる。
		<i>syn</i>	エシ	
470	10016147	F	穿刺創	「外傷創」の一つで、以下の固有の特徴をもつ：ピン、釘、槍、杭、その他先端が鋭利な物体が皮膚を突き刺して生じた創傷。通常、刺入口は小さいが傷は深い。
		<i>syn</i>	センシソウ	
471	10030088	DC	*Traumatic Wound	*Traumatic Wound
472	10020237	F	潰瘍	「創傷」の一つで、以下の固有の特徴をもつ：開放創または

病変、深部組織の喪失、限局性のクレーター状病変で、当該部位への血液供給の低下、赤色の肉芽組織、黄色脂肪壊死、創の悪臭、創周辺の苦痛、疼痛、炎症壊死組織の脱落を伴う。炎症性の感染過程や悪性の過程に関連する。

「潰瘍」の一つで、以下の固有の特徴をもつ：限局性のクレーター状病変で、通常は足底や踵、つま先にある。創周辺の蒼白または暗紫色の皮膚、黄色と黒色の壊死を伴う漿液性の潰瘍、乾いた腱の露出、足の冷感、歩行時と安静時の強い創痛・疼痛。動脈機能不全に関連する。

「潰瘍」の一つで、以下の固有の特徴をもつ：組織の圧迫および不十分な組織灌流の結果生じる皮膚または下部構造の障害、炎症、痛み。

「潰瘍」の一つで、以下の固有の特徴をもつ：限局性のクレーター状病変で、通常は踝より上の下肢にある。創周辺の浮腫、創周辺の乾燥し茶色の鱗状あるいは変色した皮膚、脂肪結節、皮膚萎縮、皮疹、疼痛、創痛。慢性静脈機能不全、静脈弁障害、下肢から体幹への静脈血の還流量減少に関連する。

		<i>syn</i>	カイヨウ		
473	10002558	F	動脈性潰瘍		
		<i>syn</i>	ドウミyakセイカイヨウ		
474	10029700	DC	*Arterial Ulcer		*Arterial Ulcer
475	10031101	F	*Diabetic Ulcer		*Ulcer
476	10015612	F	褥瘡		
		<i>syn</i>	ジョクソウ		
477	10025798	DC	*Pressure Ulcer		*Pressure Ulcer
478	10027337	DC	*Risk for Pressure Ulcer		[see line 94]
479	10030090	DC	*Ulcer		*Ulcer
480	10029700	DC	*Arterial Ulcer		[see line 474]
481	10025798	DC	*Pressure Ulcer		[see line 477]
482	10030100	DC	*Venous Ulcer		*Venous Ulcer
483	10020683	F	静脈性潰瘍		
		<i>syn</i>	ジョウミyakセイカイヨウ		
484	10030100	DC	*Venous Ulcer		[see line 482]
485	10029238	L	*Positive Structural Body Part		*Body Structure
486	10029077	F	*No Pressure Ulcer		*Positive Structural Body Part
487	10029065	DC	*No Pressure Ulcer		*No Pressure Ulcer
488	10008724	L	医療保健部門		「医療保健施設」の一つ。
		<i>syn</i>	イリョウホケンブモン		
489	10005882	L	診断部門		「医療保健部門」の一つ。
		<i>syn</i>	シンダンブモン		
490	10006754	L	救急部門		「医療保健部門」の一つ。
		<i>syn</i>	キュウキュウブモン		
491	10009133	L	病棟		「医療保健部門」の一つ。
		<i>syn</i>	ビョウトウ		
492	10010444	L	集中治療部門		「医療保健部門」の一つ。
		<i>syn</i>	シュウチュウチリョウブモン		
493	10013691	L	手術室		「医療保健部門」の一つ。
		<i>syn</i>	シュジュツシツ		
494	10013852	L	外来部門		「医療保健部門」の一つ。
		<i>syn</i>	ガイライブモン		
495	10016303	L	放射線部門		「医療保健部門」の一つ。
		<i>syn</i>	ハウシャセンブモン		
496	10016511	L	回復室		「医療保健部門」の一つ。
		<i>syn</i>	カイクシツ		
497	10008748	F	衛生委員会		「心理社会的構造」の一つ。
		<i>syn</i>	エイセイインカイ		
498	10016467	DC	*Negative Diagnosis and Outcome		*Diagnosis and Outcome
499	10000431	DC	*Activity Intolerance		*Activity Intolerance
500	10029684	DC	*Acute Health Crisis		*Health Crisis
501	10025705	DC	*Agitation		*Agitation
502	10027843	DC	*Improved Agitation		*Agitation
503	10029697	DC	*Allergy		*Allergy
504	10000790	DC	*Latex Allergy		*Latex Allergy
505	10022954	DC	*Altered Blood Pressure		*Blood Pressure
506	10001242	DC	*Altered Perception		*Impaired Perception
507	10022500	DC	*Hallucination		*Hallucination
508	10034886	DC	*Impaired Kinaesthesia		*Kinaesthesia
509	10000859	DC	*Nausea		*Nausea

510	10023130	DC	*Pain	*Pain
511	10000454	DC	*Acute Pain	*Pain
512	10000546	DC	*Chronic Pain	*Pain
513	10027917	DC	*Improved Pain	*Pain
514	10001392	DC	*Perceived Constipation	*Perceived Constipation
515	10027891	DC	*Improved Perceived Constipation	*Perceived Constipation
516	10022805	DC	*Suspicion	*Suspicion
517	10033573	DC	*Unilateral Neglect	*Unilateral Neglect
518	10033525	DC	*Improved Unilateral Neglect	*Unilateral Neglect
519	10000496	DC	*Autonomic Dysreflexia□	*Autonomic Dysreflexia□
520	10027274	DC	*Bradycardia	*Bradycardia
521	10029728	DC	*Breast Engorgement	*Breast Engorgement
522	10029737	DC	*Burn Wound	[see line 451]
523	10022332	DC	*Communication Barrier	*Communication Barrier
524	10022350	DC	*Complex Treatment Regime	*Complex Regime
525	10022983	DC	*Complex Medication Regime	*Complex Medication Regime
526	10030042	DC	*Polypharmacy	*Polypharmacy
527	10022397	DC	*Conflicting (Negative) Cultural beliefs□	*Cultural Belief
528	10022281	DC	*Conflicting Attitude Toward Care□	*Attitude Toward Care
529	10022299	DC	*Conflicting Attitude Toward Medication Management	*Attitude Toward Medication Management
530	10023622	DC	*Conflicting Attitude Toward Therapeutic Regime	*Attitude To Regime
531	10024969	DC	*Conflicting Attitude Toward Dietary Regime	*Attitude Toward Dietary Regime
532	10023614	DC	*Conflicting Attitude Toward Exercise	*Attitude Toward Exercise Regime
533	10022516	DC	*Conflicting Health Belief□	*Health Belief
534	10021757	DC	*Conflicting Religious Belief□	*Negative Religious Belief
535	10022769	DC	*Conflicting Spiritual Belief□	*Spiritual Belief
536	10025297	DC	*ContaminationExposure	*Contamination Exposure
537	10029759	DC	*Continuity of Care Problem	*Continuity of Care
538	10000828	DC	*Decreased Intracranial Adaptive Capacity	*Intracranial Adaptive Capacity
539	10034926	DC	*Delayed Growth	*Delayed Growth
540	10001328	DC	*Delayed Surgical Recovery	*Surgical Recovery
541	10029785	DC	*Diabetic Wound	[see line 453]
542	10023066	DC	*Discomfort	*Discomfort
543	10001235	DC	*Disorientation	*Orientation
544	10028586	DC	*Improved Orientation	*Disorientation
545	10001149	DC	*Disrupted Energy Field	*Energy Field
546	10025209	DC	*Disuse Response	*Disuse Response
547	10023097	DC	*Disuse Syndrome	*Disuse
548	10029818	DC	*Earwax Problem	*Earwax
549	10029839	DC	*Emotional Problem	*Negative Emotion
550	10000477	DC	*Anxiety	*Anxiety
551	10000483	DC	*Anxiety Before Death	*Anxiety
552	10027858	DC	*Improved Anxiety	*Anxiety
553	10000551	DC	*Chronic Sadness	*Sadness
554	10027862	DC	*Improved Chronic Sadness	*Chronic Sadness
555	10022402	DC	*Depression	*Depression
556	10027901	DC	*Improved Depression	*Depression
557	10029771	DC	*Post Partum Depression	*Depression
558	10001183	DC	*Dysfunctional Grief	*Grief
559	10000726	DC	*Anticipatory Grief	*Grief
560	10000695	DC	*Fatigue	*Fatigue
561	10029390	DC	*Improved Fatigue	*Fatigue
562	10022833	DC	*Treatment Exhaustion	*Treatment Exhaustion
563	10000703	DC	*Fear	*Fear
564	10027889	DC	*Improved Fear	*Fear
565	10000742	DC	*Hopelessness	*Hopelessness
566	10025693	DC	*Lack Of Pride	*Pride
567	10025947	DC	*Low Trust	*Trust
568	10025952	DC	*Lack Of Trust In Healthcare	*Low Trust

			Provider	
569	10001578	DC	*Powerlessness	*Powerlessness
570	10027120	DC	*Decreased Powerlessness	*Powerlessness
571	10001652	DC	*Spiritual Distress	*Spiritual Distress
572	10027149	DC	*Decreased Spiritual Distress	*Spiritual Distress
573	10025588	DC	*Suffering□	*Suffering□
574	10029856	DC	*Environmental Safety Problem	*Environmental Safety
575	10029405	DC	*Fall	*Fall
576	10029860	DC	*Financial Problem	*Financial Problem
577	10022563	DC	*Inadequate Income	*Income
578	10029887	DC	*Homebound	*Homebound
579	10029894	DC	*Hospital Acquired Complication	*Hospital Acquired Complication
580	10029904	DC	*Housing Problem	*Housing Status
581	10022559	DC	*Illiteracy	*Literacy
582	10022996	DC	*Immunologic Impairment	*Immune System Process
583	10034552	DC	*Impaired Ability to Manage Finances	*Ability To Manage Finances
584	10000885	DC	*Impaired Ability To Manage Regime	*Ability To Manage Regime
585	10029569	DC	*Impaired Ability To Manage Continence Device	*Ability To Manage Regime
586	10022592	DC	*Impaired Ability To Manage Diet Regime	*Ability To Manage Regime
587	10022603	DC	*Impaired Ability To Manage Exercise Regime	*Ability To Manage Regime
588	10022635	DC	*Impaired Ability To Manage Medication Regime	*Ability To Manage Regime
589	10029582	DC	*Impaired Ability To Manage Peritoneal Dialysis	*Ability To Manage Regime
590	10029595	DC	*Impaired Ability To Manage Stoma Care	*Ability To Manage Regime
591	10029576	DC	*Impaired Ability To Manage Nephrostomy Care	*Ability To Manage Regime
592	10029609	DC	*Impaired Ability To Manage Urinary Catheter	*Ability To Manage Regime
593	10000892	DC	*Impaired Community Ability To Manage Regime	*Impaired Ability To Manage Regime
594	10000902	DC	*Impaired Family Ability To Manage Regime	*Impaired Ability To Manage Regime
595	10029613	DC	*Impaired Ability To Monitor Disease	*Ability To Monitor
596	10029621	DC	*Impaired Ability To Perform Caretaking	*Ability To Perform Caretaking
597	10000939	DC	*Impaired Parenting	*Ability To Parent
598	10029650	DC	*Impaired Ability To Prepare Food	*Ability To Prepare Food
599	10034581	DC	*Impaired Ability to Shop	*Ability to Shop
600	10029480	DC	*Impaired Acceptance Of Health Status	*Acceptance Of Health Status
601	10000863	DC	*Impaired Adjustment	*Ability To Adjust
602	10027165	DC	*Impaired Alertness	*Alertness
603	10025492	DC	*Impaired Attitude To Nutritional Status	*Attitude Toward Nutritional Status
604	10022949	DC	*Impaired Cardiovascular System	[see line 446]
605	10022321	DC	*Impaired Cognition	*Cognition
606	10000579	DC	*Decisional Conflict□	*Decisional Conflict□
607	10027804	DC	*Improved Decisional Conflict□	*Decisional Conflict□
608	10025018	DC	*Moral Distress	*Moral Distress
609	10000669	DC	*Distorted Thinking Process	*Distorted Thinking
610	10023633	DC	*Confusion	*Confusion
611	10000449	DC	*Acute Confusion	*Confusion
612	10000522	DC	*Chronic Confusion	*Confusion
613	10027098	DC	*Improved Confusion	*Confusion
614	10022091	DC	*Delirium	*Delirium
615	10029802	DC	*Dysphasia	*Dysphasia
616	10029451	DC	*Lack of Self Awareness	*Self Awareness
617	10029479	DC	*Lack Of Awareness Of Symptoms	*Self Awareness
618	10022795	DC	*Suicidal Ideation	*Suicidal Ideation
619	10023370	DC	*Impaired Communication	*Ability To Communicate
620	10025104	DC	*Impaired Verbal Communication	*Ability To Communicate By Talking
621	10001120	DC	*Impaired Coping	*Impaired Coping Process
622	10034855	DC	*Defensive Coping	*Defensive Coping

623	10000624	DC	*Denial	*Denial
624	10027870	DC	*Improved Denial	*Denial
625	10034817	DC	*Impaired Community Coping	*Community Coping Process
626	10034789	DC	*Impaired Family Coping	*Family Coping Process
627	10001131	DC	*Impaired Dentition	*Dentition
628	10023078	DC	*Impaired Family Process	*Dysfunctional Family
629	10022456	DC	*Conflicting (Negative) Family Attitude	*Family Attitude
630	10034789	DC	* <i>Impaired Family Coping</i>	[see line 626]
631	10001165	DC	*Dysfunctional Family Process With Alcohol Abuse	*Impaired Family Process
632	10000788	DC	*Interrupted Family Process	*Dysfunctional Family
633	10022931	DC	*Impaired Gastrointestinal System Process	*Impaired Gastrointestinal System Process
634	10000567	DC	*Constipation	*Constipation
635	10021885	DC	*Impaction	*Impaction
636	10022062	DC	*Impaired Defaecation	*Impaired Defaecation
637	10000630	DC	*Diarrhoea	*Diarrhoea
638	10025981	DC	*Vomiting	*Vomiting
639	10000918	DC	*Impaired Health Maintenance	*Ability To Perform Health Maintenance
640	10000925	DC	*Impaired Homemaking	*Ability To Perform Homemaking
641	10023260	DC	*Impaired Human Development	*Human Development
642	10023304	DC	*Impaired Adolescent Development	*Adolescent Development
643	10023315	DC	*Impaired Adult Development	*Adult Development
644	10023327	DC	*Impaired Older Adult Development	*Older Adult Development
645	10023294	DC	*Impaired Child Development	*Child Development
646	10023287	DC	*Impaired Infant Development	*Infant Development
647	10023273	DC	*Impaired Newborn Development	*Newborn Development
648	10027430	DC	*Impaired Interactive Behaviour	*Interactive Behaviour
649	10029943	DC	*Impaired Lactation	*Lactation
650	10001203	DC	*Impaired Memory	*Impaired Memory
651	10001219	DC	*Impaired Mobility	*Ability to Mobilise
652	10001067	DC	*Impaired Bed Mobility	*Bed Mobility
653	10001046	DC	*Impaired Walking	*Ability To Walk
654	10001363	DC	*Impaired Wheelchair Mobility	*Wheelchair Mobility
655	10022642	DC	*Impaired Musculoskeletal Process	*Impaired Musculoskeletal System Process
656	10029763	DC	*Convulsion	*Convulsion
657	10022674	DC	*Paralysis	*Paralysis
658	10022846	DC	*Tremor	*Tremor
659	10025746	DC	*Impaired Nutritional Status	*Impaired Nutritional Status
660	10023391	DC	*Impaired Fluid Volume	*Impaired Fluid Volume
661	10000598	DC	*Deficient Fluid Volume	*Fluid Volume
662	10000676	DC	*Excess Fluid Volume	*Fluid Volume
663	10023009	DC	*Impaired Nutritional Intake	*Nutrition
664	10029873	DC	*Impaired Fluid Intake	*Fluid Intake
665	10025535	DC	*Impaired High Nutritional Intake	*Impaired Nutritional Intake
666	10000682	DC	*Excess Food Intake	*Food Intake
667	10025519	DC	*Impaired Low Nutritional Intake	*Impaired Nutritional Intake
668	10000607	DC	*Deficient Food Intake	*Food Intake
669	10023153	DC	*Impaired Peripheral Neurovascular Process	*Impaired Neurovascular Process
670	10030035	DC	*Impaired Physiological Status	*Physiological Status
671	10027718	DC	*Bowel Incontinence	*Bowel Incontinence
672	10022898	DC	*Failure To Thrive	*Ability To Thrive
673	10000465	DC	*Adult Inability To Thrive	*Ability To Thrive
674	10025557	DC	*Impaired Cardiac Output	*Cardiac Output
675	10029962	DC	*Lack Of Knowledge Of Child Development	*Knowledge Of Child Development
676	10022730	DC	*Sensory Deficit	*Sensory Ability
677	10022544	DC	*Hearing Deficit	*Ability To Hear
678	10022528	DC	*Impaired Ability To Smell	*Ability To Smell
679	10022619	DC	*Inability to Feel	*Ability To Feel

680	10022748	DC	*Inability To See	*Ability To See
681	10022814	DC	*Inability To Taste	*Ability To Taste
682	10025686	DC	*Urinary Incontinence	*Urinary Incontinence
683	10026778	DC	*Functional Incontinence	*Functional Incontinence
684	10026914	DC	*Overflow Incontinence□	*Overflow Incontinence□
685	10026784	DC	*Reflex Incontinence□	*Reflex Incontinence□
686	10026797	DC	*Stress Incontinence	*Stress Incontinence
687	10026807	DC	*Total Urinary Incontinence	*Total Urinary Incontinence
688	10034654	DC	*Urinary Retention	*Urinary Retention
689	10001014	DC	*Impaired Protective Ability	*Ability To Protect
690	10028754	DC	*Impaired Psychological Status	*Psychological Status
691	10025087	DC	*Impaired Psychomotor Activity	*Impaired Psychomotor Activity
692	10023358	DC	*Impaired Regulatory System Process	*Impaired Regulatory System Process
693	10033539	DC	*Acid Base Imbalance	*Acid Base Imbalance
694	10033502	DC	*Improved Acid Base Imbalance	*Acid Base Imbalance
695	10025808	DC	*Dehydration	*Dehydration
696	10033541	DC	*Electrolyte Imbalance	*Electrolyte Imbalance
697	10033518	DC	*Improved Electrolyte Imbalance	*Electrolyte Imbalance
698	10027550	DC	*Hyperglycaemia	*Hyperglycaemia
699	10027566	DC	*Hypoglycaemia	*Hypoglycaemia
700	10022965	DC	*Impaired Endocrine System Process	*Endocrine System Process
701	10033560	DC	*Impaired Thermoregulation	*Impaired Thermoregulation
702	10000757	DC	*Hyperthermia	*Hyperthermia
703	10000761	DC	*Hypothermia	*Hypothermia
704	10030003	DC	*Lymphatic Oedema	*Lymphatic Oedema
705	10030116	DC	*Weeping Oedema	*Weeping Oedema
706	10027482	DC	*Peripheral Oedema	*Peripheral Oedema
707	10021788	DC	*Impaired Relocation Stress	*Relocation Stress
708	10027756	DC	*Improved Relocation Stress	*Impaired Relocation Stress
709	10023362	DC	*Impaired Respiration	*Impaired Respiratory System Process
710	10027177	DC	*Aspiration	*Aspiration
711	10029433	DC	*Dyspnoea	*Dyspnoea
712	10029414	DC	*Functional Dyspnoea	*Functional Dyspnoea
713	10029422	DC	*Resting Dyspnoea	*Resting Dyspnoea
714	10001051	DC	*Impaired Airway Clearance	*Airway Clearance
715	10001316	DC	*Impaired Breathing	*Spontaneous Ventilation
716	10001177	DC	*Impaired Gas Exchange	*Gaseous Exchange
717	10021761	DC	*Postnasal Drip	*Postnasal Drip
718	10030128	DC	*Wheeze	*Wheeze
719	10000941	DC	*Impaired Role Performance	*Ability To Perform Role
720	10001288	DC	*Impaired Sexual Functioning	*Sexual Process
721	10030061	DC	*Impaired Social Status	*Social Status
722	10001022	DC	*Impaired Socialisation	*Ability To Socialise
723	10023336	DC	*Impaired Spiritual Status	*Spiritual Status
724	10001033	DC	*Impaired Swallowing	*Ability To Swallow
725	10001080	DC	*Impaired Tissue Integrity	*Impaired Body Tissue Integrity
726	10026967	DC	*Impaired Oral Mucous Membrane	*Impaired Tissue Integrity
727	10001290	DC	*Impaired Skin Integrity	*Skin Integrity
728	10028517	DC	*Improved Skin Integrity	*Impaired Skin Integrity
729	10001359	DC	*Impaired Urinary System Process	*Impaired Urinary System Process
730	10023169	DC	*Impaired Kidney Function	*Kidney Process
731	10021790	DC	*Impaired Urination	*Impaired Urination
732	10001261	DC	*Impaired Ventilatory Weaning	*Response To Ventilatory Weaning
733	10027290	DC	*Impaired Weight	*Impaired Weight
734	10027300	DC	*Overweight	*Overweight
735	10027316	DC	*Underweight	*Underweight
736	10029388	DC	*Improved Diagnosis and Outcome	*Negative Diagnosis and Outcome
737	10027120	DC	<i>*Decreased Powerlessness</i>	<i>[see line 570]</i>
738	10027149	DC	<i>*Decreased Spiritual Distress</i>	<i>[see line 572]</i>
739	10033502	DC	<i>*Improved Acid Base Imbalance</i>	<i>[see line 694]</i>
740	10027843	DC	<i>*Improved Agitation</i>	<i>[see line 502]</i>
741	10027858	DC	<i>*Improved Anxiety</i>	<i>[see line 552]</i>

742	10027862	DC	<i>*Improved Chronic Sadness</i>	<i>[see line 554]</i>
743	10027098	DC	<i>*Improved Confusion</i>	<i>[see line 613]</i>
744	10027804	DC	<i>*Improved Decisional Conflict</i> □	<i>[see line 607]</i>
745	10027870	DC	<i>*Improved Denial</i>	<i>[see line 624]</i>
746	10027901	DC	<i>*Improved Depression</i>	<i>[see line 556]</i>
747	10033518	DC	<i>*Improved Electrolyte Imbalance</i>	<i>[see line 697]</i>
748	10029390	DC	<i>*Improved Fatigue</i>	<i>[see line 561]</i>
749	10027889	DC	<i>*Improved Fear</i>	<i>[see line 564]</i>
750	10028586	DC	<i>*Improved Orientation</i>	<i>[see line 544]</i>
751	10027917	DC	<i>*Improved Pain</i>	<i>[see line 513]</i>
752	10027891	DC	<i>*Improved Perceived Constipation</i>	<i>[see line 515]</i>
753	10027756	DC	<i>*Improved Relocation Stress</i>	<i>[see line 708]</i>
754	10028517	DC	<i>*Improved Skin Integrity</i>	<i>[see line 728]</i>
755	10027929	DC	<i>*Improved Stress</i>	<i>*Stress Overload</i>
756	10027794	DC	<i>*Improved Caregiver Stress</i>	<i>*Caregiver Stress</i>
757	10027938	DC	<i>*Improved Suicide Risk</i>	<i>[see line 99]</i>
758	10027760	DC	<i>*Improved Trauma Response</i>	<i>*Post Trauma Response</i>
759	10033525	DC	<i>*Improved Unilateral Neglect</i>	<i>[see line 518]</i>
760	10025395	DC	<i>*Increased Intracranial Pressure</i>	<i>*Intracranial Pressure</i>
761	10001344	DC	<i>*Ineffective Tissue Perfusion</i> □	<i>*Tissue Perfusion</i>
762	10026709	DC	<i>*Impaired Peripheral Tissue Perfusion</i>	<i>*Ineffective Tissue Perfusion</i> □
763	10023032	DC	<i>*Infection</i>	<i>*Infection</i>
764	10029915	DC	<i>*Urinary Tract Infection</i>	<i>*Infection</i>
765	10029927	DC	<i>*Inflammation</i> □	<i>*Inflammation</i> □
766	10029936	DC	<i>*Injury</i>	<i>*Injury</i>
767	10029678	DC	<i>*Injury from Abuse</i>	<i>*Abuse Injury</i>
768	10023111	DC	<i>*Perioperative Positioning Injury</i>	<i>*Perioperative Positioning Injury</i>
769	10032408	DC	<i>*Risk for Transfer Injury</i>	<i>*Transfer Injury</i>
770	10030074	DC	<i>*Transfer Injury</i>	<i>*Transfer Injury</i>
771	10033399	DC	<i>*Lack of Appetite</i>	<i>*Appetite</i>
772	10022473	DC	<i>*Lack of Family Support</i>	<i>*Family Support</i>
773	10000837	DC	<i>*Lack Of Knowledge</i>	<i>*Knowledge</i>
774	10024734	DC	<i>*Knowledge Deficit Of Behaviour</i> □ <i>Change Process</i>	<i>*Knowledge Of Behaviour Change Process</i>
775	10028643	DC	<i>*Knowledge Of Safety Measure</i>	<i>*Knowledge Of Safety Measure</i>
776	10029958	DC	<i>*Lack of Knowledge of Breast Feeding</i>	<i>*Knowledge of Breast Feeding</i>
777	10021987	DC	<i>*Lack Of Knowledge Of Diagnostic Test</i>	<i>*Knowledge Of Diagnostic Test</i>
778	10021994	DC	<i>*Lack Of Knowledge Of Disease</i>	<i>*Knowledge Of Pathological Process</i>
779	10022004	DC	<i>*Lack Of Knowledge Of Fluid Volume</i>	<i>*Knowledge Of Fluid Volume</i>
780	10025975	DC	<i>*Lack Of Knowledge Of Medication</i>	<i>*Knowledge Of Medication</i>
781	10029970	DC	<i>*Lack of Knowledge of Oral Hygiene</i>	<i>*Knowledge of Oral Hygiene</i>
782	10022015	DC	<i>*Lack Of Knowledge Of Safety Measure</i>	<i>*Knowledge Of Safety Measure</i>
783	10029991	DC	<i>*Lack Of Knowledge of Sexual Behaviour</i>	<i>*Knowledge Of Sexual Behaviour</i>
784	10021925	DC	<i>*Lack Of Knowledge Of Treatment Regime</i>	<i>*Knowledge Of Regime</i>
785	10022585	DC	<i>*Knowledge Deficit About</i> □ <i>Exercise</i>	<i>*Knowledge Of Exercise Regime</i>
786	10021939	DC	<i>*Lack Of Knowledge Of Dietary Regime</i>	<i>*Knowledge Of Dietary Regime</i>
787	10021941	DC	<i>*Lack Of Knowledge Of Medication Regime</i>	<i>*Knowledge Of Medication Regime</i>
788	10029989	DC	<i>*Lack of Knowledge of Peritoneal Dialysis</i>	<i>*Knowledge of Peritoneal Dialysis</i>
789	10027371	DC	<i>*Lack of Knowledge Of Community Service</i>	<i>*Knowledge Of Community Service</i>
790	10023423	DC	<i>*Lack Of Meaning</i>	<i>*Meaninglessness</i>
791	10025601	DC	<i>*Lack Of Privacy</i>	<i>*Privacy</i>
792	10033556	DC	<i>*Lack Of Response to Treatment</i>	<i>*Negative Response To Treatment</i>
793	10022753	DC	<i>*Lack Of Social Support</i>	<i>*Social Support</i>
794	10029286	DC	<i>*Lack of Symptom Control</i>	<i>*Symptom Control</i>

795	10022822	DC	*Lack Of Transportation	*Transportation Service
796	10027131	DC	*Low Self Efficacy□	*Self Efficacy□
797	10022867	DC	*Low Volition	*Impaired Volition
798	10022571	DC	*Low Initiative	*Initiative
799	10027469	DC	*Low Self Control	*Self Control
800	10030019	DC	* <i>Malignant Wound</i>	<i>[see line 457]</i>
801	10029716	DC	*Negative Behaviour	*Impaired Behaviour
802	10029666	DC	*Abuse	*Abuse
803	10029744	DC	*Child Abuse	*Child Abuse
804	10029825	DC	*Elder Abuse	*Elder Abuse
805	10023755	DC	*Intimate Partner Abuse	*Spousal Abuse
806	10000653	DC	*Disorganised Infant Behaviour	*Disorganised Behaviour
807	10029792	DC	*Domestic Violence	*Domestic Violence
808	10001098	DC	*Impaired Breast Feeding Pattern	*Breast Feeding
809	10000774	DC	*Interrupted Breastfeeding	*Impaired Breastfeeding Pattern
810	10001108	DC	*Impaired Breathing Pattern	*Breathing Pattern
811	10027219	DC	*Impaired Caregiver Child Attachment	*Caregiver Child Attachment
812	10022043	DC	*Impaired Exercise Pattern	*Exercise Pattern
813	10022920	DC	*Impaired Health Seeking Behaviour	*Health Seeking Behaviour
814	10001196	DC	*Impaired Infant Feeding Behaviour	*Eating Pattern
815	10001300	DC	*Impaired Sleep Pattern	*Sleep Pattern
816	10001274	DC	*Problematic Sexual Behaviour	*Sexual Behaviour
817	10027424	DC	*Self Destructive Behaviour	*Self Destructive Behaviour
818	10001623	DC	*Self Mutilation	*Self Mutilation
819	10022268	DC	*Substance Abuse	*Substance Abuse
820	10022234	DC	*Alcohol Abuse	*Alcohol Abuse
821	10022425	DC	*Drug Abuse	*Drug Abuse
822	10022247	DC	*Tobacco Abuse	*Tobacco Abuse
823	10025629	DC	*Negative Caregiver Attitude	*Caregiver Attitude
824	10023959	DC	*Negative Environmental Process	*Impaired Environmental Process
825	10022494	DC	*Lack of Food Supply	*Food Supply
826	10022879	DC	*Lack Of Water Supply	*Water Supply
827	10023937	DC	*Medication Supply Deficit□	*Medication Supply
828	10033415	DC	*Negative Response to Enteral Nutrition	*Response to Enteral Nutrition
829	10033381	DC	*Negative Response to Medication	*Response to Medication
830	10022626	DC	*Medication Side Effect□	*Medication Side Effect□
831	10022724	DC	*Negative Self Image	*Negative Self Image
832	10001079	DC	*Disturbed Body Image	*Body Image
833	10001257	DC	*Disturbed Personal Identity	*Personal Identity
834	10029507	DC	*Low Self Esteem	*Low Self Esteem
835	10000533	DC	*Chronic Low Self Esteem	*Chronic Low Self Esteem
836	10000844	DC	*Situational Low Self Esteem	*Low Self Esteem
837	10001371	DC	*Non Adherence	*Non Adherence
838	10022155	DC	*Non Adherence To Regime	*Non Adherence To Regime
839	10022101	DC	*Non Adherence To Diagnostic Test	*Non Adherence To Diagnostic Test
840	10022117	DC	*Non Adherence To Dietary Regime	*Non Adherence To Dietary Regime
841	10022657	DC	*Non Adherence To Exercise	*Non Adherence To Exercise
842	10022129	DC	*Non Adherence To Fluid Volume	*Non Adherence To Fluid Volume
843	10021682	DC	*Non Adherence To Medication	*Non Adherence To Medication
844	10030026	DC	*Non Adherence To Immunisation Regime	*Non Adherence To Immunisation Regime
845	10022140	DC	*Non Adherence To Safety Precautions	*Non Adherence To Safety Precautions
846	10001699	DC	*Post Trauma Response	*Trauma Response
847	10027760	DC	* <i>Improved Trauma Response</i>	<i>[see line 758]</i>
848	10001597	DC	*Rape Trauma Response	*Rape Trauma Response
849	10027668	DC	*Improved Rape Trauma Response	*Rape Trauma Response
850	10017252	J	リスク	<i>[see line 18]</i>
851	10030057	DC	*Relationship Problem	*Relationship Status
852	10025722	DC	*Restlessness	*Restlessness

853	10023410	DC	*Self Care Deficit□	*Ability To Perform Self Care
854	10001005	DC	*Impaired Ability To Transfer	*Ability To Transfer
855	10000973	DC	*Impaired Self Feeding	*Ability To Feed Self
856	10000987	DC	*Inability To Perform Hygiene	*Ability To Perform Hygiene
857	10000956	DC	*Impaired Ability To Bath	*Ability To Bath
858	10027578	DC	*Impaired Ability To Dress	*Ability To Dress
859	10000960	DC	*Impaired Dressing And Grooming	*Ability To Dress And Groom Self
860	10029632	DC	*Impaired Ability To Groom	*Ability To Groom Self
861	10000960	DC	<i>*Impaired Dressing And Grooming</i>	<i>[see line 859]</i>
862	10000994	DC	*Impaired Self Toileting	*Ability To Toilet Self
863	10029645	DC	*Ineffective Oral Hygiene□	*Inability to Perform Hygiene
864	10000800	DC	*Inability To Perform Leisure Activity	*Ability To Perform Leisure Activities
865	10027226	DC	*Sleep Deprivation	*Impaired Sleep
866	10001647	DC	*Social Isolation	*Social Isolation
867	10022782	DC	*Stigma	*Stigma
868	10021742	DC	*Stress Overload	*Stress
869	10027773	DC	*Caregiver Stress	*Caregiver Stress
870	10027794	DC	<i>*Improved Caregiver Stress</i>	<i>[see line 756]</i>
871	10027929	DC	<i>*Improved Stress</i>	<i>[see line 755]</i>
872	10001385	DC	*Parental Stress	*Stress
873	10023148	DC	<i>*Surgical Wound</i>	<i>[see line 460]</i>
874	10027288	DC	*Tachycardia	*Tachycardia
875	10001675	DC	*Tendency To Wander	*Tendency To Wander
876	10030088	DC	<i>*Traumatic Wound</i>	<i>[see line 471]</i>
877	10030090	DC	<i>*Ulcer</i>	<i>[see line 479]</i>
878	10023389	DC	*Undignified Dying□	*Dying
879	10022441	DC	*Unrealistic Expectation	*Unrealistic Expectation
880	10022880	DC	*Weakness	*Weakness
881	10016479	DC	*Positive Diagnosis and Outcome	*Diagnosis and Outcome
882	10021828	DC	*Ability To Adjust	*Ability To Adjust
883	10034547	DC	*Ability To Manage Finances	*Ability To Manage Finances
884	10001407	DC	*Ability To Manage Regime	*Ability To Manage Regime
885	10029272	DC	*Ability To Manage Medication Regime	*Ability To Manage Regime
886	10025655	DC	*Ability To Perform Caretaking	*Ability To Perform Caretaking
887	10027955	DC	*Effective Parenting□	*Ability To Parent
888	10023452	DC	*Ability To Perform Health Maintenance	*Ability To Perform Health Maintenance
889	10030137	DC	*Ability To Prepare Food	*Ability To Prepare Food
890	10034575	DC	*Ability To Shop	*Ability To Shop
891	10028305	DC	*Ability To Thrive	*Ability To Thrive
892	10023499	DC	*Acceptance Of Health Status	*Acceptance Of Health Status
893	10034599	DC	*Access To Transportation	*Transportation Service
894	10027112	DC	*Adequate Knowledge	*Adequate Knowledge
895	10024723	DC	*Knowledge Of Behaviour Change Process	*Knowledge Of Behaviour Change Process
896	10028627	DC	*Knowledge Of Community Service	*Knowledge Of Community Service
897	10023764	DC	*Knowledge Of Diagnostic Test	*Knowledge Of Diagnostic Test
898	10028636	DC	*Knowledge Of Fluid Volume	*Knowledge Of Fluid Volume
899	10025968	DC	*Knowledge Of Medication	*Knowledge Of Medication
900	10030246	DC	*Knowledge Of Oral Hygiene	*Knowledge Of Oral Hygiene
901	10033750	DC	*Knowledge Of Pain Management	*Knowledge Of Pain Management
902	10023826	DC	*Knowledge Of Pathological Process	*Knowledge Of Pathological Process
903	10033766	DC	*Knowledge Of Psychosocial Response To Procedure	*Knowledge Of Psychosocial Response To Procedure
904	10033778	DC	*Knowledge Of Response to Procedure	*Knowledge Of Response to Procedure
905	10030251	DC	*Knowledge Of Sexual Behaviour	*Knowledge Of Sexual Behaviour
906	10025733	DC	*Knowledge Of Treatment Regime	*Knowledge Of Regime
907	10023772	DC	*Knowledge Of Dietary Regime	*Knowledge Of Dietary Regime
908	10023786	DC	*Knowledge Of Exercise	*Knowledge Of Exercise Regime
909	10023819	DC	*Knowledge Of Medication Regime	*Knowledge Of Medication Regime

910	10033784	DC	*Knowledge of Wound Care	*Knowledge of Wound Care
911	10024930	DC	*Adequate Sleep	*Adequate Sleep
912	10022210	DC	*Adherence	*Adherence
913	10030205	DC	*Adherence To Therapeutic Regime	*Adherence To Regime
914	10030144	DC	*Adherence To Diagnostic Test	*Adherence To Diagnostic Test
915	10030159	DC	*Adherence To Dietary Regime	*Adherence To Dietary Regime
916	10030163	DC	*Adherence To Exercise Regime	*Adherence To Exercise Regime
917	10030171	DC	*Adherence To Fluid Volume	*Adherence To Fluid Volume
918	10030192	DC	*Adherence To Medication Regime	*Adherence To Medication Regime
919	10033671	DC	*Adherence to Rehabilitation Regime	*Adherence to Rehabilitation Regime
920	10030214	DC	*Adherence To Safety Precautions	*Adherence To Safety Precautions
921	10025574	DC	*Comfortable	*Comfortable
922	10005967	DC	尊厳死	「臨終」の一つで、以下の固有の特徴をもつ：痛みの緩和、 症状の抑制について言葉で意思表示をする。ケアや治療の決 定に参加する。身体的な快適さや精神的な安らぎについて言 葉で意思表示をする。人生を回顧する。
<i>syn</i> ソンゲンシ				
923	10025025	DC	*Effective Ability To Communicate□	*Effective Ability To Communicate□
924	10028230	DC	*Effective Verbal Communication□	*Ability To Communicate By Talking
925	10028248	DC	*Effective Ability to Perform□ Homemaking	*Ability To Perform Homemaking
926	10033663	DC	*Effective Acid Base Balance□	*Acid Base Balance
927	10027634	DC	*Effective Activity Tolerance□	*Activity Tolerance
928	10028346	DC	*Effective Alertness□	*Alertness
929	10033685	DC	*Effective Blood Glucose Level□	*Effective Blood Glucose Level□
930	10027647	DC	*Effective Blood Pressure□	*Blood Pressure
931	10027652	DC	*Effective Body Temperature□	*Body Temperature
932	10028555	DC	*Effective Body Tissue Integrity□	*Effective Body Tissue Integrity□
933	10028488	DC	*Effective Oral Mucous Membrane□ Tissue Integrity	*Effective Body Tissue Integrity□
934	10028501	DC	*Effective Skin Integrity□	*Skin Integrity
935	10027972	DC	*Effective Breathing Pattern□	*Breathing Pattern
936	10028689	DC	*Effective Cardiac Output□	*Cardiac Output
937	10033692	DC	*Effective Cardiovascular Status□	*Cardiovascular Status
938	10028658	DC	*Effective Caregiver Child Attachment□	*Caregiver Child Attachment
939	10028380	DC	*Effective Circulatory System Process□	*Positive Circulatory System Process
940	10028139	DC	*Effective Peripheral Vascular□ Process	*Positive Vascular Process
941	10028125	DC	*Effective Peripheral□ Neurovascular Process	*Positive Neurovascular Process
942	10028593	DC	*Effective Tissue Perfusion□	*Tissue Perfusion
943	10033853	DC	*Effective Wound Perfusion□	*Wound Perfusion
944	10028806	DC	*No Bleeding	*No Bleeding
945	10028367	DC	*Effective Cognition□	*Positive Cognition
946	10028731	DC	*Effective Decision Making□	*Effective Decision Making□
947	10028847	DC	*No Confusion	*No Confusion
948	10029446	DC	*Self Awareness	*Self Awareness
949	10029467	DC	*Awareness Of Symptoms	*Self Awareness
950	10022378	DC	*Effective Coping□	*Effective Coping□
951	10034838	DC	*Effective Caregiver Coping□	*Effective Caregiver Coping□
952	10034864	DC	*Effective Defensive Coping□	*Defensive Coping
953	10034770	DC	*Effective Family Coping□	*Effective Family Coping□
954	10034801	DC	*Positive Community Coping	*Positive Community Coping
955	10033709	DC	*Effective Electrolyte Balance□	*Electrolyte Balance
956	10033713	DC	*Effective Endocrine Status□	*Endocrine Status
957	10028037	DC	*Effective Endocrine System Process□	*Endocrine System Process
958	10030233	DC	*Effective Environmental Safety□	*Environmental Safety
959	10025232	DC	*Effective Family Process□	*Effective Family Process□
960	10034770	DC	*Effective Family Coping□	[see line 953]
961	10033721	DC	*Effective Fluid Balance□	*Fluid Balance
962	10033732	DC	*Effective Gastrointestinal Status□	*Gastrointestinal Status
963	10027741	DC	*Bowel Continence	*Bowel Continence
964	10028016	DC	*Effective Gastrointestinal System□	*Positive Gastrointestinal System Process

			Process	
965	10028403	DC	*Effective Defaecation□	*Effective Defaecation□
966	10029181	DC	*No Vomiting	*No Vomiting
967	10033745	DC	*Effective Genitourinary Status□	*Genitourinary Status
968	10028419	DC	*Effective Growth□	*Growth
969	10028572	DC	*Effective Human Development□	*Human Development
970	10030222	DC	*Effective Child Development□	*Child Development
971	10028044	DC	*Effective Immune System Process□	*Immune System Process
972	10028059	DC	*Effective Infant Feeding Behaviour□	*Eating Pattern
973	10028063	DC	*Effective Interactive Behaviour□	*Interactive Behaviour
974	10028071	DC	*Effective Intracranial Adaptive Capacity□	*Intracranial Adaptive Capacity
975	10028435	DC	*Effective Memory□	*Effective Memory□
976	10028461	DC	*Effective Mobility□	*Ability to Mobilise
977	10028333	DC	*Effective Walking□	*Ability To Walk
978	10029240	DC	*Positive Bed Mobility	*Bed Mobility
979	10033807	DC	*Effective Musculoskeletal Status□	*Musculoskeletal Status
980	10028092	DC	*Effective Musculoskeletal System□ Process	*Positive Musculoskeletal System Process
981	10027675	DC	*Effective Nervous System Process□	*Nervous System Process
982	10034893	DC	*Effective Kinaesthesia□	*Positive Perception
983	10028173	DC	*Effective Sensory Perception□	*Sensory Perception
984	10028984	DC	*No Nausea	*No Nausea
985	10029008	DC	*No Pain	*No Pain
986	10033811	DC	*Effective Neurological Status□	*Effective Neurological Status□
987	10028540	DC	*Effective Ability to Feel□	*Ability To Feel
988	10027344	DC	*Effective Ability To Smell□	*Ability To Smell
989	10028538	DC	*Effective Ability To Taste□	*Ability To Taste
990	10025831	DC	*Pain Control	*Control Of Pain
991	10028276	DC	*Effective Protective Ability□	*Ability To Protect
992	10028662	DC	*Effective Psychological Status□	*Psychological Status
993	10033766	DC	* <i>Knowledge Of Psychosocial Response To Procedure</i>	<i>[see line 903]</i>
994	10001469	DC	*Readiness For Effective Coping□	*Readiness
995	10001453	DC	*Readiness For Effective□ Community Coping	*Readiness
996	10001476	DC	*Readiness For Effective Family□ Coping	*Readiness
997	10025278	DC	*Readiness For Effective Decision□ Making	*Readiness
998	10025266	DC	*Readiness For Hope	*Readiness
999	10021726	DC	*Readiness For Positive Religious Belief	*Readiness
1000	10001532	DC	*Readiness For Positive Self Image	*Readiness
1001	10027827	DC	*Effective Reproductive System Process□	*Effective Reproductive System Process□
1002	10028194	DC	*Effective Sexual Functioning□	*Sexual Process
1003	10033830	DC	*Effective Respiratory Status□	*Respiratory Status
1004	10028160	DC	*Effective Respiratory System Process□	*Positive Respiratory System Process
1005	10027964	DC	*Effective Airway Clearance□	*Airway Clearance
1006	10027993	DC	*Effective Gas Exchange□	*Gaseous Exchange
1007	10028783	DC	*No Aspiration	*No Aspiration
1008	10029264	DC	*No Dyspnea	*No Dyspnea
1009	10033427	DC	*Effective Response to Enteral Nutrition□	*Response to Enteral Nutrition
1010	10028670	DC	*Effective Response to Medication□	*Response to Medication
1011	10027940	DC	*Effective Role Performance□	*Ability To Perform Role
1012	10028187	DC	*Effective Sexual Behaviour□	*Sexual Behaviour
1013	10030279	DC	*Effective Sleep Pattern□	*Sleep Pattern
1014	10030280	DC	*Effective Social Status□	*Social Status
1015	10028282	DC	*Effective Socialisation□	*Ability To Socialise
1016	10028529	DC	*Effective Spiritual Status□	*Spiritual Status
1017	10028691	DC	*Effective Surgical Recovery□	*Surgical Recovery
1018	10028295	DC	*Effective Swallowing□	*Ability To Swallow
1019	10033848	DC	*Effective Thermoregulation□	*Effective Thermoregulation□
1020	10028615	DC	*Effective Urinary System Process□	*Effective Urinary System Process□
1021	10028490	DC	*Effective Kidney Function□	*Kidney Process
1022	10028141	DC	*Effective Ventilatory Weaning□	*Response To Ventilatory Weaning

1023	10027392	DC	*Effective Weight□	*Effective Weight□
1024	10022345	DC	*Grief	*Grief
1025	10000735	DC	*Health Seeking Behaviour	*Health Seeking Behaviour
1026	10025780	DC	*Hope	*Hope
1027	10033587	DC	*No Chemical Injury	*No Chemical Injury
1028	10028823	DC	*No Complication	*No Complication
1029	10029342	DC	*No Complication During Child Delivery	*No Complication
1030	10029357	DC	*No Complication During Pregnancy	*No Complication
1031	10033600	DC	*No Hospital Acquired Complication	*No Complication
1032	10029326	DC	*No Perinatal Complication	*No Complication
1033	10029335	DC	*No Complication During Labour	*No Complication
1034	10029319	DC	*No Postpartum Complication	*No Complication
1035	10033594	DC	*No Electrical Injury	*No Electrical Injury
1036	10034696	DC	*No Elopement	*No Elopement
1037	10034704	DC	*No Fall	*No Fall
1038	10034727	DC	*No Fatigue	*No Fatigue
1039	10028945	DC	*No Infection	*No Infection
1040	10028966	DC	*No Injury	*No Injury
1041	10033616	DC	*No Laser Injury	*No Laser Injury
1042	10029374	DC	*No Perioperative Injury	*No Perioperative Injury
1043	10033628	DC	*No Perioperative Positioning Injury	*No Perioperative Positioning Injury
1044	10029020	DC	*No Peripheral Oedema	*No Peripheral Oedema
1045	10029049	DC	*No Poisoning	*No Poisoning
1046	10029065	DC	*No Pressure Ulcer	<i>[see line 487]</i>
1047	10033637	DC	*No Radiation Injury	*No Radiation Injury
1048	10029083	DC	*No Self Destructive Behaviour	*No Self Destructive Behaviour
1049	10029106	DC	*No Self Mutilation	*No Self Mutilation
1050	10029123	DC	*No Substance Abuse	*No Substance Abuse
1051	10028765	DC	*No Alcohol Abuse	*No Alcohol Abuse
1052	10028868	DC	*No Drug Abuse	*No Drug Abuse
1053	10029147	DC	*No Tobacco Abuse	*No Tobacco Abuse
1054	10033644	DC	*No Thermal Injury	*No Thermal Injury
1055	10033659	DC	*No Transfer Injury	*No Transfer Injury
1056	10029168	DC	*No Violence	*No Violence
1057	10029201	DC	*No Wandering	*No Wandering
1058	10025714	DC	*Positive Ability To Perform Self Care	*Positive Ability To Perform Self Care
1059	10028708	DC	*Ability To Perform Hygiene	*Ability To Perform Hygiene
1060	10028224	DC	*Effective Ability To Bath□	*Ability To Bath
1061	10028211	DC	*Effective Ability To Dress□	*Ability To Dress
1062	10028207	DC	*Effective Dressing and Grooming□	*Ability To Dress And Groom Self
1063	10028269	DC	*Effective Ability To Groom Self□	*Ability To Groom Self
1064	10028207	DC	*Effective Dressing and Grooming□	<i>[see line 1062]</i>
1065	10028749	DC	*Effective Oral Hygiene□	*Ability to Perform Hygiene
1066	10028314	DC	*Effective Self Toileting□	*Ability To Toilet Self
1067	10025767	DC	*Ability To Perform Leisure Activity	*Ability To Perform Leisure Activities
1068	10028253	DC	*Effective Ability to Feed Self□	*Ability To Feed Self
1069	10028322	DC	*Effective Ability To Transfer□	*Ability To Transfer
1070	10022275	DC	*Positive Attitude To Care	*Attitude Toward Care
1071	10001411	DC	*Positive Breast Feeding	*Breast Feeding
1072	10025638	DC	*Positive Caregiver Attitude	*Caregiver Attitude
1073	10034838	DC	*Effective Caregiver Coping□	<i>[see line 951]</i>
1074	10029229	DC	*Positive Heart Rate	*Heart Rate
1075	10025002	DC	*Positive Nutritional Status	*Positive Nutritional Status
1076	10025115	DC	*Adequate Hydration	*Adequate Hydration
1077	10025779	DC	*Positive Pride	*Pride
1078	10025672	DC	*Positive Self Efficacy□	*Self Efficacy□
1079	10027108	DC	*Positive Self Image	*Positive Self Image
1080	10028564	DC	*Positive Body Image	*Body Image
1081	10025664	DC	*Positive Personal Identity	*Personal Identity

1082	10025751	DC	*Positive Self Esteem	*Self Esteem
1083	10025590	DC	*Privacy	*Privacy
1084	10001448	DC	*Readiness For Ability To Manage Regime	*Readiness
1085	10025284	DC	*Readiness For Comfort	*Readiness
1086	10030267	DC	*Readiness For Discharge	*Readiness
1087	10001430	DC	*Readiness For Effective□ Communication	*Readiness
1088	10001482	DC	*Readiness For Effective Family Process□	*Readiness
1089	10001476	DC	*Readiness For Effective Family□ Coping	[see line 996]
1090	10025250	DC	*Readiness For Effective Self Care□	*Readiness
1091	10001545	DC	*Readiness For Effective Sleep□	*Readiness
1092	10033824	DC	*Readiness For Effective Spiritual Status□	*Readiness
1093	10001509	DC	*Readiness For Knowledge	*Readiness
1094	10001424	DC	*Readiness For Organised Infant Behaviour	*Readiness
1095	10001513	DC	*Readiness For Positive Nutritional Status	*Readiness
1096	10001495	DC	*Readiness For Stable Fluid Balance	*Readiness
1097	10001521	DC	*Readiness For Positive Parenting	*Readiness
1098	10001566	DC	*Readiness For Positive Urination	*Readiness
1099	10032317	DC	*Risk For Impaired Child Development	*Child Development
1100	10025820	DC	*Symptom Control	*Symptom Control
1101	10027836	DC	*Urinary Continence	*Urinary Continence
1102	10005869	M	装置	「人工物」の一つ。
		<i>syn</i>	ソウチ	
1103	10000289	M	吸収または回収装置	「装置」の一つ。
		<i>syn</i>	キュウシュウマタハカイシュウソウチ	
1104	10003199	M	便器	「吸収または回収装置」の一つ。
		<i>syn</i>	ベンキ	
1105	10004158	M	差し込み便器	「吸収または回収装置」の一つ。
		<i>syn</i>	サシコミベンキ	
1106	10004601	M	人工肛門用バッグ	「吸収または回収装置」の一つ。
		<i>syn</i>	ジンコウコウモンヨウバッグ	
1107	10004693	M	室内用便器	「吸収または回収装置」の一つ。
		<i>syn</i>	シツナイヨウベンキ	
1108	10005914	M	オムツ	「吸収または回収装置」の一つ。
1109	10006248	M	横シート	「吸収または回収装置」の一つ。
		<i>syn</i>	ヨコシート	
1110	10009736	M	回腸瘻用バッグ	「吸収または回収装置」の一つ。
		<i>syn</i>	カイチョウロウヨウバッグ	
1111	10017487	M	生理用ナプキン	「吸収または回収装置」の一つ。
		<i>syn</i>	セイリヨウナプキン	
1112	10019443	M	タンポン	「吸収または回収装置」の一つ。
1113	10020484	M	尿バッグ	「吸収または回収装置」の一つ。
		<i>syn</i>	ニョウバッグ	
1114	10020497	M	尿器	「吸収または回収装置」の一つ。
		<i>syn</i>	ニョウキ	
1115	10021215	M	創傷ドレナージ袋	「吸収または回収装置」の一つ。
		<i>syn</i>	ソウショウドレナージブクロ	
1116	10002734	M	評価装置	「装置」の一つ。
		<i>syn</i>	ヒョウカソウチ	
1117	10002832	M	評価ツール	「評価装置」の一つ。
		<i>syn</i>	ヒョウカツール	
1118	10003147	M	入浴装置	「装置」の一つ。
		<i>syn</i>	ニュウヨクソウチ	
1119	10018084	M	シャワー	「入浴装置」の一つ。
1120	10004714	M	コミュニケーション装置	「装置」の一つ。
		<i>syn</i>	コミュニケーションソウチ	
1121	10002116	M	警報装置	「コミュニケーション装置」の一つ。
		<i>syn</i>	ケイホウソウチ	
1122	10003825	M	ナースコール装置	「コミュニケーション装置」の一つ。
		<i>syn</i>	ナースコールソウチ	

1123	10004906	M	コンピューター	「コミュニケーション装置」の一つ。
1124	10010395	M	指導教材	「コミュニケーション装置」の一つ。
		<i>syn</i>	シドウキョウザイ	
1125	10011251	M	学習教材	「コミュニケーション装置」の一つ。
		<i>syn</i>	ガクシュウキョウザイ	
1126	10014178	M	患者記録	「コミュニケーション装置」の一つ。
		<i>syn</i>	カンジャキロク	
1127	10016229	M	質問紙	「コミュニケーション装置」の一つ。
		<i>syn</i>	シツモンシ	
1128	10016433	M	読み物	「コミュニケーション装置」の一つ。
		<i>syn</i>	ヨミモノ	
1129	10019539	M	電話	「コミュニケーション装置」の一つ。
		<i>syn</i>	デンワ	
1130	10019541	M	テレビ	「コミュニケーション装置」の一つ。
1131	10030995	M	*Continence Device	*Device
1132	10005231	M	是正装置	「装置」の一つ。
		<i>syn</i>	ゼセイソウチ	
1133	10013834	M	矯正装置	「是正装置」の一つ。
		<i>syn</i>	キョウセイソウチ	
1134	10005040	M	コンタクトレンズ	「矯正装置」の一つ。
1135	10005220	M	矯正用靴	「矯正装置」の一つ。
		<i>syn</i>	キョウセイヨウグツ	
1136	10008460	M	眼鏡	「矯正装置」の一つ。
		<i>syn</i>	ガンキョウ/メガネ	
1137	10008805	M	補聴器	「矯正装置」の一つ。
		<i>syn</i>	ホチョウキ	
1138	10019848	M	歯列矯正器	「矯正装置」の一つ。
		<i>syn</i>	シレッキョウセイキ	
1139	10015855	M	人工補装具	「是正装置」の一つ。
		<i>syn</i>	ジンコウホソウグ	
1140	10002602	M	義肢	「人工補装具」の一つ。
		<i>syn</i>	ギシ	
1141	10005750	M	義歯	「人工補装具」の一つ。
		<i>syn</i>	ギシ	
1142	10008473	M	義眼	「人工補装具」の一つ。
		<i>syn</i>	ギガン	
1143	10021081	M	かつら	「人工補装具」の一つ。
		<i>syn</i>	カツラ	
1144	10005306	M	カバー具	「装置」の一つ。
		<i>syn</i>	カバーク	
1145	10003175	M	寝具	「カバー具」の一つ。
		<i>syn</i>	シング	
1146	10003293	M	毛布	「寝具」の一つ。
		<i>syn</i>	モウフ	
1147	10006658	M	電気毛布	「毛布」の一つ。
		<i>syn</i>	デンキモウフ	
1148	10016238	M	掛け布団	「毛布」の一つ。
		<i>syn</i>	カケブトン	
1149	10007740	M	羽毛掛け布団	「寝具」の一つ。
		<i>syn</i>	ウモウカケブトン	
1150	10014611	M	枕カバー	「寝具」の一つ。
		<i>syn</i>	マクラカバー	
1151	10002589	M	衣類	「カバー具」の一つ。
		<i>syn</i>	イルイ	
1152	10008487	M	手袋	「衣類」の一つ。
		<i>syn</i>	テブクロ	
1153	10011222	M	鉛入りプロテクター	「衣類」の一つ。
		<i>syn</i>	ナマリイリプロテクター	
1154	10007475	M	眼帯	「カバー具」の一つ。
		<i>syn</i>	ガントイ	
1155	10011752	M	マスク	「カバー具」の一つ。
1156	10019231	M	外科用ドレープ	「カバー具」の一つ。
		<i>syn</i>	ゲカヨウドレープ	
1157	10021227	M	創傷被覆材	「カバー具」の一つ。

		<i>syn</i>	ソウショウヒフクザイ	
1158	10003123	M	包帯	「創傷被覆材」の一つ。
		<i>syn</i>	ホウタイ	
1159	10030976	M	*Compression Bandage	*Bandage
1160	10008378	M	ガーゼドレッシング	「創傷被覆材」の一つ。
1161	10006586	M	弾性ストッキング	「装置」の一つ。
		<i>syn</i>	ダンセイストッキング	
1162	10006662	M	電動式搾乳機	「装置」の一つ。
		<i>syn</i>	デンドウシキサクニュウキ	
1163	10007803	M	食事関連用具	「装置」の一つ。
		<i>syn</i>	ショクジカンレンヨウグ	
1164	10007793	M	哺乳瓶	「食事関連用具」の一つ。
		<i>syn</i>	ホニュウビン	
1165	10008193	M	フォーク	「食事関連用具」の一つ。
1166	10011019	M	ナイフ	「食事関連用具」の一つ。
1167	10018667	M	スプーン	「食事関連用具」の一つ。
1168	10008537	M	整容関連用具	「装置」の一つ。
		<i>syn</i>	セイヨウカンレンヨウグ	
1169	10003728	M	ブラシ	「整容関連用具」の一つ。
1170	10004638	M	くし	「整容関連用具」の一つ。
		<i>syn</i>	クシ	
1171	10019853	M	歯ブラシ	「整容関連用具」の一つ。
		<i>syn</i>	ハブラシ	
1172	10008867	M	加熱冷却関連用具	「装置」の一つ。
		<i>syn</i>	カネツレイキヤクカンレンヨウグ	
1173	10004519	M	冷湿布	「加熱冷却関連用具」の一つ。
		<i>syn</i>	レイシツブ	
1174	10007680	M	扇風機	「加熱冷却関連用具」の一つ。
		<i>syn</i>	センブウキ	
1175	10008879	M	温熱ランプ	「加熱冷却関連用具」の一つ。
		<i>syn</i>	オンネツランプ	
1176	10009167	M	ホットパック	「加熱冷却関連用具」の一つ。
1177	10009770	M	固定関連用具	「装置」の一つ。
		<i>syn</i>	コテイカンレンヨウグ	
1178	10003201	M	ベッド柵	「固定関連用具」の一つ。
		<i>syn</i>	ベッドサク	
1179	10004039	M	ギプス	「固定関連用具」の一つ。
1180	10017164	M	抑制用具	「固定関連用具」の一つ。
		<i>syn</i>	ヨクセイヨウグ	
1181	10018633	M	副子（スプリント）	「固定関連用具」の一つ。
		<i>syn</i>	フクシ/スプリント	
1182	10009838	M	埋込型装置	「装置」の一つ。
		<i>syn</i>	ウメコミガタソウチ	
1183	10009829	M	埋込型心臓装置	「埋込型装置」の一つ。
		<i>syn</i>	ウメコミガタシンゾウソウチ	
1184	10013945	M	ペースメーカー	「埋込型心臓装置」の一つ。
1185	10009988	M	保育器	「装置」の一つ。
		<i>syn</i>	ホイクキ	
1186	10033352	M	*Infusion Device	*Device
1187	10034244	M	*Invasive Device	*Device
1188	10012509	M	針	「侵襲的処置用具」の一つ。
		<i>syn</i>	ハリ	
1189	10034484	M	*Vascular Access Device	*Device
1190	10012131	M	移動関連用具	「装置」の一つ。
		<i>syn</i>	イドウカンレンヨウグ	
1191	10008657	M	てすり	「移動関連用具」の一つ。
		<i>syn</i>	テスリ	
1192	10011349	M	リフト	「移動関連用具」の一つ。
1193	10020654	M	乗り物	「移動関連用具」の一つ。
		<i>syn</i>	ノリモノ	
1194	10002214	M	救急車	「乗り物」の一つ。
		<i>syn</i>	キュウキュウシャ	
1195	10003255	M	自転車	「乗り物」の一つ。
		<i>syn</i>	ジテンシャ	

1196	10021052	M	車椅子	「乗り物」の一つ。
	<i>syn</i>		クルマイス	
1197	10020893	M	歩行用ステッキ	「移動関連用具」の一つ。
	<i>syn</i>		ホコウヨウステッキ	
1198	10012177	M	継続監視装置	「装置」の一つ。
	<i>syn</i>		ケイゾクカンシソウチ	
1199	10003873	M	心電図モニター	「継続監視装置」の一つ。
	<i>syn</i>		シンデンズモニター	
1200	10005126	M	子宮収縮モニター	「継続監視装置」の一つ。
	<i>syn</i>		シキュウシュウシュクモニター	
1201	10023447	M	*Exit Alarm	*Monitoring Device
1202	10032551	M	*Pulse Oximeter	*Device
1203	10016530	M	娯楽用具	「装置」の一つ。
	<i>syn</i>		ゴラクヨウグ	
1204	10019914	M	玩具	「娯楽用具」の一つ。
	<i>syn</i>		ガング	
1205	10016958	M	呼吸関連用具	「装置」の一つ。
	<i>syn</i>		コキュウカンレンヨウグ	
1206	10002884	M	噴霧器	「呼吸関連用具」の一つ。
	<i>syn</i>		フンムキ	
1207	10009228	M	加湿器	「呼吸関連用具」の一つ。
	<i>syn</i>		カシツキ	
1208	10012469	M	ネブライザー	「呼吸関連用具」の一つ。
1209	10013909	M	酸素マスク	「呼吸関連用具」の一つ。
	<i>syn</i>		サンソマスク	
1210	10013913	M	酸素テント	「呼吸関連用具」の一つ。
	<i>syn</i>		サンソデント	
1211	10016927	M	人工呼吸器	「呼吸関連用具」の一つ。
	<i>syn</i>		ジンコウコキュウキ	
1212	10017425	M	安全装置	「装置」の一つ。
	<i>syn</i>		アンゼンソウチ	
1213	10019157	M	支持装置	「装置」の一つ。
	<i>syn</i>		シジソウチ	
1214	10002088	M	円座	「支持装置」の一つ。
	<i>syn</i>		エンザ	
1215	10003168	M	ベッド	「支持装置」の一つ。
1216	10011799	M	マットレス	「支持装置」の一つ。
1217	10007755	M	羽毛マット	「マットレス」の一つ。
	<i>syn</i>		ウモウマット	
1218	10020974	M	ウォーターマット	「マットレス」の一つ。
1219	10014607	M	枕	「支持装置」の一つ。
	<i>syn</i>		マクラ	
1220	10019188	M	表面神経刺激装置	「装置」の一つ。
	<i>syn</i>		ヒョウメンシンケイシゲキソウチ	
1221	10019220	M	手術関連用具	「装置」の一つ。
	<i>syn</i>		シュジュツカンレンヨウグ	
1222	10011144	M	レーザー	「手術関連用具」の一つ。
1223	10017563	M	はさみ	「手術関連用具」の一つ。
	<i>syn</i>		ハサミ	
1224	10019323	M	縫合糸	「手術関連用具」の一つ。
	<i>syn</i>		ハウゴウシ	
1225	10020244	M	臍帯クリップ	「手術関連用具」の一つ。
	<i>syn</i>		サイタイクリップ	
1226	10021197	M	創傷クリップ	「手術関連用具」の一つ。
	<i>syn</i>		ソウショウクリップ	
1227	10019979	M	牽引装置	「装置」の一つ。
	<i>syn</i>		ケンインソウチ	
1228	10020082	M	輸送運搬用具	「装置」の一つ。
	<i>syn</i>		ユソウウンパンヨウグ	
1229	10006207	M	ドレーン	「輸送運搬用具」の一つ。
1230	10021204	M	創傷ドレーン	「ドレーン」の一つ。
	<i>syn</i>		ソウショウドレーン	
1231	10006295	M	点滴	「輸送運搬用具」の一つ。
	<i>syn</i>		テンテキ	

1232	10014598	M	ビルケース	「輸送運搬用具」の一つ。
1233	10014624	M	ビベット	「輸送運搬用具」の一つ。
1234	10019029	M	吸引器具	「輸送運搬用具」の一つ。
		<i>syn</i>	キュウインキグ	
1235	10019399	M	シリンジ	「輸送運搬用具」の一つ。
1236	10020216	M	チューブ	「輸送運搬用具」の一つ。
1237	10003856	M	カニューレ	「チューブ」の一つ。
1238	10010746	M	脊髄カニューレ	「カニューレ」の一つ。
		<i>syn</i>	セキズイカニューレ	
1239	10020677	M	静脈カニューレ	「カニューレ」の一つ。
		<i>syn</i>	ジョウミャクカニューレ	
1240	10004115	M	中心静脈ライン	「静脈カニューレ」の一つ。
		<i>syn</i>	チュウシンジョウミャク ライン	
1241	10004087	M	カテーテル	「チューブ」の一つ。
1242	10020373	M	尿道カテーテル	「カテーテル」の一つ。
		<i>syn</i>	ニョウドウカテーテル	
1243	10004232	M	胸腔チューブ	「チューブ」の一つ。
		<i>syn</i>	キョウクウチューブ	
1244	10006868	M	気管内チューブ	「チューブ」の一つ。
		<i>syn</i>	キカンナイチューブ	
1245	10008350	M	胃管	「チューブ」の一つ。
		<i>syn</i>	イカン	
1246	10016569	M	直腸チューブ	「胃管」の一つ。
		<i>syn</i>	チョクチョウチューブ	
1247	10010733	M	腹腔チューブ	「チューブ」の一つ。
		<i>syn</i>	フククウチューブ	
1248	10013932	M	酸素チューブ	「チューブ」の一つ。
		<i>syn</i>	サンソチューブ	
1249	10020715	M	脳室チューブ	「チューブ」の一つ。
		<i>syn</i>	ノウシツチューブ	
1250	10020387	M	コンドーム型集尿器	「輸送運搬用具」の一つ。
		<i>syn</i>	コンドームガタシュウニョウキ	
1251	10033265	M	*Ultrasound Device	*Device
1252	10020649	M	血圧計	「装置」の一つ。
		<i>syn</i>	ケツアツケイ	
1253	10008795	M	保健医療サービス	「手段」の一つで、以下の固有の特徴をもつ：疾病の予防と治療および健康の維持と増進を任務とするクリニック、病院などの施設、有資格職員を提供すること。
		<i>syn</i>	ホケンイリョウサービス	
1254	10022036	M	*Child Health Service	*Health Service
1255	10031206	M	*Emergency Service	*Health Service
1256	10008776	M	健康増進サービス	「保健医療サービス」の一つで、以下の固有の特徴をもつ：健康なライフスタイルを促進するために教育および情報提供を行うこと。健康のニーズを満たすことを目的に疾病を予防する。利用可能な資源を活用し、多機関の協調を図る。優先事項の設定、意思決定、計画立案の場に個人やコミュニティを積極的に関与させる。
		<i>syn</i>	ケンコウゾウシンサービス	
1257	10011850	M	医学サービス	「保健医療サービス」の一つ。
		<i>syn</i>	イガクサービス	
1258	10013380	M	看護サービス	「保健医療サービス」の一つ。
		<i>syn</i>	カンゴサービス	
1259	10013435	M	栄養士のサービス	「保健医療サービス」の一つ。
		<i>syn</i>	エイヨウシノサービス	
1260	10013604	M	作業療法士のサービス	「保健医療サービス」の一つで、以下の固有の特徴をもつ：安全かつ健全な労働環境における、労働者の健康の増進・保護・回復、病気・ケガの予防に焦点を当てた多分野の取り組み。問題の特定・評価や予防措置によって関連する健康リスクを防ぐための環境・労働調査も含まれる。労働に関連した個人の健康モニター。従業員支援プログラムの開発や安全な職場環境の改善への参加、規制指針の範囲内での活動、雇用主・従業員・政府に対する産業保健衛生関連の情報・研修・教育提供への協力。
		<i>syn</i>	サギョウリョウホウシノサービス	
1261	10024799	M	*Pain Management Service	*Health Service
1262	10014567	M	理学療法士のサービス	「保健医療サービス」の一つ。

		<i>syn</i>	リガクリョウホウシノサービス	
1263	10018475	M	ソーシャルワーカーサービス	「保健医療サービス」の一つ。
1264	10009053	M	在宅ケアサービス	「保健医療サービス」の一つ。
		<i>syn</i>	ザイタクケアサービス	
1265	10011775	M	材料	「手段」の一つ。
		<i>syn</i>	ザイリョウ	
1266	10001940	M	エアロゾル	「材料」の一つ。
1267	10002061	F	空気	「環境実体」の一つで、以下の固有の特徴をもつ：地球を取り巻く透明な気体で、ほとんどの動植物の生存に必要なものであり、人間の生命や発達に影響を及ぼす。
		<i>syn</i>	クウキ	
1268	10003479	F	生体物質	「実体」の一つ。
		<i>syn</i>	セイタイブッシツ	
1269	10003319	F	血液	「生体物質」の一つ。
		<i>syn</i>	ケツエキ	
1270	10030832	F	*Blood Glucose	*Body Substance
1271	10003357	M	血液製剤	「材料」の一つ。
		<i>syn</i>	ケツエキセイザイ	
1272	10003524	F	身体組織	「生体物質」の一つ。
		<i>syn</i>	シンタイソシキ	
1273	10007729	F	脂肪組織	「身体組織」の一つ。
		<i>syn</i>	シボウソシキ	
1274	10017500	F	瘢痕組織	「身体組織」の一つで、以下の固有の特徴をもつ：拘縮して硬く血管のない色を失った体表面組織で、皮膚弾性は低下している。以前の皮膚損傷と治癒に関連する。
		<i>syn</i>	ハンコンソシキ	
1275	10018481	F	軟部組織	「身体組織」の一つ。
		<i>syn</i>	ナンプソシキ	
1276	10030897	F	*Cervical Cell	*Body Substance
1277	10007764	F	便	「生体物質」の一つ。
		<i>syn</i>	ベン	
1278	10007992	F	排ガス	「生体物質」の一つで、以下の固有の特徴をもつ：消化管で産生されたガスが直腸または人工肛門から排出すること。通常の食事状況では1日（昼夜を通じて）12～14回排出。
		<i>syn</i>	ハイガス	
1279	10010400	M	インスリン	「材料」の一つ。
1280	10011969	F	月経排泄物	「生体物質」の一つ。
		<i>syn</i>	ゲツケイハイセツブツ	
1281	10014449	F	発汗	「生体物質」の一つ。
		<i>syn</i>	ハッカシ	
1282	10017635	F	分泌物質	「生体物質」の一つ。
		<i>syn</i>	ブンピブッシツ	
1283	10006501	F	耳垢	「分泌物質」の一つ。
		<i>syn</i>	ジコウノミミアカ	
1284	10029818	DC	*Earwax Problem	[see line 548]
1285	10008313	F	胃内容物	「分泌物質」の一つ。
		<i>syn</i>	イナイヨウブツ	
1286	10018717	F	痰	「分泌物質」の一つ。
		<i>syn</i>	タン	
1287	10020478	F	尿	「生体物質」の一つ。
		<i>syn</i>	ニョウ	
1288	10005352	M	クリーム	「材料」の一つ。
1289	10006314	M	薬物	「材料」の一つ。
		<i>syn</i>	ヤクブツ	
1290	10002279	M	鎮痛剤	「薬物」の一つ。
		<i>syn</i>	チンツウザイ	
1291	10002383	M	抗生剤	「薬物」の一つ。
		<i>syn</i>	コウセイザイ	
1292	10008983	M	止血薬	「薬物」の一つ。
		<i>syn</i>	シケツヤク	
1293	10011866	M	薬剤	「薬物」の一つ。
		<i>syn</i>	ヤクザイ	
1294	10020568	M	ワクチン	「薬物」の一つ。
1295	10006398	F	塵	「環境実体」の一つで、以下の固有の特徴をもつ：小さく細かく軽い粒子で（目に見える場合と見えない場合がある）、

大気中や物の表面に存在し、風や物体の移動によって容易に別の場所に移動する。

		<i>syn</i>	チリ	
1296	10006881	M	洗腸	「材料」の一つ。
		<i>syn</i>	カンチョウ	
1297	10006899	F	エネルギー	「環境実体」の一つで、以下の固有の特徴をもつ：使用可能な動力源。
1298	10011365	M	塗布剤	「材料」の一つ。
		<i>syn</i>	トフザイ	
1299	10011543	M	化粧品	「材料」の一つ。
		<i>syn</i>	ケショウヒン	
1300	10012407	M	爪マニキュア	「材料」の一つ。
		<i>syn</i>	ツメマニキュア	
1301	10013398	M	栄養物	「材料」の一つ。
		<i>syn</i>	エイヨウブツ	
1302	10006269	M	飲料	「栄養物」の一つ。
		<i>syn</i>	インリョウ	
1303	10008089	M	食物	「栄養物」の一つ。
		<i>syn</i>	ショクモツ/タベモノ	
1304	10004503	M	コールドフード	「食物」の一つ。
1305	10020840	M	ビタミンB12	「栄養物」の一つ。
		<i>syn</i>	ビタミンビージュウニ	
1306	10013662	M	オイル	「材料」の一つ。
1307	10013670	M	軟膏	「材料」の一つ。
		<i>syn</i>	ナンコウ	
1308	10018358	M	石鹸	「材料」の一つ。
		<i>syn</i>	セッケン	
1309	10018499	M	溶液	「材料」の一つ。
		<i>syn</i>	ヨウエキ	
1310	10018701	M	スプレー	「材料」の一つ。
1311	10020957	F	水	「環境実体」の一つで、以下の固有の特徴をもつ：水素と酸素から成る透明な液体化合物。ほとんどの動植物の生存に必要なものであり、人間の生命や発達に影響を及ぼす。
		<i>syn</i>	ミズ	
1312	10019525	M	技術	「手段」の一つ。
		<i>syn</i>	ギジュツ	
1313	10002222	M	移動技術	「技術」の一つで、以下の固有の特徴をもつ：自分の体のある場所から別の場所へ動かすこと。
		<i>syn</i>	イドウギジュツ	
1314	10002639	M	無菌技術	「技術」の一つ。
		<i>syn</i>	ムキンギジュツ	
1315	10003031	M	自律訓練法	「技術」の一つで、以下の固有の特徴をもつ：リラクゼーションを図るための自己暗示に関して教えること。
		<i>syn</i>	ジリツクンレンホウ	
1316	10003286	M	排尿トレーニング法	「技術」の一つ。
		<i>syn</i>	ハイニョウトレーニングホウ	
1317	10003576	M	ボパール体位法	「技術」の一つ。
		<i>syn</i>	ボパールタイイホウ	
1318	10003609	M	排便トレーニング法	「技術」の一つ。
		<i>syn</i>	ハイベントレーニングホウ	
1319	10003666	M	呼吸法または咳嗽法	「技術」の一つ。
		<i>syn</i>	コキュウホウマタハガイソウホウ	
1320	10003684	M	呼吸法	「呼吸法または咳嗽法」の一つ。
		<i>syn</i>	コキュウホウ	
1321	10003839	M	鎮静法	「技術」の一つ。
		<i>syn</i>	チンセイホウ	
1322	10006102	M	気分転換法	「技術」の一つ。
		<i>syn</i>	キグンテンカンホウ	
1323	10007772	M	フィードバック技法	「技術」の一つ。
		<i>syn</i>	フィードバックギホウ	
1324	10003264	M	バイオフィードバック技法	「フィードバック技法」の一つ。
		<i>syn</i>	バイオフィードバックギホウ	
1325	10007819	M	摂食介助技法	「技術」の一つ。
		<i>syn</i>	セッショクカイジョギホウ	
1326	10008571	M	イメージ誘導技法	「技術」の一つ。

		<i>syn</i>	イメージユウドウギホウ	
1327	10008965	M	止血法	「技術」の一つ。
		<i>syn</i>	シケツホウ	
1328	10008977	M	患者用の止血法	「止血法」の一つ。
		<i>syn</i>	カンジャヨウノシケツホウ	
1329	10009957	M	失禁トレーニング法	「技術」の一つ。
		<i>syn</i>	シッキントレーニンクホウ	
1330	10010209	M	吸入法	「技術」の一つ。
		<i>syn</i>	キュウニュウホウ	
1331	10010471	M	相互作用技法	「技術」の一つ。
		<i>syn</i>	ソウゴサヨウギホウ	
1332	10010865	M	侵襲的挿入技術	「技術」の一つ。
		<i>syn</i>	シンシュウテキソウニュウギジュツ	
1333	10006322	M	薬物投与法	「技術」の一つ。
		<i>syn</i>	ヤクブツトウヨホウ	
1334	10005905	M	透析法	「薬物投与法」の一つ。
		<i>syn</i>	トウセキホウ	
1335	10008949	M	血液透析	「透析法」の一つ。
		<i>syn</i>	ケツエキトウセキ	
1336	10014393	M	腹膜透析	「透析法」の一つ。
		<i>syn</i>	フクマクトウセキ	
1337	10010189	M	輸液法	「薬物投与法」の一つ。
		<i>syn</i>	ユエキホウ	
1338	10010278	M	注射法	「薬物投与法」の一つ。
		<i>syn</i>	チュウシャホウ	
1339	10024090	M	*Subcutaneous Injection Technique	*Injection Technique
1340	10011911	M	記憶訓練法	「技術」の一つ。
		<i>syn</i>	キオククンレンホウ	
1341	10012300	M	筋・関節運動法	「技術」の一つ。
		<i>syn</i>	キンカンセツウンドウホウ	
1342	10000393	M	自動関節運動	「筋・関節運動法」の一つで、以下の固有の特徴をもつ：自発的な関節運動、および介助なしに自ら始める関節の動き。
		<i>syn</i>	ジドウカンセツウンドウ	
1343	10014109	M	他動関節運動	「筋・関節運動法」の一つで、以下の固有の特徴をもつ：介助による関節の動き。
		<i>syn</i>	タドウカンセツウンドウ	
1344	10014774	M	*Positioning Technique	*Technique
1345	10016700	M	リラクセーション技法	「技術」の一つ。
		<i>syn</i>	リラクセーションギホウ	
1346	10017674	M	自己導尿法	「技術」の一つ。
		<i>syn</i>	ジコドウニョウホウ	
1347	10018554	M	言語訓練法	「技術」の一つ。
		<i>syn</i>	ゲンゴクンレンホウ	
1348	10019352	M	嚥下法	「技術」の一つ。
		<i>syn</i>	エングホウ	
1349	10020048	M	移動法	「技術」の一つ。
		<i>syn</i>	イドウホウ	
1350	10020167	M	トレンデレンブルグ体位法	「技術」の一つ。
		<i>syn</i>	トレンデレンブルグタイイホウ	
1351	10019628	M	療法	「手段」の一つ。
		<i>syn</i>	リョウホウ	
1352	10000412	M	運動療法	「療法」の一つ。
		<i>syn</i>	ウンドウリョウホウ	
1353	10002349	M	アニマルセラピー	「療法」の一つ。
1354	10030464	M	*Anticoagulation Therapy	*Therapy
1355	10002515	M	アロマセラピー	「療法」の一つ。
1356	10002618	M	芸術療法	「療法」の一つ。
		<i>syn</i>	ゲイジュツリョウホウ	
1357	10002878	M	補装具療法	「療法」の一つ。
		<i>syn</i>	ホソウグリョウホウ	
1358	10003240	M	読書療法	「療法」の一つ。
		<i>syn</i>	ドクショリョウホウ	
1359	10003361	M	輸血療法	「療法」の一つ。

		<i>syn</i>	ユケツリョウホウ	
1360	10004209	M	化学療法	「療法」の一つ。
		<i>syn</i>	カガクリョウホウ	
1361	10004221	M	肺理学療法	「療法」の一つ。
		<i>syn</i>	ハイリガクリョウホウ	
1362	10030982	M	*Compression Therapy	*Therapy
1363	10005399	M	危機療法	「療法」の一つ。
		<i>syn</i>	キキリョウホウ	
1364	10026637	M	*Diversional Therapy	*Therapy
1365	10031155	M	*Domestic Violence Therapy	*Therapy
1366	10031193	M	*Electrolyte Therapy	*Therapy
1367	10007667	M	家族療法	「療法」の一つ。
		<i>syn</i>	カゾクリョウホウ	
1368	10007944	M	応急処置	「療法」の一つ。
		<i>syn</i>	オウキュウショチ	
1369	10031321	M	*Fluid Therapy	*Therapy
1370	10008559	M	集団療法	「療法」の一つ。
		<i>syn</i>	シュウダンリョウホウ	
1371	10019135	M	サポートグループ療法	「療法」の一つ。
		<i>syn</i>	サポートグループリョウホウ	
1372	10009244	M	ユーモアセラピー	「療法」の一つ。
1373	10010191	M	輸液療法	「療法」の一つ。
		<i>syn</i>	ユエキリョウホウ	
1374	10010213	M	吸入療法	「療法」の一つ。
		<i>syn</i>	キュウニュウリョウホウ	
1375	10010808	M	静脈注射療法	「療法」の一つ。
		<i>syn</i>	ジョウミャクチュウシャリョウホウ	
1376	10012067	M	環境療法	「療法」の一つ。
		<i>syn</i>	カンキョウリョウホウ	
1377	10012371	M	音楽療法	「療法」の一つ。
		<i>syn</i>	オンガクリョウホウ	
1378	10013442	M	栄養療法	「療法」の一つ。
		<i>syn</i>	エイヨウリョウホウ	
1379	10013921	M	酸素療法	「療法」の一つ。
		<i>syn</i>	サンソリョウホウ	
1380	10014676	M	プレイセラピー	「療法」の一つ。
1381	10016293	M	放射線療法	「療法」の一つ。
		<i>syn</i>	ホウシャセンリョウホウ	
1382	10016451	M	リアリティ・オリエンテーション・セラピー	「療法」の一つ。
		<i>syn</i>	リアリティオリエンテーションセラピー	
1383	10016759	M	回想療法	「療法」の一つ。
		<i>syn</i>	カイソウリョウホウ	
1384	10018169	M	簡易リラクセーション療法	「療法」の一つ。
		<i>syn</i>	カンイリラクセーションリョウホウ	
1385	10032774	M	*Smoking Cessation Therapy	*Therapy
1386	10019998	M	伝統療法	「療法」の一つで、以下の固有の特徴をもつ：伝統、宗教、祖先または魂の教えに基づく、文化と結びついた医療実践。病気の原因についてさまざまな説が信じられている。診断や治療には土着の手法が用いられ、自然的・霊的・精神的・形而上学的アプローチがあり、治癒的・予防的・保護的・リハビリテーション的性質を有している。
		<i>syn</i>	デントウリョウホウ	
1387	10026644	M	*Validation Therapy	*Therapy
1388	10002911	A	世話をする	「行為」の一つで、以下の固有の特徴をもつ：人や物に関心を寄せる、応対する、または面倒を見ること。
		<i>syn</i>	セワラスル	
1389	10002850	A	介助する	「世話をする」の一つで、以下の固有の特徴をもつ：誰かに代わって作業の一部を行う、または本来の機能をもつ人を助けること。
		<i>syn</i>	カイジョスル	
1390	10030809	IC	*Assisting Care Provider	*Assisting
1391	10002866	IC	*Assisting Surgeon During Operation	*Assisting
1392	10030813	IC	*Assisting With Anger Control	*Assisting

1393	10030821	IC	*Assisting With Hygiene	*Assisting
1394	10023531	IC	*Assisting With Toileting	*Assisting
1395	10007499	A	助長する	「介助する」の一つで、以下の固有の特徴をもつ：人のために何かをやりやすくすること。
		<i>syn</i>	ジョチョウスル	
1396	10026616	IC	*Facilitating Ability To Communicate Feelings	*Facilitating
1397	10026277	IC	*Facilitating Ability To Perform Role	*Facilitating
1398	10026265	IC	*Facilitating Ability To Talk About Dying Process	*Facilitating
1399	10024401	IC	*Facilitating Access to Treatment	*Facilitating
1400	10024417	IC	*Facilitating Financial Recovery	*Facilitating
1401	10015801	A	促進する	「介助する」の一つで、以下の固有の特徴をもつ：人が何かを始めたり進めたりするのを助けること。
		<i>syn</i>	ソクシンスル	
1402	10005848	A	発展させる	「促進する」の一つで、以下の固有の特徴をもつ：アイデア、人、グループやコミュニティの成長・発達を促すこと。
		<i>syn</i>	ハッテンサセル	
1403	10004751	F	コミュニティ発達	「コミュニティプロセス」の一つで、以下の固有の特徴をもつ：コミュニティがもたらした発展と拡大。
		<i>syn</i>	コミュニティハッタツ	
1404	10006796	A	力を発揮させる	「促進する」の一つで、以下の固有の特徴をもつ：人々の選択能力を高め、自己の健康に影響を及ぼす潜在能力に気付かせること。
		<i>syn</i>	チカラヲハッキサセル	
1405	10006945	A	増強する	「促進する」の一つで、以下の固有の特徴をもつ：すでに良質の何かをさらに高度にする、強化する、または向上させること。
		<i>syn</i>	ゾウキョウスル	
1406	10001901	A	前進させる	「増強する」の一つで、以下の固有の特徴をもつ：進展させる、向上させる、前に進ませる。
		<i>syn</i>	ゼンシンサセル	
1407	10010039	A	誘発する	「促進する」の一つで、以下の固有の特徴をもつ：何かを引き起こすこと。
		<i>syn</i>	ユウハツスル	
1408	10012242	A	動機づける	「促進する」の一つで、以下の固有の特徴をもつ：人が特定の方法で行動するように、またはある活動に興味をもつように仕向けること。
		<i>syn</i>	ドウキツケル	
1409	10025221	IC	*Pregnancy Promotion	*Promoting: Actions and behavioural processes of enhancing impregnation and the physiological process of conception such as monitoring ovulation through basal body temperature and other physiological indicators.
1410	10032449	IC	*Promoting Adherence To Regime	*Promoting
1411	10021703	IC	*Promoting Medication Adherence Using Pillbox	*Promoting
1412	10032454	IC	*Promoting Child Development	*Promoting
1413	10032496	IC	*Promoting Effective Parenting□	*Promoting
1414	10032465	IC	*Promoting Health Seeking Behaviour	*Promoting
1415	10024440	IC	*Promoting Hope	*Promoting
1416	10032477	IC	*Promoting Hygiene	*Promoting
1417	10032483	IC	*Promoting Oral Hygiene	*Promoting
1418	10026334	IC	*Promoting Limit Setting	*Promoting
1419	10015817	IC	*Promoting Positive Thermoregulation	*Promoting
1420	10032505	IC	*Promoting Psychological Status	*Promoting
1421	10026347	IC	*Promoting Self Care	*Promoting
1422	10024455	IC	*Promoting Self-esteem	*Promoting
1423	10024464	IC	*Promoting Social Support	*Promoting
1424	10024472	IC	*Promoting Use of Memory Devices	*Promoting
1425	10019142	A	支える	「介助する」の一つで、以下の固有の特徴をもつ：人がうまくいくように、社会的、心理的に援助すること。人や物が落

ちないように、重さに耐えて適切な位置を保持するようにすること。

		<i>syn</i>	ササエル	
1426	10001929	A	擁護する	「支える」の一つで、以下の固有の特徴をもつ：言論によって人や何かを推奨すること。
		<i>syn</i>	ヨウゴスル	
1427	10001938	A	患者を擁護する	「擁護する」の一つで、以下の固有の特徴をもつ：患者に代わって嘆願すること。
		<i>syn</i>	カンジャヲヨウゴスル	
1428	10006823	A	励ます	「支える」の一つで、以下の固有の特徴をもつ：人に自信や希望を与えること。
		<i>syn</i>	ハゲマス	
1429	10006834	IC	*Encouraging Breathing Or Coughing Technique	*Encouraging
1430	10024377	IC	*Encouraging Positive Affirmations□	*Encouraging
1431	10024383	IC	*Encouraging Rest	*Encouraging
1432	10016480	A	安心させる	「支える」の一つで、以下の固有の特徴をもつ：恐怖心を和らげて自信を取り戻させること。
		<i>syn</i>	アンシンサセル	
1433	10016650	A	強化する	「支える」の一つで、以下の固有の特徴をもつ：人や何かを強くすること。
		<i>syn</i>	キョウカスル	
1434	10026427	IC	*Reinforcing Achievements	*Reinforcing
1435	10024562	IC	*Reinforcing Adherence	*Reinforcing
1436	10026436	IC	*Reinforcing Capabilities	*Reinforcing
1437	10026443	IC	*Reinforcing Personal Identity	*Reinforcing
1438	10026188	IC	*Reinforcing Priority Setting	*Reinforcing
1439	10022537	IC	*Reinforcing Self Efficacy□	*Reinforcing
1440	10018434	F	社会的支援	「相互作用行動」の一つ。
		<i>syn</i>	シャカイテキシエン	
1441	10032800	IC	*Supporting Ability To Manage Regime	*Supporting
1442	10026458	IC	*Supporting Beliefs	*Supporting
1443	10026443	IC	*Reinforcing Personal Identity	[see line 1437]
1444	10022537	IC	*Reinforcing Self Efficacy□	[see line 1439]
1445	10032816	IC	*Supporting Breastfeeding	*Supporting
1446	10024570	IC	*Supporting Caregiver	*Supporting
1447	10032828	IC	*Supporting Caregiver During Toilet Training	*Supporting Caregiver
1448	10032837	IC	*Supporting Caregiver During Weaning	*Supporting Caregiver
1449	10024589	IC	*Supporting Decision Making Process	*Supporting
1450	10026462	IC	*Supporting Family Decision Making Process	*Supporting
1451	10032844	IC	*Supporting Family	*Supporting
1452	10032859	IC	*Supporting Family Coping Process	*Supporting
1453	10026489	IC	*Supporting Mourning Process	*Supporting
1454	10026470	IC	*Supporting Family Mourning Process	*Supporting
1455	10019161	IC	*Supporting Psychological Status	*Supporting
1456	10024591	IC	*Supporting Spiritual Rituals	*Supporting
1457	10026491	IC	*Supporting Use Of Traditional Therapy	*Supporting
1458	10034612	A	*Attending Intervention	*Attending
1459	10030809	IC	*Assisting Care Provider	[see line 1390]
1460	10002866	IC	*Assisting Surgeon During Operation	[see line 1391]
1461	10030813	IC	*Assisting With Anger Control	[see line 1392]
1462	10030821	IC	*Assisting With Hygiene	[see line 1393]
1463	10030930	IC	*Collaborating In Electrolyte Therapy	*Collaborating
1464	10030948	IC	*Collaborating In Fluid Therapy	*Collaborating
1465	10004561	IC	*Collaborating In Initiating Patient	*Collaborating

Controlled Analgesia

1466	10026190	IC	*Collaborating On Dietary Regime	*Collaborating
1467	10030953	IC	*Collaborating With Legal Service	*Collaborating
1468	10023554	IC	*Collaborating With Pharmacist	*Collaborating
1469	10023565	IC	*Collaborating With Physician	*Collaborating
1470	10023577	IC	*Collaborating With Social Worker	*Collaborating
1471	10005029	IC	*Consulting Care Provider	*Consulting
1472	10024331	IC	*Consulting for Pain Management	*Consulting
1473	10021816	IC	*Consulting Home Care Service	*Consulting
1474	10024349	IC	*Contracting for Adherence	*Contracting
1475	10006712	IC	*Eliciting Attitude Toward Operation	*Eliciting
1476	10006834	IC	<i>*Encouraging Breathing Or Coughing Technique</i>	<i>[see line 1429]</i>
1477	10024377	IC	<i>*Encouraging Positive Affirmations</i>	<i>[see line 1430]</i>
1478	10024383	IC	<i>*Encouraging Rest</i>	<i>[see line 1431]</i>
1479	10023738	IC	*Establishing Rapport	*Establishing
1480	10024396	IC	*Establishing Trust	*Establishing
1481	10026616	IC	<i>*Facilitating Ability To Communicate Feelings</i>	<i>[see line 1396]</i>
1482	10026277	IC	<i>*Facilitating Ability To Perform Role</i>	<i>[see line 1397]</i>
1483	10026265	IC	<i>*Facilitating Ability To Talk About Dying Process</i>	<i>[see line 1398]</i>
1484	10024401	IC	<i>*Facilitating Access to Treatment</i>	<i>[see line 1399]</i>
1485	10024417	IC	<i>*Facilitating Financial Recovery</i>	<i>[see line 1400]</i>
1486	10007531	IC	転倒転落予防	「保護する」の一つ。
		<i>syn</i>	デントウテンラクヨボウ	
1487	10026323	IC	*Involving In Decision Making Process	*Involving
1488	10001938	A	患者を擁護する	<i>[see line 1427]</i>
1489	10025213	IC	*Pregnancy Prevention	*Preventing: Actions to prevent growing of family such as use of birth prevention strategies.
1490	10005103	IC	避妊具の使用	「避妊」の一つで、以下の固有の特徴をもつ：道具の使用や処置により、受胎や妊娠、性感染症を防ぐ措置を講じること。医薬品やコンドーム、あるいは外科的処置は、1つまたは複数の生殖過程を遮断もしくは変更し、妊娠しない性行為を可能にする。
		<i>syn</i>	ヒニングノシヨウ	
1491	10025221	IC	<i>*Pregnancy Promotion</i>	<i>[see line 1409]</i>
1492	10015631	IC	*Preventing Chemical Injury	*Preventing
1493	10015649	IC	*Preventing Cross Infection	*Preventing
1494	10015654	IC	*Preventing Electrical Injury	*Preventing
1495	10015665	IC	*Preventing Laser Injury	*Preventing
1496	10015677	IC	*Preventing Latex Allergy	*Preventing
1497	10015683	IC	*Preventing Mechanical Injury	*Preventing
1498	10032431	IC	*Preventing Pressure Ulcer	*Preventing
1499	10015696	IC	*Preventing Radiation Injury	*Preventing
1500	10015704	IC	*Preventing Thermal Injury	*Preventing
1501	10032449	IC	<i>*Promoting Adherence To Regime</i>	<i>[see line 1410]</i>
1502	10032454	IC	<i>*Promoting Child Development</i>	<i>[see line 1412]</i>
1503	10032496	IC	<i>*Promoting Effective Parenting</i>	<i>[see line 1413]</i>
1504	10032465	IC	<i>*Promoting Health Seeking Behaviour</i>	<i>[see line 1414]</i>
1505	10024440	IC	<i>*Promoting Hope</i>	<i>[see line 1415]</i>
1506	10032477	IC	<i>*Promoting Hygiene</i>	<i>[see line 1416]</i>
1507	10026334	IC	<i>*Promoting Limit Setting</i>	<i>[see line 1418]</i>
1508	10015817	IC	<i>*Promoting Positive Thermoregulation</i>	<i>[see line 1419]</i>
1509	10032505	IC	<i>*Promoting Psychological Status</i>	<i>[see line 1420]</i>
1510	10026347	IC	<i>*Promoting Self Care</i>	<i>[see line 1421]</i>
1511	10024455	IC	<i>*Promoting Self-esteem</i>	<i>[see line 1422]</i>
1512	10024464	IC	<i>*Promoting Social Support</i>	<i>[see line 1423]</i>
1513	10024472	IC	<i>*Promoting Use of Memory Devices</i>	<i>[see line 1424]</i>
1514	10026368	IC	*Protecting Cultural Beliefs	*Protecting
1515	10015886	IC	*Protecting Patient Before Operation	*Protecting

1516	10015893	IC	*Protecting Patient During Neurosurgical Act	*Protecting
1517	10015903	IC	*Protecting Patient Record And Belonging	*Protecting
1518	10015919	IC	*Protecting Patient Right	*Protecting
1519	10015872	IC	*Protecting Confidentiality□	*Protecting
1520	10026381	IC	*Protecting Religious Beliefs	*Protecting
1521	10026427	IC	*Reinforcing Achievements	[see line 1434]
1522	10024562	IC	*Reinforcing Adherence	[see line 1435]
1523	10026436	IC	*Reinforcing Capabilities	[see line 1436]
1524	10026188	IC	*Reinforcing Priority Setting	[see line 1438]
1525	10032800	IC	*Supporting Ability To Manage Regime	[see line 1441]
1526	10026458	IC	*Supporting Beliefs	[see line 1442]
1527	10032816	IC	*Supporting Breastfeeding	[see line 1445]
1528	10024570	IC	*Supporting Caregiver	[see line 1446]
1529	10024589	IC	*Supporting Decision Making Process	[see line 1449]
1530	10032844	IC	*Supporting Family	[see line 1451]
1531	10026489	IC	*Supporting Mourning Process	[see line 1453]
1532	10019161	IC	*Supporting Psychological Status	[see line 1455]
1533	10024591	IC	*Supporting Spiritual Rituals	[see line 1456]
1534	10026491	IC	*Supporting Use Of Traditional Therapy	[see line 1457]
1535	10024953	IC	*Violence Prevention	*Preventing
1536	10004002	F	世話	「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：必要に応じてケアを提供する行為。あらゆる年齢層の基本的ニーズを支援すること。育てること、励ますこと、支持することと関連する。
		syn	セフ	
1537	10014052	F	ペアレンティング	「世話」の一つで、以下の固有の特徴をもつ：親であることの責任を負うこと。新生児を家族単位の一員として進んで受け入れる行動。子どもの成長発達が最も適切に図られるようにする行動。親としての適切または不適切な役割行動に関して、個人、家族、友人、社会がもつ期待を自分のものとして取り入れること。
1538	10003548	F	きずな	「ペアレンティング」の一つで、以下の固有の特徴をもつ：赤ん坊と親の間の愛着。情緒的なつながりの形成。
		syn	キズナ	
1539	10004284	F	出産行動	「ペアレンティング」の一つで、以下の固有の特徴をもつ：妊娠に適応して親になるための準備をする行動。親としての適切または不適切な役割行動に関して、家族、友人、社会がもつ期待を自分のものとして取り入れること。
		syn	シュッサンコウドウ	
1540	10004376	F	子育て	「ペアレンティング」の一つで、以下の固有の特徴をもつ：子どもの基本のおよび個人的なニーズを提供し、旧世代から新世代への文化と伝統の継承を支援することで、子どもの社会化と教育を行うこと。
		syn	コソダテ	
1541	10014902	F	*Effective Parenting□	*Parenting
1542	10015620	A	予防する	「世話をする」の一つで、以下の固有の特徴をもつ：何かが起こるのを止める、または妨げること。
		syn	ヨボウスル	
1543	10003077	A	回避する	「予防する」の一つで、以下の固有の特徴をもつ：何かから遠ざかる、または何かに近づかないこと。
		syn	カイヒスル	
1544	10025213	IC	*Pregnancy Prevention	[see line 1489]
1545	10015631	IC	*Preventing Chemical Injury	[see line 1492]
1546	10015649	IC	*Preventing Cross Infection	[see line 1493]
1547	10015654	IC	*Preventing Electrical Injury	[see line 1494]
1548	10015665	IC	*Preventing Laser Injury	[see line 1495]
1549	10015677	IC	*Preventing Latex Allergy	[see line 1496]
1550	10015683	IC	*Preventing Mechanical Injury	[see line 1497]
1551	10032431	IC	*Preventing Pressure Ulcer	[see line 1498]
1552	10015696	IC	*Preventing Radiation Injury	[see line 1499]
1553	10015704	IC	*Preventing Thermal Injury	[see line 1500]
1554	10015864	A	保護する	「予防する」の一つで、以下の固有の特徴をもつ：人や物が何かから危害を受けないようにする、または何かに対して警

戒すること。

		<i>syn</i>	ホゴスル		
1555	10002128	A	アルコール依存生活の予防	「保護する」の一つ。	
		<i>syn</i>	アルコールイゾンセイカツノヨボウ		
1556	10005055	A	汚染防止	「保護する」の一つで、以下の固有の特徴をもつ：接触または混合による汚染を防ぐこと。	
		<i>syn</i>	オセンボウシ		
1557	10007531	IC	転倒転落予防	[see line 1486]	
1558	10026368	IC	*Protecting Cultural Beliefs	[see line 1514]	
1559	10015886	IC	*Protecting Patient Before Operation	[see line 1515]	
1560	10015893	IC	*Protecting Patient During Neurosurgical Act	[see line 1516]	
1561	10015903	IC	*Protecting Patient Record And Belonging	[see line 1517]	
1562	10015919	IC	*Protecting Patient Right	[see line 1518]	
1563	10026381	IC	*Protecting Religious Beliefs	[see line 1520]	
1564	10017439	A	安全対策	「保護する」の一つで、以下の固有の特徴をもつ：損害や危害を及ぼすと考えられる事故や危険を予防・回避するために活動すること。安全な環境を維持するために活動すること。手袋やヘルメットなどの保護用具の使用に関連する。	
		<i>syn</i>	アンゼンタイサク		
1565	10018370	A	社会的孤立生活の予防	「保護する」の一つ。	
		<i>syn</i>	シャカイテキコリツセイカツノヨボウ		
1566	10024953	IC	*Violence Prevention	[see line 1535]	
1567	10016678	A	関わる	「世話をする」の一つで、以下の固有の特徴をもつ：1人または複数の人との関係を確立または継続し、交流すること。	
		<i>syn</i>	カカワル		
1568	10004542	A	共働する	「関わる」の一つで、以下の固有の特徴をもつ：誰かと共に働くこと。	
		<i>syn</i>	キョウドウスル		
1569	10030930	IC	*Collaborating In Electrolyte Therapy	[see line 1463]	
1570	10030948	IC	*Collaborating In Fluid Therapy	[see line 1464]	
1571	10004561	IC	*Collaborating In Initiating Patient Controlled Analgesia	[see line 1465]	
1572	10026190	IC	*Collaborating On Dietary Regime	[see line 1466]	
1573	10030953	IC	*Collaborating With Legal Service	[see line 1467]	
1574	10023554	IC	*Collaborating With Pharmacist	[see line 1468]	
1575	10023565	IC	*Collaborating With Physician	[see line 1469]	
1576	10023577	IC	*Collaborating With Social Worker	[see line 1470]	
1577	10004664	A	慰める	「関わる」の一つで、以下の固有の特徴をもつ：困っている人を元気づけること。	
		<i>syn</i>	ナグサメル		
1578	10005017	A	相談する	「関わる」の一つで、以下の固有の特徴をもつ：助言を求める、情報を得る、考えを共有し、共に検討すること。	
		<i>syn</i>	ソウダンスル		
1579	10005029	IC	*Consulting Care Provider	[see line 1471]	
1580	10024331	IC	*Consulting for Pain Management	[see line 1472]	
1581	10021816	IC	*Consulting Home Care Service	[see line 1473]	
1582	10005038	A	接触する	「関わる」の一つで、以下の固有の特徴をもつ：情報収集や関係・ネットワークの構築を目的として他者とのコミュニケーションを取る行為と能力。	
		<i>syn</i>	セッシヨクスル		
1583	10005119	A	契約する	「関わる」の一つで、以下の固有の特徴をもつ：誰かと合意を形成すること。	
		<i>syn</i>	ケイヤクスル		
1584	10024349	IC	*Contracting for Adherence	[see line 1474]	
1585	10013037	A	交渉する	「契約する」の一つで、以下の固有の特徴をもつ：妥協や合意を得るために誰かと協議すること。	
		<i>syn</i>	コウショウスル		
1586	10005436	A	異文化間の仲介	「交渉する」の一つで、以下の固有の特徴をもつ：異なる文	

化に属する患者・家族に対して、一般的なヘルスケアシステムへの橋渡しをすること。

1587	10011845	<i>syn</i> A	イブンカカンノチュウカイ 仲裁する	「交渉する」の一つで、以下の固有の特徴をもつ：相違点を解決すること。和解に至らせること。
1588	10010463	<i>syn</i> F	チュウサイスル 相互作用行動	「行動」の一つで、以下の固有の特徴をもつ：お互いに対する行為。
1589	10004705	<i>syn</i> F	ソウゴサヨウコウドウ コミュニケーション	「相互作用行動」の一つで、以下の固有の特徴をもつ：個人または集団の間で、言語・非言語行動、対面での会話、郵便、電子メールや電話などの遠隔通信手段により、情報、メッセージ、感情、思考を伝達または交換する行為。
1590	10005415	F	泣くこと	「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：苦痛や恐れに反応した任意の行為または無意識の発声。驚きに対する反射的行動。憂うつや悲嘆に対する情緒的反応。
1591	10014828	<i>syn</i> F	ナクコト *Effective Communication□	*Communication
1592	10024809	F	*Positive Affirmation□	*Effective Communication□
1593	10006708	A	引き出す	「関わる」の一つで、以下の固有の特徴をもつ：導き出す、呼び起こすこと。
1594	10006712	<i>syn</i> IC	ヒキダス *Eliciting Attitude Toward Operation	[see line 1475]
1595	10024813	A	*Establishing	*Communication
1596	10023738	IC	*Establishing Rapport	[see line 1479]
1597	10024396	IC	*Establishing Trust	[see line 1480]
1598	10012623	A	*Impaired Communicating Act	*Communication
1599	10012702	F	*Impaired Family Communicating Act	*Impaired Communicating Act
1600	10011192	F	笑うこと	「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：顔の表情や言語的表現によって、喜びや楽しみの感情を表すこと。
1601	10011383	<i>syn</i> A	ワラウコト 傾聴する	「関わる」の一つで、以下の固有の特徴をもつ：他者の話を聞こうと努力すること。他者が言うことを注意深く聞くこと。他者の話を聞いてそれに答えること。
1602	10019436	<i>syn</i> A	ケイチョウスル 会話する	「関わる」の一つで、以下の固有の特徴をもつ：話し言葉を用い、言葉を発して談話すること。
1603	10028063	<i>syn</i> DC	カイワスル *Effective Interactive Behaviour□	[see line 973]
1604	10027430	DC	*Impaired Interactive Behaviour	[see line 648]
1605	10010877	A	関与する	「関わる」の一つで、以下の固有の特徴をもつ：他者と関わりをもち、他者に対する関心や他者を助ける意思を示すこと。
1606	10026323	<i>syn</i> IC	カンヨスル *Involving In Decision Making Process	[see line 1487]
1607	10013118	A	ネットワークを作る	「関わる」の一つで、以下の固有の特徴をもつ：個人間で情報を伝達し、コミュニケーションを図り、連絡を取り、経験を共有するために、相互接続システムを構築し、支援し、利用すること。
1608	10014099	<i>syn</i> A	ネットワークヲツクル 参加	「相互作用行動」の一つで、以下の固有の特徴をもつ：何かに加わること、行動を共にすること。
1609	10004812	<i>syn</i> F	サンカ コミュニティ参加	「コミュニティプロセス」の一つで、以下の固有の特徴をもつ：コミュニティ構成員が、コミュニティベースの委員会、集団計画、運営、実行、プロセス変化における意思決定および問題解決に関与すること。コミュニティ構成員は、意思疎通、協力、相互作用、および共通のニーズを認識する能力を有し、ボランティア精神と自主性をもっている。
1610	10018391	<i>syn</i> F	コミュニティサンカ 社会化	「相互作用行動」の一つで、以下の固有の特徴をもつ：相互の社会交流、社会活動に参加すること。
1611	10015409	<i>syn</i> A	シャカイカ 賞賛する	「関わる」の一つで、以下の固有の特徴をもつ：人や物事に対して承認や尊敬の念を表すこと。

		<i>syn</i>	ショウサンスル	
1612	10015575	A	共にいる	「関わる」の一つで、以下の固有の特徴をもつ：必要な時にそばにいること。
		<i>syn</i>	トモニイル	
1613	10019905	A	触れる	「関わる」の一つで、以下の固有の特徴をもつ：目的をもって、手で触れること。
		<i>syn</i>	フレル	
1614	10008642	A	手を握る	「触れる」の一つで、以下の固有の特徴をもつ：自らの支援を示し安心感を与えるために、相手の手をつかむこと。
		<i>syn</i>	テヲニギル	
1615	10009198	A	抱きしめる	「触れる」の一つで、以下の固有の特徴をもつ：両腕でしっかり抱き寄せること。
		<i>syn</i>	ダキシメル	
1616	10005824	A	判定する	「行為」の一つで、以下の固有の特徴をもつ：物事の見出す、または物事の見出しを確認すること。
		<i>syn</i>	ハンデイスル	
1617	10034620	A	*Determining Intervention	*Determining
1618	10026249	IC	*Assessing Acceptance Of Health Status	*Assessing
1619	10024185	IC	*Assessing Adherence	*Assessing
1620	10030543	IC	*Assessing Arterial Blood Flow Using Ultrasound	*Assessing
1621	10024192	IC	*Assessing Attitude Toward Disease	*Assessing
1622	10002687	IC	*Assessing Attitude Toward Medication Management	*Assessing
1623	10002694	IC	*Assessing Attitude Toward Nutritional Status	*Assessing
1624	10024205	IC	*Assessing Attitude Toward Treatment Regime	*Assessing
1625	10024214	IC	*Assessing Barriers To Adherence	*Assessing
1626	10026040	IC	*Assessing Capabilities	*Assessing
1627	10030515	IC	*Assessing Ability To Communicate By Talking	*Assessing
1628	10030527	IC	*Assessing Ability To Mobilise	*Assessing
1629	10030536	IC	*Assessing Ability To Prepare Food	*Assessing
1630	10021844	IC	*Assessing Self Care	*Assessing
1631	10030562	IC	*Assessing Caregiver	*Assessing
1632	10033876	IC	*Assessing Caregiver Knowledge	*Assessing Caregiver
1633	10024222	IC	*Assessing Caregiver Stress	*Assessing
1634	10030570	IC	*Assessing Child Development	*Assessing
1635	10025883	IC	*Assessing Cognition	*Assessing
1636	10002723	IC	*Assessing Coping	*Assessing
1637	10024246	IC	*Assessing Denial	*Assessing
1638	10026600	IC	*Assessing Family Coping	*Assessing
1639	10024233	IC	*Assessing Cultural Beliefs	*Assessing
1640	10026055	IC	*Assessing Depression	*Assessing
1641	10030706	IC	*Assessing Risk For Post Partum Depression	*Assessing
1642	10030673	IC	*Assessing During Encounter	*Assessing
1643	10002747	IC	*Assessing Eating Or Drinking Behaviour	*Assessing
1644	10030589	IC	*Assessing Emotional Support	*Assessing
1645	10026064	IC	*Assessing Environment	*Assessing
1646	10022912	IC	*Assessing Medication Supply	*Assessing
1647	10002775	IC	*Assessing Radiation Exposure	*Assessing
1648	10024251	IC	*Assessing Exercise Pattern	*Assessing
1649	10026072	IC	*Assessing Expectations	*Assessing
1650	10030602	IC	*Assessing Family Process	*Assessing
1651	10026086	IC	*Assessing Fatigue	*Assessing
1652	10024267	IC	*Assessing Fear	*Assessing
1653	10026254	IC	*Assessing Fear About Being A Burden To Others	*Assessing
1654	10026093	IC	*Assessing Fear About Death	*Assessing
1655	10026103	IC	*Assessing Grief	*Assessing

1656	10030618	IC	*Assessing Health And Social Care Needs	*Assessing
1657	10030625	IC	*Assessing Housing Condition	*Assessing
1658	10033882	IC	*Assessing Knowledge	*Assessing
1659	10033876	IC	*Assessing Caregiver Knowledge	[see line 1632]
1660	10030639	IC	*Assessing Knowledge of Disease	*Assessing
1661	10030591	IC	*Assessing Family Knowledge of Disease	*Assessing
1662	10002752	IC	*Assessing Knowledge Of Wound Care And Wound Healing	*Assessing
1663	10030641	IC	*Assessing Mobility Pattern	*Assessing
1664	10033368	IC	*Assessing Need	*Assessing
1665	10030660	IC	*Assessing Nutritional Status	*Assessing
1666	10030687	IC	*Assessing On Admission	*Assessing
1667	10026119	IC	*Assessing Pain	*Assessing
1668	10030694	IC	*Assessing Physiological Status	*Assessing
1669	10030558	IC	*Assessing Bowel Continence	*Assessing
1670	10002706	IC	*Assessing Cardiac Status Using Monitoring Device	*Assessing
1671	10002710	IC	*Assessing Control Of Pain	*Assessing
1672	10002752	IC	*Assessing Knowledge Of Wound Care And Wound Healing	[see line 1662]
1673	10002768	IC	*Assessing Neurological Status Before Operation	*Assessing
1674	10002799	IC	*Assessing Respiratory Status Using Monitoring Device	*Assessing
1675	10030781	IC	*Assessing Urinary Continence	*Assessing
1676	10030656	IC	*Assessing Urinary Retention Using Ultrasound	*Assessing
1677	10030734	IC	*Assessing Psychological Status	*Assessing
1678	10002781	IC	*Assessing Readiness To Learn	*Assessing
1679	10024279	IC	*Assessing Response To Teaching	*Assessing
1680	10023520	IC	*Assessing Risk For Falls	*Assessing
1681	10033895	IC	*Assessing Risk For Hospital Acquired Complication	*Assessing
1682	10033914	IC	*Assessing Risk for Negative Thermoregulation	*Assessing
1683	10033905	IC	*Assessing Risk for Hyperthermia	*Assessing
1684	10002809	IC	*Assessing Risk For Hypothermia	*Assessing
1685	10030723	IC	*Assessing Risk For Transfer Injury	*Assessing
1686	10026142	IC	*Assessing Roles	*Assessing
1687	10030747	IC	*Assessing Self Care of Skin	*Assessing
1688	10027080	IC	*Assessing Self Image	*Assessing
1689	10027079	IC	*Assessing Self Esteem	*Assessing
1690	10024280	IC	*Assessing Self-efficacy	*Assessing
1691	10033922	IC	*Assessing Skin Integrity	*Assessing
1692	10033933	IC	*Assessing Skin Integrity Before Operation	*Assessing
1693	10030752	IC	*Assessing Social Status	*Assessing
1694	10024298	IC	*Assessing Social Support	*Assessing
1695	10024308	IC	*Assessing Spiritual Beliefs	*Assessing
1696	10024312	IC	*Assessing Spiritual Beliefs of Family	*Assessing
1697	10030768	IC	*Assessing Spiritual Status	*Assessing
1698	10002821	IC	*Assessing Susceptibility To Infection	*Assessing
1699	10026161	IC	*Assessing Symptom Control	*Assessing
1700	10030775	IC	*Assessing Tissue Perfusion	*Assessing
1701	10002813	IC	*Assessing Risk For Ineffective Tissue Perfusion	*Assessing
1702	10024320	IC	*Assessing Traditional Therapies	*Assessing

1703	10030799	IC	*Assessing Wound	*Assessing
1704	10030710	IC	*Assessing Risk For Pressure Ulcer	*Assessing
1705	10004073	IC	*Categorising Surgical Wound	*Categorising
1706	10030924	IC	*Checking Device Safety	*Checking
1707	10030907	IC	*Checking Inhalation Technique	*Checking
1708	10030911	IC	*Checking Patient Identity	*Checking
1709	10005093	IC	継続的サーベイランス	「サーベイランス」の一つで、以下の固有の特徴をもつ：ノ ンストップの監視。
		<i>syn</i>	ケイゾクテキサーベイランス	
1710	10034506	IC	*Counting Surgical Device And Wound Dressing	*Counting
1711	10033951	IC	*Counting Surgical Device And Wound Dressing During Operation	*Counting
1712	10007078	IC	*Evaluating Cardiac Status After Operation	*Evaluating
1713	10031252	IC	*Evaluating Care Plan	*Evaluating
1714	10033980	IC	*Evaluating Count of Surgical Device and Gauze Dressing	*Evaluating
1715	10033998	IC	*Evaluating Endocrine Status	*Evaluating
1716	10034146	IC	*Identifying Endocrine Status Before Operation	*Identifying
1717	10034007	IC	*Evaluating Gastrointestinal Status	*Evaluating
1718	10030558	IC	*Assessing Bowel Continence	[see line 1669]
1719	10034167	IC	*Identifying Gastrointestinal Status Before Operation	*Identifying
1720	10034011	IC	*Evaluating Genitourinary Status	*Evaluating
1721	10034179	IC	*Identifying Genitourinary Status Before Operation	*Identifying
1722	10007084	IC	*Evaluating Home Before Home Care	*Evaluating
1723	10034024	IC	*Evaluating Management of Specimen	*Evaluating
1724	10034030	IC	*Evaluating Musculoskeletal Status	*Evaluating
1725	10034180	IC	*Identifying Musculoskeletal Status Before Operation	*Identifying
1726	10007097	IC	*Evaluating Neurological Status After Operation	*Evaluating
1727	10007107	IC	*Evaluating Psychosocial Response To Instruction	*Evaluating
1728	10022688	IC	*Evaluating Psychosocial Response to Instruction About Exercise	*Evaluating
1729	10007130	IC	*Evaluating Psychosocial Response To Instruction About Medication	*Evaluating
1730	10007111	IC	*Evaluating Psychosocial Response To Instruction About Nutrition	*Evaluating
1731	10007148	IC	*Evaluating Psychosocial Response To Instruction About Pain	*Evaluating
1732	10007124	IC	*Evaluating Psychosocial Response To Instruction About Wound	*Evaluating
1733	10007153	IC	*Evaluating Psychosocial Response To Plan Of Care	*Evaluating
1734	10007169	IC	*Evaluating Respiratory Status After Operation	*Evaluating
1735	10007176	IC	*Evaluating Response To Fluid Therapy	*Evaluating
1736	10007182	IC	*Evaluating Response To Medication	*Evaluating
1737	10034053	IC	*Evaluating Response To Pain Management	*Evaluating
1738	10007195	IC	*Evaluating Response To Thermoregulation	*Evaluating
1739	10034048	IC	*Evaluating Risk for Infection After Operation	*Evaluating

1740	10034069	IC	*Evaluating Signs and Symptoms of Infection After Operation	*Evaluating
1741	10007202	IC	*Evaluating Tissue Perfusion After Operation	*Evaluating
1742	10031268	IC	*Evaluating Treatment Regime	*Evaluating
1743	10034076	IC	*Evaluating Tubes and Drains	*Evaluating
1744	10034082	IC	*Evaluating Verification of Patient□ Before Operation	*Evaluating
1745	10034095	IC	*Evaluating Verification of Surgical□ Site and Laterality	*Evaluating
1746	10007218	IC	*Evaluating Wound Healing	*Evaluating
1747	10009649	IC	*Identifying Attitude Toward Care	*Identifying
1748	10034151	IC	*Identifying Expectation About Home Care	*Identifying
1749	10009654	IC	*Identifying Attitude Toward Pain	*Identifying
1750	10027154	IC	*Identifying Non Normal Body Part Before Perioperative Positioning	*Identifying
1751	10009683	IC	*Identifying Obstruction To Communication	*Identifying
1752	10009612	IC	*Identifying Physiological Status	*Identifying
1753	10009665	IC	*Identifying Cardiac Status Before Operation	*Identifying
1754	10034146	IC	<i>*Identifying Endocrine Status Before Operation</i>	<i>[see line 1716]</i>
1755	10034167	IC	<i>*Identifying Gastrointestinal Status Before Operation</i>	<i>[see line 1719]</i>
1756	10034180	IC	<i>*Identifying Musculoskeletal Status Before Operation</i>	<i>[see line 1725]</i>
1757	10034198	IC	*Identifying Respiratory Status Before Operation	*Identifying
1758	10009704	IC	*Identifying Tissue Perfusion Before Operation	*Identifying
1759	10009620	IC	*Identifying Psychosocial Status	*Identifying
1760	10009696	IC	*Identifying Risk For Haemorrhaging	*Identifying
1761	10010503	IC	*Interpreting Arterial Blood Gas Result	*Interpreting
1762	10031996	IC	*Measuring Blood Pressure	*Measuring
1763	10032006	IC	*Measuring Body Temperature	*Measuring
1764	10023944	IC	*Monitor Using an Exit Alarm	*Monitoring
1765	10032034	IC	*Monitoring Blood Glucose	*Monitoring
1766	10032047	IC	*Monitoring Blood Oxygen Saturation Using Pulse Oximeter	*Monitoring
1767	10032052	IC	*Monitoring Blood Pressure	*Monitoring
1768	10032075	IC	*Monitoring For Child Abuse	*Monitoring
1769	10032068	IC	*Monitoring For Impaired Family Coping	*Monitoring
1770	10032081	IC	*Monitoring Height	*Monitoring
1771	10032099	IC	*Monitoring Laboratory Result	*Monitoring
1772	10012183	IC	*Monitoring Physiological Status	*Monitoring
1773	10012165	IC	*Monitoring Body Temperature	*Monitoring
1774	10034285	IC	*Monitoring Cardiac Status	*Monitoring
1775	10012196	IC	*Monitoring Respiratory Status	*Monitoring
1776	10032109	IC	*Monitoring Response To Treatment	*Monitoring
1777	10012203	IC	*Monitoring Signs And Symptoms Of Infection	*Monitoring
1778	10032113	IC	*Monitoring Vital Signs	*Monitoring
1779	10032121	IC	*Monitoring Weight	*Monitoring
1780	10013517	IC	*Observing Altered Perception	*Observing
1781	10013461	IC	*Observing Injury	*Observing
1782	10013488	IC	*Observing Chemical Injury	*Observing
1783	10013490	IC	*Observing Electrical Injury	*Observing
1784	10013501	IC	*Observing Laser Injury	*Observing
1785	10013529	IC	*Observing Radiation Injury	*Observing
1786	10013538	IC	*Observing Transfer Injury	*Observing
1787	10017571	IC	*Screening Abuse	*Screening

1788	10032695	IC	*Screening Child Development	*Screening
1789	10032703	IC	*Screening Hearing	*Screening
1790	10032719	IC	*Screening Infant Development	*Screening
1791	10032726	IC	*Screening Patient	*Screening
1792	10017592	IC	*Screening Substance Abuse	*Screening
1793	10032735	IC	*Screening Vision	*Screening
1794	10020736	IC	*Verifying Allergy	*Verifying
1795	10020743	IC	*Verifying Consent Before Operation	*Verifying
1796	10033296	IC	*Verifying Death	*Verifying
1797	10020758	IC	*Verifying Patient Before Operation	*Verifying
1798	10020762	IC	*Verifying Presence Or Absence Of Corrective Device	*Verifying
1799	10020770	IC	*Verifying Surgical Act Site And Laterality	*Verifying
1800	10033323	IC	*Weighing Patient	*Weighing
1801	10007066	A	評価する	「判定する」の一つで、以下の固有の特徴をもつ：どの程度進展を見せているか、または設定した目標がどの程度達成できているかを判定する継続的なプロセス。
<i>syn</i> ヒョウカスル				
1802	10002298	A	分析する	「評価する」の一つで、以下の固有の特徴をもつ：物事に関する情報を総合すること。
<i>syn</i> ブンセキスル				
1803	10002673	A	査定する	「評価する」の一つで、以下の固有の特徴をもつ：物事の大きさ、質、深刻さを評価すること。
<i>syn</i> サテイスル				
1804	10026249	IC	*Assessing Acceptance Of Health Status	[see line 1618]
1805	10024185	IC	*Assessing Adherence	[see line 1619]
1806	10030543	IC	*Assessing Arterial Blood Flow Using Ultrasound	[see line 1620]
1807	10024192	IC	*Assessing Attitude Toward Disease	[see line 1621]
1808	10002687	IC	*Assessing Attitude Toward Medication Management	[see line 1622]
1809	10002694	IC	*Assessing Attitude Toward Nutritional Status	[see line 1623]
1810	10024205	IC	*Assessing Attitude Toward Treatment Regime	[see line 1624]
1811	10024214	IC	*Assessing Barriers To Adherence	[see line 1625]
1812	10026040	IC	*Assessing Capabilities	[see line 1626]
1813	10030562	IC	*Assessing Caregiver	[see line 1631]
1814	10024222	IC	*Assessing Caregiver Stress	[see line 1633]
1815	10030570	IC	*Assessing Child Development	[see line 1634]
1816	10025883	IC	*Assessing Cognition	[see line 1635]
1817	10002723	IC	*Assessing Coping	[see line 1636]
1818	10024233	IC	*Assessing Cultural Beliefs	[see line 1639]
1819	10026055	IC	*Assessing Depression	[see line 1640]
1820	10030673	IC	*Assessing During Encounter	[see line 1642]
1821	10002747	IC	*Assessing Eating Or Drinking Behaviour	[see line 1643]
1822	10030589	IC	*Assessing Emotional Support	[see line 1644]
1823	10026064	IC	*Assessing Environment	[see line 1645]
1824	10024251	IC	*Assessing Exercise Pattern	[see line 1648]
1825	10026072	IC	*Assessing Expectations	[see line 1649]
1826	10030602	IC	*Assessing Family Process	[see line 1650]
1827	10026086	IC	*Assessing Fatigue	[see line 1651]
1828	10024267	IC	*Assessing Fear	[see line 1652]
1829	10026103	IC	*Assessing Grief	[see line 1655]
1830	10030618	IC	*Assessing Health And Social Care Needs	[see line 1656]
1831	10030625	IC	*Assessing Housing Condition	[see line 1657]
1832	10033882	IC	*Assessing Knowledge	[see line 1658]
1833	10030641	IC	*Assessing Mobility Pattern	[see line 1663]
1834	10033368	IC	*Assessing Need	[see line 1664]
1835	10030660	IC	*Assessing Nutritional Status	[see line 1665]

1836	10030687	IC		<i>*Assessing On Admission</i>	<i>[see line 1666]</i>
1837	10026119	IC		<i>*Assessing Pain</i>	<i>[see line 1667]</i>
1838	10030694	IC		<i>*Assessing Physiological Status</i>	<i>[see line 1668]</i>
1839	10030734	IC		<i>*Assessing Psychological Status</i>	<i>[see line 1677]</i>
1840	10002781	IC		<i>*Assessing Readiness To Learn</i>	<i>[see line 1678]</i>
1841	10024279	IC		<i>*Assessing Response To Teaching</i>	<i>[see line 1679]</i>
1842	10023520	IC		<i>*Assessing Risk For Falls</i>	<i>[see line 1680]</i>
1843	10033895	IC		<i>*Assessing Risk For Hospital Acquired Complication</i>	<i>[see line 1681]</i>
1844	10033914	IC		<i>*Assessing Risk for Negative Thermoregulation</i>	<i>[see line 1682]</i>
1845	10030723	IC		<i>*Assessing Risk For Transfer Injury</i>	<i>[see line 1685]</i>
1846	10026142	IC		<i>*Assessing Roles</i>	<i>[see line 1686]</i>
1847	10030747	IC		<i>*Assessing Self Care of Skin</i>	<i>[see line 1687]</i>
1848	10027080	IC		<i>*Assessing Self Image</i>	<i>[see line 1688]</i>
1849	10024280	IC		<i>*Assessing Self-efficacy□</i>	<i>[see line 1690]</i>
1850	10033922	IC		<i>*Assessing Skin Integrity</i>	<i>[see line 1691]</i>
1851	10030752	IC		<i>*Assessing Social Status</i>	<i>[see line 1693]</i>
1852	10024298	IC		<i>*Assessing Social Support</i>	<i>[see line 1694]</i>
1853	10024308	IC		<i>*Assessing Spiritual Beliefs</i>	<i>[see line 1695]</i>
1854	10030768	IC		<i>*Assessing Spiritual Status</i>	<i>[see line 1697]</i>
1855	10002821	IC		<i>*Assessing Susceptibility To Infection</i>	<i>[see line 1698]</i>
1856	10026161	IC		<i>*Assessing Symptom Control</i>	<i>[see line 1699]</i>
1857	10030775	IC		<i>*Assessing Tissue Perfusion</i>	<i>[see line 1700]</i>
1858	10024320	IC		<i>*Assessing Traditional Therapies</i>	<i>[see line 1702]</i>
1859	10030799	IC		<i>*Assessing Wound</i>	<i>[see line 1703]</i>
1860	10003818	A	計算する		「評価する」の一つで、以下の固有の特徴をもつ：数えたり、数式を用いるなどして確かめること。
		<i>syn</i>	ケイサンスル		
1861	10004060	A	分類する		「評価する」の一つで、以下の固有の特徴をもつ：分類上の区分に配置すること。類別すること。
		<i>syn</i>	ブンルイスル		
1862	10004073	IC		<i>*Categorising Surgical Wound</i>	<i>[see line 1705]</i>
1863	10018738	A	段階分けする		「分類する」の一つで、以下の固有の特徴をもつ：問題の程度や進行状況を判定すること。
		<i>syn</i>	ダンカイワケスル		
1864	10007078	IC		<i>*Evaluating Cardiac Status After Operation</i>	<i>[see line 1712]</i>
1865	10031252	IC		<i>*Evaluating Care Plan</i>	<i>[see line 1713]</i>
1866	10033980	IC		<i>*Evaluating Count of Surgical Device and Gauze Dressing</i>	<i>[see line 1714]</i>
1867	10033998	IC		<i>*Evaluating Endocrine Status</i>	<i>[see line 1715]</i>
1868	10034007	IC		<i>*Evaluating Gastrointestinal Status</i>	<i>[see line 1717]</i>
1869	10034011	IC		<i>*Evaluating Genitourinary Status</i>	<i>[see line 1720]</i>
1870	10007084	IC		<i>*Evaluating Home Before Home Care</i>	<i>[see line 1722]</i>
1871	10034024	IC		<i>*Evaluating Management of Specimen</i>	<i>[see line 1723]</i>
1872	10034030	IC		<i>*Evaluating Musculoskeletal Status</i>	<i>[see line 1724]</i>
1873	10007097	IC		<i>*Evaluating Neurological Status After Operation</i>	<i>[see line 1726]</i>
1874	10007107	IC		<i>*Evaluating Psychosocial Response To Instruction</i>	<i>[see line 1727]</i>
1875	10007153	IC		<i>*Evaluating Psychosocial Response To Plan Of Care</i>	<i>[see line 1733]</i>
1876	10007169	IC		<i>*Evaluating Respiratory Status After Operation</i>	<i>[see line 1734]</i>
1877	10007176	IC		<i>*Evaluating Response To Fluid Therapy</i>	<i>[see line 1735]</i>
1878	10007182	IC		<i>*Evaluating Response To Medication</i>	<i>[see line 1736]</i>
1879	10034053	IC		<i>*Evaluating Response To Pain Manaqement</i>	<i>[see line 1737]</i>

1880	10007195	IC	<i>*Evaluating Response To Thermoregulation</i>	[see line 1738]
1881	10034048	IC	<i>*Evaluating Risk for Infection After Operation</i>	[see line 1739]
1882	10034069	IC	<i>*Evaluating Signs and Symptoms of Infection After Operation</i>	[see line 1740]
1883	10007202	IC	<i>*Evaluating Tissue Perfusion After Operation</i>	[see line 1741]
1884	10031268	IC	<i>*Evaluating Treatment Regime</i>	[see line 1742]
1885	10034076	IC	<i>*Evaluating Tubes and Drains</i>	[see line 1743]
1886	10034082	IC	<i>*Evaluating Verification of Patient Before Operation</i>	[see line 1744]
1887	10034095	IC	<i>*Evaluating Verification of Surgical Site and Laterality</i>	[see line 1745]
1888	10007218	IC	<i>*Evaluating Wound Healing</i>	[see line 1746]
1889	10009631	A	同定する	「評価する」の一つで、以下の固有の特徴をもつ：人や事物が同一であることを系統的に確認すること。
		<i>syn</i>	ドウテイスル	
1890	10009649	IC	<i>*Identifying Attitude Toward Care</i>	[see line 1747]
1891	10009654	IC	<i>*Identifying Attitude Toward Pain</i>	[see line 1749]
1892	10034179	IC	<i>*Identifying Genitourinary Status Before Operation</i>	[see line 1721]
1893	10027154	IC	<i>*Identifying Non Normal Body Part Before Perioperative Positioning</i>	[see line 1750]
1894	10009683	IC	<i>*Identifying Obstruction To Communication</i>	[see line 1751]
1895	10009612	IC	<i>*Identifying Physiological Status</i>	[see line 1752]
1896	10009620	IC	<i>*Identifying Psychosocial Status</i>	[see line 1759]
1897	10009696	IC	<i>*Identifying Risk For Haemorrhaging</i>	[see line 1760]
1898	10015770	A	プロファイリングする	「同定する」の一つで、以下の固有の特徴をもつ：ある集団の健康行動や健康上のニーズを体系的に明確にすること。
		<i>syn</i>	プロファイリングスル	
1899	10019967	A	追跡する	「同定する」の一つで、以下の固有の特徴をもつ：詳しく調べることにより、人や物事に関する形跡や徴候を観察し、発見し、探し出すこと。
		<i>syn</i>	ツイセキスル	
1900	10010492	A	解釈する	「評価する」の一つで、以下の固有の特徴をもつ：物事を理解する、あるいは説明すること。
		<i>syn</i>	カイシャクスル	
1901	10010503	IC	<i>*Interpreting Arterial Blood Gas Result</i>	[see line 1761]
1902	10011813	A	測定する	「評価する」の一つで、以下の固有の特徴をもつ：物事の属性を数値で確かめること。
		<i>syn</i>	ソクテイスル	
1903	10031996	IC	<i>*Measuring Blood Pressure</i>	[see line 1762]
1904	10032006	IC	<i>*Measuring Body Temperature</i>	[see line 1763]
1905	10021023	A	重さを量る	「測定する」の一つで、以下の固有の特徴をもつ：人や物の重さを確かめ、それを数値で表すこと。
		<i>syn</i>	オモサヲハカル	
1906	10033323	IC	<i>*Weighing Patient</i>	[see line 1800]
1907	10019594	A	試験する	「評価する」の一つで、以下の固有の特徴をもつ：人や物事を試用したり、試したりすること。
		<i>syn</i>	シケンズル	
1908	10020727	A	立証する	「評価する」の一つで、以下の固有の特徴をもつ：物事が真実であること、または正しいことを確認すること。
		<i>syn</i>	リッシュウスル	
1909	10020736	IC	<i>*Verifying Allergy</i>	[see line 1794]
1910	10020743	IC	<i>*Verifying Consent Before Operation</i>	[see line 1795]
1911	10033296	IC	<i>*Verifying Death</i>	[see line 1796]
1912	10020758	IC	<i>*Verifying Patient Before Operation</i>	[see line 1797]
1913	10020762	IC	<i>*Verifying Presence Or Absence Of Corrective Device</i>	[see line 1798]

1914	10020770	IC		<i>*Verifying Surgical Act Site And Laterality</i>	<i>[see line 1799]</i>
1915	10010542	A	面接する		「判定する」の一つで、以下の固有の特徴をもつ：質問し、言語的な反応を引き出すことによって診査すること。
		<i>syn</i>	メンセツスル		
1916	10012154	A	継続監視する		「判定する」の一つで、以下の固有の特徴をもつ：人や物事を、繰り返しまたは定期的に見回すこと。
		<i>syn</i>	ケイゾクカンシスル		
1917	10010348	A	精査する		「継続監視する」の一つで、以下の固有の特徴をもつ：人や物事を綿密に、体系的な方法で調べること。
		<i>syn</i>	セイサスル		
1918	10023944	IC		<i>*Monitor Using an Exit Alarm</i>	<i>[see line 1764]</i>
1919	10032034	IC		<i>*Monitoring Blood Glucose</i>	<i>[see line 1765]</i>
1920	10032047	IC		<i>*Monitoring Blood Oxygen Saturation Using Pulse Oximeter</i>	<i>[see line 1766]</i>
1921	10032052	IC		<i>*Monitoring Blood Pressure</i>	<i>[see line 1767]</i>
1922	10032075	IC		<i>*Monitoring For Child Abuse</i>	<i>[see line 1768]</i>
1923	10032068	IC		<i>*Monitoring For Impaired Family Coping</i>	<i>[see line 1769]</i>
1924	10032081	IC		<i>*Monitoring Height</i>	<i>[see line 1770]</i>
1925	10032099	IC		<i>*Monitoring Laboratory Result</i>	<i>[see line 1771]</i>
1926	10012183	IC		<i>*Monitoring Physiological Status</i>	<i>[see line 1772]</i>
1927	10032109	IC		<i>*Monitoring Response To Treatment</i>	<i>[see line 1776]</i>
1928	10012203	IC		<i>*Monitoring Signs And Symptoms Of Infection</i>	<i>[see line 1777]</i>
1929	10032113	IC		<i>*Monitoring Vital Signs</i>	<i>[see line 1778]</i>
1930	10032121	IC		<i>*Monitoring Weight</i>	<i>[see line 1779]</i>
1931	10019093	A	監督する		「継続監視する」の一つで、以下の固有の特徴をもつ：人や物事の推移を見守ること。
		<i>syn</i>	カントクスル		
1932	10019277	A	サーベイランス		「継続監視する」の一つで、以下の固有の特徴をもつ：個人やグループを綿密に観察すること。継続的な監視。
1933	10005093	IC	継続的サーベイランス		<i>[see line 1709]</i>
1934	10019283	A	定期調査を行う		「継続監視する」の一つで、以下の固有の特徴をもつ：長期にわたり、人や物事を繰り返し定期的に細かく調べること。
		<i>syn</i>	テイキチョウサヲオコナウ		
1935	10013474	A	観察行動		「判定する」の一つで、以下の固有の特徴をもつ：人や物事に目を向けて、注意深く見ること。
		<i>syn</i>	カンサツコウドウ		
1936	10004189	A	点検する		「観察行動」の一つで、以下の固有の特徴をもつ：物事の正確さ、質、状態を確認すること。
		<i>syn</i>	テンケンスル		
1937	10030924	IC		<i>*Checking Device Safety</i>	<i>[see line 1706]</i>
1938	10030907	IC		<i>*Checking Inhalation Technique</i>	<i>[see line 1707]</i>
1939	10030911	IC		<i>*Checking Patient Identity</i>	<i>[see line 1708]</i>
1940	10005265	A	数える		「観察行動」の一つで、以下の固有の特徴をもつ：数を昇順に読み上げる、思い浮かべる、並べること。
		<i>syn</i>	カゾエル		
1941	10034506	IC		<i>*Counting Surgical Device And Wound Dressing</i>	<i>[see line 1710]</i>
1942	10007256	A	検査する		「観察行動」の一つで、以下の固有の特徴をもつ：物事を調査したり、人や物事を詳しく分析的に調べたりすることで、何かの存在をはっきりと確認すること。
		<i>syn</i>	ケンサスル		
1943	10003012	A	聴診する		「検査する」の一つで、以下の固有の特徴をもつ：身体内部の音を聞き取ること。
		<i>syn</i>	チョウシンスル		
1944	10013997	A	触診する		「検査する」の一つで、以下の固有の特徴をもつ：手で身体各部を調べること。
		<i>syn</i>	ショクシンスル		
1945	10014289	A	打診する		「検査する」の一つで、以下の固有の特徴をもつ：指や器具で身体各部を軽く叩いて調べること。
		<i>syn</i>	ダシンスル		
1946	10017585	A	スクリーニングを行う		「検査する」の一つで、以下の固有の特徴をもつ：疾患やその他の事態に苦しんでいる人と、そうでない人を見分けること。
		<i>syn</i>	スクリーニングヲオコナウ		

1947	10017571	IC		<i>*Screening Abuse</i>	[see line 1787]
1948	10032695	IC		<i>*Screening Child Development</i>	[see line 1788]
1949	10032703	IC		<i>*Screening Hearing</i>	[see line 1789]
1950	10032719	IC		<i>*Screening Infant Development</i>	[see line 1790]
1951	10032726	IC		<i>*Screening Patient</i>	[see line 1791]
1952	10017592	IC		<i>*Screening Substance Abuse</i>	[see line 1792]
1953	10032735	IC		<i>*Screening Vision</i>	[see line 1793]
1954	10013517	IC		<i>*Observing Altered Perception</i>	[see line 1780]
1955	10013461	IC		<i>*Observing Injury</i>	[see line 1781]
1956	10010162	A	情報を提供する		「行為」の一つで、以下の固有の特徴をもつ：誰かに何かを知らせること。
		<i>syn</i>	ジョウホウヲテイキョウスル		
1957	10005797	A	記述する		「情報を提供する」の一つで、以下の固有の特徴をもつ：人や物事の特徴や様子を、口述したり、書面にしたりすること。
		<i>syn</i>	キジュ ツスル		
1958	10006173	A	文書化する		「記述する」の一つで、以下の固有の特徴をもつ：情報や収集された資料を蓄積、分類、普及させること。
		<i>syn</i>	ブンショカスル		
1959	10016498	A	記録する		「記述する」の一つで、以下の固有の特徴をもつ：出来事や発言についての証拠や情報を記載すること。
		<i>syn</i>	キロクスル		
1960	10016771	A	報告する		「記述する」の一つで、以下の固有の特徴をもつ：出来事や観察結果について説明する、総括すること。
		<i>syn</i>	ホウコクスル		
1961	10016785	IC		<i>*Reporting Arterial Blood Gas Result</i>	<i>*Reporting</i>
1962	10016792	IC		<i>*Reporting Belief</i>	<i>*Reporting</i>
1963	10016802	IC		<i>*Reporting Implantable Device</i>	<i>*Reporting</i>
1964	10016818	IC		<i>*Reporting Presence Or Absence Of Implantable Cardiac Device</i>	<i>*Reporting</i>
1965	10016825	IC		<i>*Reporting Status To Family Member</i>	<i>*Reporting</i>
1966	10016839	IC		<i>*Reporting Test Result</i>	<i>*Reporting</i>
1967	10007370	A	説明する		「情報を提供する」の一つで、以下の固有の特徴をもつ：誰かに何かを明らかにすること、またははっきりさせること。
		<i>syn</i>	セツメイシル		
1968	10007389	IC		<i>*Explaining Event Or Episode</i>	<i>*Explaining</i>
1969	10007391	IC		<i>*Explaining Patient Right</i>	<i>*Explaining</i>
1970	10008592	A	指導する		「情報を提供する」の一つで、以下の固有の特徴をもつ：健康に関する事柄を決定できるように人を導くこと。
		<i>syn</i>	シドウスル		
1971	10001917	A	助言する		「指導する」の一つで、以下の固有の特徴をもつ：奨励されている一連の行動を取るよう提案すること。
		<i>syn</i>	ジョゲンスル		
1972	10030440	IC		<i>*Advising About Employment</i>	<i>*Advising</i>
1973	10030455	IC		<i>*Advising About Housing</i>	<i>*Advising</i>
1974	10002401	A	事前に指導する		「指導する」の一つで、以下の固有の特徴をもつ：健康に関する事柄について前もって人に教えること。
		<i>syn</i>	ジゼンニシドウスル		
1975	10005254	A	カウンセリングする		「指導する」の一つで、以下の固有の特徴をもつ：対話を通じて自分なりの意思決定ができるようにすること。
		<i>syn</i>	カウンセリングスル		
1976	10031036	IC		<i>*Counselling About Alcohol Use</i>	<i>*Counseling</i>
1977	10031043	IC		<i>*Counselling About Drug Use</i>	<i>*Counseling</i>
1978	10026208	IC		<i>*Counselling About Fears</i>	<i>*Counselling</i>
1979	10026212	IC		<i>*Counselling About Hopes</i>	<i>*Counselling</i>
1980	10026231	IC		<i>*Counselling About Spiritual Distress</i>	<i>*Counselling</i>
1981	10031058	IC		<i>*Counselling About Tobacco Use</i>	<i>*Counseling</i>
1982	10031062	IC		<i>*Counselling Patient</i>	<i>*Counseling</i>
1983	10034523	IC		<i>*Genetic Counselling</i>	<i>*Counselling</i>

1984	10019502	A	教える	「情報を提供する」の一つで、以下の固有の特徴をもつ：健康に関する事柄について、誰かに体系的な情報を与えること。
		<i>syn</i>	オシエル	
1985	10006564	A	教育する	「教える」の一つで、以下の固有の特徴をもつ：物事に関する知識を誰かに与えること。
		<i>syn</i>	キョウイクスル	
1986	10010376	A	方法を教える	「教える」の一つで、以下の固有の特徴をもつ：物事のやり方について、誰かに体系的な情報を与えること。
		<i>syn</i>	ハウハウヲオシエル	
1987	10010382	IC	*Instructing Patient	*Instructing
1988	10020007	A	訓練する	「方法を教える」の一つで、以下の固有の特徴をもつ：人の技能や物事の機能を高めること。
		<i>syn</i>	クンレンスル	
1989	10033142	A	*Toilet Training	*Training
1990	10032902	IC	*Teaching About Device	*Teaching
1991	10019462	IC	*Teaching About Dietary Need	*Teaching
1992	10024116	IC	*Teaching About Disease	*Teaching
1993	10032941	IC	*Teaching About Head Lice Infestation	*Teaching
1994	10021719	IC	*Teaching Family About Disease	*Teaching
1995	10026502	IC	*Teaching About Dying Process	*Teaching
1996	10032918	IC	*Teaching About Eating Pattern	*Teaching
1997	10032994	IC	*Teaching About Effective Parenting□	*Teaching
1998	10033001	IC	*Teaching About Effective Weight□	*Teaching
1999	10024602	IC	*Teaching About Exercise	*Teaching
2000	10032925	IC	*Teaching About Family Planning	*Teaching
2001	10032939	IC	*Teaching About Fluid Intake	*Teaching
2002	10032956	IC	*Teaching About Health Seeking Behaviour	*Teaching
2003	10033119	IC	*Teaching Family About Health Seeking Behaviour	*Teaching
2004	10032960	IC	*Teaching About House Safety	*Teaching
2005	10019489	IC	*Teaching About Managing Pain	*Teaching
2006	10019470	IC	*Teaching About Medication	*Teaching
2007	10024618	IC	*Teaching About Nutrition	*Teaching
2008	10033029	IC	*Teaching About Self Care Of Skin	*Teaching
2009	10033038	IC	*Teaching About Sexual Behaviour	*Teaching
2010	10033040	IC	*Teaching About Sleep Pattern	*Teaching
2011	10024639	IC	*Teaching About Substance Abuse	*Teaching
2012	10024625	IC	*Teaching About Treatment Regime	*Teaching
2013	10032885	IC	*Teaching About Breast Care During Postpartum Period	*Teaching About Treatment Regime
2014	10032892	IC	*Teaching About Breast Care During Prenatal Period	*Teaching About Treatment Regime
2015	10033017	IC	*Teaching About Rehabilitation	*Teaching About Treatment Regime
2016	10033055	IC	*Teaching About Stoma Care	*Teaching About Treatment Regime
2017	10032987	IC	*Teaching About Nephrostomy Care	*Teaching About Treatment Regime
2018	10033064	IC	*Teaching About Travel Health	*Teaching About Treatment Regime
2019	10024656	IC	*Teaching Family About Treatment Regime	*Teaching About Treatment Regime
2020	10026525	IC	*Teaching The Family About Dietary Regime	*Teaching
2021	10033072	IC	*Teaching About Vaccine	*Teaching
2022	10034961	IC	*Teaching About Wound Care	*Teaching
2023	10034974	IC	*Teaching About Wound Healing	*Teaching
2024	10023717	IC	*Teaching Adaptation Techniques	*Teaching
2025	10024641	IC	*Teaching Adaptation Techniques For Sensory Deficit□	*Teaching
2026	10033086	IC	*Teaching Caregiver	*Teaching
2027	10033093	IC	*Teaching Caregiver About Toilet Training	*Teaching
2028	10033103	IC	*Teaching Caregiver About Weaning	*Teaching
2029	10019518	IC	*Teaching Family Caregiver	*Teaching

			About Operation Before Operation	
2030	10023406	IC	*Teaching Falls Prevention	*Teaching
2031	10024128	IC	*Teaching The Family About Falls Prevention	*Teaching
2032	10024660	IC	*Teaching How To Increase Activity Tolerance	*Teaching
2033	10032973	IC	*Teaching Infant Massage	*Teaching
2034	10024673	IC	*Teaching Memory Training Technique	*Teaching
2035	10033126	IC	*Teaching Patient	*Teaching
2036	10010382	IC	<i>*Instructing Patient</i>	<i>[see line 1987]</i>
2037	10024687	IC	*Teaching Safety Measures	*Teaching
2038	10033135	IC	*Teaching Self Catheterisation	*Teaching
2039	10026518	IC	*Teaching The Family About Delirium	*Teaching
2040	10010535	A	*Intervention	*Action
2041	10030383	IC	*Administering Antibiotic	*Administering
2042	10001836	IC	*Administering Blood Therapy	*Administering
2043	10030396	IC	*Administering Electrolyte Therapy	*Administering
2044	10030401	IC	*Administering Fluid Therapy	*Administering
2045	10030417	IC	*Administering Insulin	*Administering
2046	10023084	IC	*Administering Pain Medication	*Administering
2047	10001827	IC	*Administering Prophylactic Phenomenon	*Administering
2048	10030429	IC	*Administering Vaccine	*Administering
2049	10030438	IC	*Administering Vitamin B12	*Administering
2050	10030440	IC	<i>*Advising About Employment</i>	<i>[see line 1972]</i>
2051	10030455	IC	<i>*Advising About Housing</i>	<i>[see line 1973]</i>
2052	10024171	IC	*Arranging Transportation Service	*Arranging
2053	10034612	A	<i>*Attending Intervention</i>	<i>[see line 1458]</i>
2054	10034228	A	*Body Process Intervention	*Action
2055	10030570	IC	<i>*Assessing Child Development</i>	<i>[see line 1815]</i>
2056	10026119	IC	<i>*Assessing Pain</i>	<i>[see line 1837]</i>
2057	10033914	IC	<i>*Assessing Risk for Negative Thermoregulation</i>	<i>[see line 1844]</i>
2058	10030775	IC	<i>*Assessing Tissue Perfusion</i>	<i>[see line 1857]</i>
2059	10024383	IC	<i>*Encouraging Rest</i>	<i>[see line 1478]</i>
2060	10007176	IC	<i>*Evaluating Response To Fluid Therapy</i>	<i>[see line 1877]</i>
2061	10007182	IC	<i>*Evaluating Response To Medication</i>	<i>[see line 1878]</i>
2062	10034053	IC	<i>*Evaluating Response To Pain Management</i>	<i>[see line 1879]</i>
2063	10007195	IC	<i>*Evaluating Response To Thermoregulation</i>	<i>[see line 1880]</i>
2064	10007202	IC	<i>*Evaluating Tissue Perfusion After Operation</i>	<i>[see line 1883]</i>
2065	10007218	IC	<i>*Evaluating Wound Healing</i>	<i>[see line 1888]</i>
2066	10009696	IC	<i>*Identifying Risk For Haemorrhaging</i>	<i>[see line 1897]</i>
2067	10021837	IC	*Managing Medication Side Effect□	*Managing
2068	10024429	IC	*Managing Negative Response to Treatment	*Managing
2069	10011660	IC	*Managing Pain	*Managing
2070	10032109	IC	<i>*Monitoring Response To Treatment</i>	<i>[see line 1927]</i>
2071	10013517	IC	<i>*Observing Altered Perception</i>	<i>[see line 1954]</i>
2072	10025213	IC	<i>*Pregnancy Prevention</i>	<i>[see line 1544]</i>
2073	10025221	IC	<i>*Pregnancy Promotion</i>	<i>[see line 1491]</i>
2074	10015677	IC	<i>*Preventing Latex Allergy</i>	<i>[see line 1549]</i>
2075	10032454	IC	<i>*Promoting Child Development</i>	<i>[see line 1502]</i>
2076	10015817	IC	<i>*Promoting Positive Thermoregulation</i>	<i>[see line 1508]</i>
2077	10032695	IC	<i>*Screening Child Development</i>	<i>[see line 1948]</i>
2078	10032703	IC	<i>*Screening Hearing</i>	<i>[see line 1949]</i>
2079	10032719	IC	<i>*Screening Infant Development</i>	<i>[see line 1950]</i>

2080	10032735	IC	<i>*Screening Vision</i>	<i>[see line 1953]</i>
2081	10026502	IC	<i>*Teaching About Dying Process</i>	<i>[see line 1995]</i>
2082	10019489	IC	<i>*Teaching About Managing Pain</i>	<i>[see line 2005]</i>
2083	10034974	IC	<i>*Teaching About Wound Healing</i>	<i>[see line 2023]</i>
2084	10020736	IC	<i>*Verifying Allergy</i>	<i>[see line 1909]</i>
2085	10030884	IC	<i>*Catheterising Bladder</i>	<i>*Catheterising</i>
2086	10030969	IC	<i>*Collecting Cervical Cells</i>	<i>*Collecting</i>
2087	10031027	IC	<i>*Coordinating Care Plan</i>	<i>*Coordinating</i>
2088	10031036	IC	<i>*Counselling About Alcohol Use</i>	<i>[see line 1976]</i>
2089	10031043	IC	<i>*Counselling About Drug Use</i>	<i>[see line 1977]</i>
2090	10031058	IC	<i>*Counselling About Tobacco Use</i>	<i>[see line 1981]</i>
2091	10031062	IC	<i>*Counselling Patient</i>	<i>[see line 1982]</i>
2092	10024710	IC	<i>*Demonstrating Falls Prevention</i>	<i>*Demonstrating</i>
2093	10024354	IC	<i>*Demonstrating Medication Administration</i>	<i>*Demonstrating</i>
2094	10024365	IC	<i>*Demonstrating Relaxation Technique</i>	<i>*Demonstrating</i>
2095	10021695	IC	<i>*Demonstrating Subcutaneous Injection Technique</i>	<i>*Demonstrating</i>
2096	10034620	A	<i>*Determining Intervention</i>	<i>[see line 1617]</i>
2097	10031140	IC	<i>*Diagnostic Testing</i>	<i>*Act</i>
2098	10006016	IC	<i>*Discharge Planning</i>	<i>*Planning</i>
2099	10006028	IC	<i>*Discharge Planning By Family Caregiver</i>	<i>*Discharge Planning</i>
2100	10031164	IC	<i>*Dressing Patient</i>	<i>*Dressing</i>
2101	10006966	IC	<i>*Ensuring Continuity Of Care</i>	<i>*Ensuring</i>
2102	10024706	IC	<i>*Environmental Safety Management</i>	<i>*Managing</i>
2103	10007389	IC	<i>*Explaining Event Or Episode</i>	<i>[see line 1968]</i>
2104	10007391	IC	<i>*Explaining Patient Right</i>	<i>[see line 1969]</i>
2105	10031275	IC	<i>*Eye Care</i>	<i>*Act</i>
2106	10031332	IC	<i>*Flushing Earwax</i>	<i>*Flushing</i>
2107	10034523	IC	<i>*Genetic Counselling</i>	<i>[see line 1983]</i>
2108	10008977	M	<i>患者用の止血法</i>	<i>[see line 1328]</i>
2109	10009048	IC	<i>*Home Care</i>	<i>*Intervention: Holistic care given to the client in their own environment; for diverse health problems; utilising a multidisciplinary approach that involves the client, family and caregivers, transferring skills to maximise what people can do for themselves but providing counselling, monitoring and support to the client and caregivers.</i>
2110	10009855	IC	<i>*Implementing Aseptic Technique</i>	<i>*Implementing</i>
2111	10009864	IC	<i>*Implementing Clinical Pathway</i>	<i>*Implementing</i>
2112	10031544	IC	<i>*Implementing Compression Therapy</i>	<i>*Implementing</i>
2113	10026283	IC	<i>*Implementing Diversional Therapy</i>	<i>*Implementing</i>
2114	10026296	IC	<i>*Implementing Humour Therapy</i>	<i>*Implementing</i>
2115	10009872	IC	<i>*Implementing Pain Guideline</i>	<i>*Implementing</i>
2116	10026306	IC	<i>*Implementing Reminiscence Therapy</i>	<i>*Implementing</i>
2117	10026310	IC	<i>*Implementing Validation Therapy</i>	<i>*Implementing</i>
2118	10024884	A	<i>*Increasing Activity Tolerance</i>	<i>*Increasing</i>
2119	10010245	IC	<i>*Initiating Patient Controlled Analgesia</i>	<i>*Initiating</i>
2120	10034200	IC	<i>*Inserting Vascular Access Device</i>	<i>*Inserting</i>
2121	10031592	IC	<i>*Invasive Device Site Care</i>	<i>*Act</i>
2122	10031674	IC	<i>*Maintaining Airway</i>	<i>*Maintaining</i>
2123	10011515	IC	<i>*Maintaining Confidentiality□</i>	<i>*Maintaining</i>
2124	10011527	IC	<i>*Maintaining Dignity And Privacy</i>	<i>*Maintaining</i>
2125	10011536	IC	<i>*Maintaining Health</i>	<i>*Maintaining</i>
2126	10031707	IC	<i>*Managing Anticoagulation Therapy</i>	<i>*Managing</i>
2127	10031748	IC	<i>*Managing Crisis</i>	<i>*Managing</i>
2128	10031753	IC	<i>*Managing Defaecation</i>	<i>*Managing</i>
2129	10031776	IC	<i>*Managing Device</i>	<i>*Managing</i>
2130	10030472	IC	<i>*Applying Compression Bandage</i>	<i>*Applying</i>
2131	10030486	IC	<i>*Applying Elastic Stockings</i>	<i>*Applying</i>
2132	10002472	IC	<i>*Applying Safety Device</i>	<i>*Applying</i>
2133	10031724	IC	<i>*Managing Central Line</i>	<i>*Managing</i>
2134	10024493	IC	<i>*Providing Instructional Material</i>	<i>*Providing</i>
2135	10024527	IC	<i>*Providing Safety Devices</i>	<i>*Providing</i>

2136	10031912	IC	*Managing Disease	*Managing
2137	10031782	IC	*Managing Encopresis	*Managing
2138	10034608	IC	*Managing Financial Status	*Managing
2139	10031822	IC	*Managing Health Status After Hospitalisation	*Managing
2140	10011641	IC	*Managing Medication	*Managing
2141	10025444	IC	*Administering Medication	*Administering
2142	10001794	IC	*Administering Medication After Interpreting Arterial Blood Gas Result	*Administering
2143	10001804	IC	*Administering Medication And Solution	*Administering
2144	10015523	IC	*Prescribing Medication	*Prescribing
2145	10031833	IC	*Managing Negative Behaviour	*Managing
2146	10031898	IC	*Managing Oxygen Therapy	*Managing
2147	10024694	IC	*Implementing Oxygen Therapy	*Implementing
2148	10011673	IC	*Managing Regime	*Managing
2149	10031730	IC	*Managing Continence Device	*Managing
2150	10023861	IC	*Managing Dietary Regime	*Managing
2151	10031795	IC	*Managing Enteral Feeding	*Managing
2152	10023890	IC	*Managing Exercise Regime	*Managing
2153	10023888	IC	*Managing Medication Regime	*Managing
2154	10031559	IC	*Implementing Immunisation Regime	*Implementing
2155	10031908	IC	*Managing Parenteral Feeding	*Managing
2156	10031920	IC	*Managing Peritoneal Dialysis	*Managing
2157	10031931	IC	*Managing Postpartum Care	*Managing
2158	10031949	IC	*Managing Prenatal Care	*Managing
2159	10031954	IC	*Managing Stoma Care	*Managing
2160	10031880	IC	*Managing Nephrostomy Care	*Managing
2161	10031977	IC	*Managing Urinary Catheter	*Managing
2162	10024438	IC	*Prioritising (treatment) Regime	*Prioritising
2163	10011687	IC	*Managing Specimen	*Managing
2164	10004588	IC	*Collecting Specimen	*Collecting
2165	10011656	IC	*Managing Management of Specimen	*Managing
2166	10011639	IC	*Managing Specimen Collection	*Managing
2167	10031965	IC	*Managing Symptom	*Managing
2168	10011694	IC	*Managing Transporting	*Managing
2169	10030493	IC	*Arranging Transport Of Device	*Arranging
2170	10010232	IC	*Initiating Managing Transporting	*Initiating
2171	10031879	IC	*Managing Urinary Incontinence	*Managing
2172	10031805	IC	*Managing Enuresis	*Managing
2173	10031983	IC	*Massaging Infant	*Massaging
2174	10012098	IC	*Minimising Duration Of Operation	*Minimising
2175	10032184	IC	*Oral Care	*Act
2176	10013765	IC	*Ordering Care Plan	*Ordering
2177	10032227	IC	*Patient Controlled Analgesia	*Act
2178	10014301	IC	*Performing Phenomenon Using Device	*Performing
2179	10014317	IC	*Performing Role	*Performing
2180	10032258	IC	*Physical Examination	*Act
2181	10014761	IC	*Positioning Patient	*Positioning
2182	10024486	IC	*Providing Assistive Device Therapy	*Providing
2183	10032514	IC	*Providing Domestic Violence Therapy	*Providing
2184	10027051	IC	*Providing Emotional Support	*Providing
2185	10026375	IC	*Providing Family Anticipatory Guidance	*Providing
2186	10032522	IC	*Providing Health Promotion Service	*Providing
2187	10032533	IC	*Providing Health Promotion Service For Child Development	*Providing Health Promotion Service
2188	10026399	IC	*Providing Privacy	*Providing
2189	10024504	IC	*Providing Privacy for Spiritual Behaviour	*Providing
2190	10024515	IC	*Providing Reality Orientation	*Providing
2191	10032546	IC	*Providing Smoking Cessation Therapy	*Providing

2192	10027046	IC	*Providing Social Support	*Providing
2193	10027067	IC	*Providing Spiritual Support	*Providing
2194	10034237	A	*Psychological Process Intervention	*Action
2195	10024192	IC	*Assessing Attitude Toward Disease	[see line 1807]
2196	10002687	IC	*Assessing Attitude Toward Medication Management	[see line 1808]
2197	10002694	IC	*Assessing Attitude Toward Nutritional Status	[see line 1809]
2198	10024205	IC	*Assessing Attitude Toward Treatment Regime	[see line 1810]
2199	10025883	IC	*Assessing Cognition	[see line 1816]
2200	10002723	IC	*Assessing Coping	[see line 1817]
2201	10024233	IC	*Assessing Cultural Beliefs	[see line 1818]
2202	10026055	IC	*Assessing Depression	[see line 1819]
2203	10026072	IC	*Assessing Expectations	[see line 1825]
2204	10026086	IC	*Assessing Fatigue	[see line 1827]
2205	10024267	IC	*Assessing Fear	[see line 1828]
2206	10026103	IC	*Assessing Grief	[see line 1829]
2207	10024279	IC	*Assessing Response To Teaching	[see line 1841]
2208	10027080	IC	*Assessing Self Image	[see line 1848]
2209	10024280	IC	*Assessing Self-efficacy□	[see line 1849]
2210	10024308	IC	*Assessing Spiritual Beliefs	[see line 1853]
2211	10026208	IC	*Counselling About Fears	[see line 1978]
2212	10026212	IC	*Counselling About Hopes	[see line 1979]
2213	10026231	IC	*Counselling About Spiritual Distress	[see line 1980]
2214	10006712	IC	*Eliciting Attitude Toward Operation	[see line 1594]
2215	10024396	IC	*Establishing Trust	[see line 1597]
2216	10007107	IC	*Evaluating Psychosocial Response To Instruction	[see line 1874]
2217	10007153	IC	*Evaluating Psychosocial Response To Plan Of Care	[see line 1875]
2218	10009649	IC	*Identifying Attitude Toward Care	[see line 1890]
2219	10009654	IC	*Identifying Attitude Toward Pain	[see line 1891]
2220	10026323	IC	*Involving In Decision Making Process	[see line 1606]
2221	10031814	IC	*Managing Grief	*Managing
2222	10031846	IC	*Managing Impaired Coping Process	*Managing
2223	10031851	IC	*Managing Negative Emotion	*Managing
2224	10031711	IC	*Managing Anxiety	*Managing
2225	10031769	IC	*Managing Post Partum Depression	*Managing
2226	10031867	IC	*Managing Negative Response To Situation	*Managing
2227	10032068	IC	*Monitoring For Impaired Family Coping	[see line 1923]
2228	10024440	IC	*Promoting Hope	[see line 1505]
2229	10024455	IC	*Promoting Self-esteem	[see line 1511]
2230	10026368	IC	*Protecting Cultural Beliefs	[see line 1558]
2231	10026381	IC	*Protecting Religious Beliefs	[see line 1563]
2232	10016792	IC	*Reporting Belief	[see line 1962]
2233	10026458	IC	*Supporting Beliefs	[see line 1526]
2234	10024589	IC	*Supporting Decision Making Process	[see line 1529]
2235	10032859	IC	*Supporting Family Coping Process	[see line 1452]
2236	10026489	IC	*Supporting Mourning Process	[see line 1531]
2237	10023717	IC	*Teaching Adaptation Techniques	[see line 2024]
2238	10026518	IC	*Teaching The Family About Delirium	[see line 2039]
2239	10016168	IC	*Puncturing Vein	*Puncturing
2240	10016217	IC	*Putting On Or In Haemostatic Agent	*Putting On Or In
2241	10032567	IC	*Referring To Care Provider	*Referring
2242	10026415	IC	*Referring To Occupational Therapy	*Referring

2243	10024019	IC	*Referring To Physical Therapy	*Referring
2244	10024536	IC	*Referring To Family Therapy	*Referring
2245	10032607	IC	*Referring To Services	*Referring
2246	10032579	IC	*Referring To Emergency Service	*Referring
2247	10032580	IC	*Referring To Family Planning Service	*Referring
2248	10026174	IC	*Referring To Funeral Service	*Referring
2249	10032598	IC	*Referring To Housing Service	*Referring
2250	10026404	IC	*Referring To Legal Service	*Referring
2251	10024543	IC	*Referring To Religious Service	*Referring
2252	10024558	IC	*Referring To Support Group Therapy	*Referring
2253	10032630	IC	*Removing Suture	*Removing
2254	10032648	IC	*Removing Wound Clip	*Removing
2255	10016785	IC	*Reporting Arterial Blood Gas Result	[see line 1961]
2256	10016802	IC	*Reporting Implantable Device	[see line 1963]
2257	10016818	IC	*Reporting Presence Or Absence Of Implantable Cardiac Device	[see line 1964]
2258	10016825	IC	*Reporting Status To Family Member	[see line 1965]
2259	10016839	IC	*Reporting Test Result	[see line 1966]
2260	10017661	F	セルフケア	「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：自分自身を維持し、前進させ、個人的な基本ニーズを満たし、日常の営みを行うために必要なことを行うこと。
2261	10032742	IC	*Self Care of Skin	*Self Care
2262	10017711	F	気分転換	「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：娯楽、気晴らし、刺激、リラックスを目的とする活動を自ら用意し行う。
		syn	キブンテンカン	
2263	10017730	F	自己摂食	「セルフケア」の一つ。
		syn	ジコセッシュク	
2264	10017769	F	自己清潔	「セルフケア」の一つ。
		syn	ジコセイケツ	
2265	10017657	F	自己入浴	「セルフケア」の一つ。
		syn	ジコニュウヨク	
2266	10017748	F	自己更衣	「セルフケア」の一つ。
		syn	ジココウイ	
2267	10017753	F	自己整容	「セルフケア」の一つ。
		syn	ジコセイヨウ	
2268	10017814	F	自己排泄	「セルフケア」の一つ。
		syn	ジコハイセツ	
2269	10017782	F	自己挙上	「セルフケア」の一つで、以下の固有の特徴をもつ：身体部位を持ち上げる。上肢、下肢、頭部の挙上を含む。
		syn	ジコキョジョウ	
2270	10017822	F	自己移乗	「セルフケア」の一つ。
		syn	ジコイジョウ	
2271	10017833	F	自己体位変換	「セルフケア」の一つで、以下の固有の特徴をもつ：体を動かして左右、前後に向きを変えること。
		syn	ジコタイイヘンカン	
2272	10017846	F	自己洗淨	「セルフケア」の一つ。
		syn	ジコセンジョウ	
2273	10032757	IC	*Skin Care	*Act
2274	10030747	IC	*Assessing Self Care of Skin	[see line 1847]
2275	10015484	IC	*Preparing Skin Before Operation	*Preparing
2276	10032742	IC	*Self Care of Skin	[see line 2261]
2277	10033029	IC	*Teaching About Self Care Of Skin	[see line 2008]
2278	10033231	IC	*Treating Skin Condition	*Treating
2279	10032788	IC	*Stoma Care	*Act
2280	10032150	IC	*Nephrostomy Care	*Act
2281	10033161	IC	*Tracheostomy Care	*Act
2282	10032902	IC	*Teaching About Device	[see line 1990]
2283	10019462	IC	*Teaching About Dietary Need	[see line 1991]
2284	10024116	IC	*Teaching About Disease	[see line 1992]
2285	10032918	IC	*Teaching About Eating Pattern	[see line 1996]
2286	10032994	IC	*Teaching About Effective Parenting□	[see line 1997]
2287	10033001	IC	*Teaching About Effective Weight□	[see line 1998]
2288	10024602	IC	*Teaching About Exercise	[see line 1999]

2289	10032925	IC	<i>*Teaching About Family Planning</i>	<i>[see line 2000]</i>
2290	10032939	IC	<i>*Teaching About Fluid Intake</i>	<i>[see line 2001]</i>
2291	10032956	IC	<i>*Teaching About Health Seeking Behaviour</i>	<i>[see line 2002]</i>
2292	10032960	IC	<i>*Teaching About House Safety</i>	<i>[see line 2004]</i>
2293	10019470	IC	<i>*Teaching About Medication</i>	<i>[see line 2006]</i>
2294	10024618	IC	<i>*Teaching About Nutrition</i>	<i>[see line 2007]</i>
2295	10033038	IC	<i>*Teaching About Sexual Behaviour</i>	<i>[see line 2009]</i>
2296	10033040	IC	<i>*Teaching About Sleep Pattern</i>	<i>[see line 2010]</i>
2297	10024639	IC	<i>*Teaching About Substance Abuse</i>	<i>[see line 2011]</i>
2298	10024625	IC	<i>*Teaching About Treatment Regime</i>	<i>[see line 2012]</i>
2299	10033072	IC	<i>*Teaching About Vaccine</i>	<i>[see line 2021]</i>
2300	10033086	IC	<i>*Teaching Caregiver</i>	<i>[see line 2026]</i>
2301	10023406	IC	<i>*Teaching Falls Prevention</i>	<i>[see line 2030]</i>
2302	10024660	IC	<i>*Teaching How To Increase Activity Tolerance</i>	<i>[see line 2032]</i>
2303	10032973	IC	<i>*Teaching Infant Massage</i>	<i>[see line 2033]</i>
2304	10024673	IC	<i>*Teaching Memory Training Technique</i>	<i>[see line 2034]</i>
2305	10033126	IC	<i>*Teaching Patient</i>	<i>[see line 2035]</i>
2306	10024687	IC	<i>*Teaching Safety Measures</i>	<i>[see line 2037]</i>
2307	10033135	IC	<i>*Teaching Self Catheterisation</i>	<i>[see line 2038]</i>
2308	10033188	IC	<i>*Transferring Patient</i>	<i>*Transferring</i>
2309	10017822	F	自己移乗	<i>[see line 2270]</i>
2310	10033190	A	<i>*Transporting Of Device</i>	<i>*Transporting</i>
2311	10020095	IC	<i>*Transporting Patient</i>	<i>*Transporting</i>
2312	10033220	IC	<i>*Treating Injury</i>	<i>*Treating</i>
2313	10033277	IC	<i>*Urinary Catheter Care</i>	<i>*Act</i>
2314	10033249	IC	<i>*Wart Treatment</i>	<i>*Treating</i>
2315	10033347	IC	<i>*Wound Care</i>	<i>*Act</i>
2316	10030799	IC	<i>*Assessing Wound</i>	<i>[see line 1859]</i>
2317	10031690	IC	<i>*Malignant Wound Care</i>	<i>*Wound Care</i>
2318	10032863	IC	<i>*Surgical Wound Care</i>	<i>*Wound Care</i>
2319	10004073	IC	<i>*Categorising Surgical Wound</i>	<i>[see line 1862]</i>
2320	10032871	IC	<i>*Suturing Wound</i>	<i>*Suturing</i>
2321	10034961	IC	<i>*Teaching About Wound Care</i>	<i>[see line 2022]</i>
2322	10033208	IC	<i>*Traumatic Wound Care</i>	<i>*Wound Care</i>
2323	10033254	IC	<i>*Ulcer Care</i>	<i>*Act</i>
2324	10031117	IC	<i>*Diabetic Ulcer Care</i>	<i>*Ulcer Care</i>
2325	10032420	IC	<i>*Pressure Ulcer Care</i>	<i>*Ulcer Care</i>
2326	10030710	IC	<i>*Assessing Risk For Pressure Ulcer</i>	<i>[see line 1704]</i>
2327	10032431	IC	<i>*Preventing Pressure Ulcer</i>	<i>[see line 1551]</i>
2328	10011625	A	管理する	「行為」の一つで、以下の固有の特徴をもつ：人や物事に対する責任を引き受け、秩序をもたらすこと。
		<i>syn</i>	カンリスル	
2329	10003020	A	認可する	「管理する」の一つで、以下の固有の特徴をもつ：許諾すること、権限を与えること。
		<i>syn</i>	ニンカスル	
2330	10004798	F	コミュニティマネジメント	「コミュニティプロセス」の一つで、以下の固有の特徴をもつ：コミュニティの問題を掌握、管理、調整、運営する過程または行為。
2331	10004780	F	コミュニティ・リーダー	「コミュニティプロセス」の一つで、以下の固有の特徴をもつ：コミュニティの中で影響力を有する人物・団体・組織。コミュニティに変化をもたらし、目標を達成し、争いや疑問を処理し、コミュニティとしての活動や行動について指導する。献身的、革新的、積極的で、コミュニティのニーズをよく理解し、ビジョンとボランティア精神をもっている。
		<i>syn</i>	コミュニティリーダー	
2332	10004854	A	完了する	「管理する」の一つで、以下の固有の特徴をもつ：終わらせる、終結する、最終段階に至らせること。
		<i>syn</i>	カンリョウスル	
2333	10006125	A	分配する	「管理する」の一つで、以下の固有の特徴をもつ：提供する、配布する、分け与えること。
		<i>syn</i>	ブンバイスル	
2334	10001773	A	施行する	「分配する」の一つで、以下の固有の特徴をもつ：治療を提供するまたは適用すること。

		<i>syn</i>	シコウスル	
2335	10030383	IC	*Administering Antibiotic	[see line 2041]
2336	10001836	IC	*Administering Blood Therapy	[see line 2042]
2337	10030396	IC	*Administering Electrolyte Therapy	[see line 2043]
2338	10030401	IC	*Administering Fluid Therapy	[see line 2044]
2339	10030417	IC	*Administering Insulin	[see line 2045]
2340	10025444	IC	*Administering Medication	[see line 2141]
2341	10023084	IC	*Administering Pain Medication	[see line 2046]
2342	10001827	IC	*Administering Prophylactic Phenomenon	[see line 2047]
2343	10030429	IC	*Administering Vaccine	[see line 2048]
2344	10030438	IC	*Administering Vitamin B12	[see line 2049]
2345	10002464	A	適用する	「分配する」の一つで、以下の固有の特徴をもつ：何かを実際に用いること。
		<i>syn</i>	テキョウスル	
2346	10030472	IC	*Applying Compression Bandage	[see line 2130]
2347	10030486	IC	*Applying Elastic Stockings	[see line 2131]
2348	10002472	IC	*Applying Safety Device	[see line 2132]
2349	10008441	A	与える	「分配する」の一つで、以下の固有の特徴をもつ：何かを譲渡すること。
		<i>syn</i>	アタエル	
2350	10013636	A	提供する	「分配する」の一つで、以下の固有の特徴をもつ：機会を与えること。
		<i>syn</i>	テイキョウスル	
2351	10015935	A	支給する	「分配する」の一つで、以下の固有の特徴をもつ：誰かのために何かを準備すること。
		<i>syn</i>	シキョウスル	
2352	10024486	IC	*Providing Assistive Device Therapy	[see line 2182]
2353	10032514	IC	*Providing Domestic Violence Therapy	[see line 2183]
2354	10027051	IC	*Providing Emotional Support	[see line 2184]
2355	10026375	IC	*Providing Family Anticipatory Guidance	[see line 2185]
2356	10032522	IC	*Providing Health Promotion Service	[see line 2186]
2357	10024493	IC	*Providing Instructional Material	[see line 2134]
2358	10026399	IC	*Providing Privacy	[see line 2188]
2359	10024515	IC	*Providing Reality Orientation	[see line 2190]
2360	10024527	IC	*Providing Safety Devices	[see line 2135]
2361	10032546	IC	*Providing Smoking Cessation Therapy	[see line 2191]
2362	10027046	IC	*Providing Social Support	[see line 2192]
2363	10027067	IC	*Providing Spiritual Support	[see line 2193]
2364	10024706	IC	*Environmental Safety Management	[see line 2102]
2365	10009840	A	実行する	「管理する」の一つで、以下の固有の特徴をもつ：知識や技能を用いて計画を実行すること。
		<i>syn</i>	ジッコウスル	
2366	10009855	IC	*Implementing Aseptic Technique	[see line 2110]
2367	10009864	IC	*Implementing Clinical Pathway	[see line 2111]
2368	10031544	IC	*Implementing Compression Therapy	[see line 2112]
2369	10026283	IC	*Implementing Diversional Therapy	[see line 2113]
2370	10026296	IC	*Implementing Humour Therapy	[see line 2114]
2371	10031559	IC	*Implementing Immunisation Regime	[see line 2154]
2372	10024694	IC	*Implementing Oxygen Therapy	[see line 2147]
2373	10009872	IC	*Implementing Pain Guideline	[see line 2115]
2374	10026306	IC	*Implementing Reminiscence Therapy	[see line 2116]
2375	10026310	IC	*Implementing Validation Therapy	[see line 2117]
2376	10011233	A	導く	「管理する」の一つで、以下の固有の特徴をもつ：先に進むこと、道を示すこと、好ましい反応を引き出すために意図的に前進すること。

		<i>syn</i>	ミチビク	
2377	10004780	F	コミュニティ・リーダー	[see line 2331]
2378	10031707	IC	*Managing Anticoagulation Therapy	[see line 2126]
2379	10031748	IC	*Managing Crisis	[see line 2127]
2380	10031753	IC	*Managing Defaecation	[see line 2128]
2381	10031776	IC	*Managing Device	[see line 2129]
2382	10031912	IC	*Managing Disease	[see line 2136]
2383	10031782	IC	*Managing Encopresis	[see line 2137]
2384	10034608	IC	*Managing Financial Status	[see line 2138]
2385	10031814	IC	*Managing Grief	[see line 2221]
2386	10031822	IC	*Managing Health Status After Hospitalisation	[see line 2139]
2387	10031846	IC	*Managing Impaired Coping Process	[see line 2222]
2388	10011641	IC	*Managing Medication	[see line 2140]
2389	10021837	IC	*Managing Medication Side Effect□	[see line 2067]
2390	10031833	IC	*Managing Negative Behaviour	[see line 2145]
2391	10031851	IC	*Managing Negative Emotion	[see line 2223]
2392	10031867	IC	*Managing Negative Response To Situation	[see line 2226]
2393	10024429	IC	*Managing Negative Response to Treatment	[see line 2068]
2394	10031898	IC	*Managing Oxygen Therapy	[see line 2146]
2395	10011660	IC	*Managing Pain	[see line 2069]
2396	10011673	IC	*Managing Regime	[see line 2148]
2397	10011687	IC	*Managing Specimen	[see line 2163]
2398	10031965	IC	*Managing Symptom	[see line 2167]
2399	10011694	IC	*Managing Transporting	[see line 2168]
2400	10031879	IC	*Managing Urinary Incontinence	[see line 2171]
2401	10013572	A	取得する	「管理する」の一つで、以下の固有の特徴をもつ：何かを占有すること、手に入れること。
		<i>syn</i>	シュトクスル	
2402	10004574	A	収集する	「取得する」の一つで、以下の固有の特徴をもつ：何かを寄せ集めること、集合させること。
		<i>syn</i>	シュウシュウスル	
2403	10030969	IC	*Collecting Cervical Cells	[see line 2086]
2404	10004588	IC	*Collecting Specimen	[see line 2164]
2405	10013754	A	指示する	「管理する」の一つで、以下の固有の特徴をもつ：命令を与えること、何かの供給を要請すること。
		<i>syn</i>	シジスル	
2406	10013765	IC	*Ordering Care Plan	[see line 2176]
2407	10015510	A	処方する	「指示する」の一つで、以下の固有の特徴をもつ：治療薬や治療法を指定すること、治療薬（法）や処置の施行を指示すること。
		<i>syn</i>	ショホウスル	
2408	10015523	IC	*Prescribing Medication	[see line 2144]
2409	10013806	A	組織する	「管理する」の一つで、以下の固有の特徴をもつ：物事に秩序のある構造を与えること。物事を秩序のあるものにする
		<i>syn</i>	ソシキスル	
2410	10001760	A	調整する	「組織する」の一つで、以下の固有の特徴をもつ：適合するように変えること、適応させること。
		<i>syn</i>	チョウセイスル	
2411	10005142	A	制御する	「組織する」の一つで、以下の固有の特徴をもつ：機能、行為、反射作用を調節・維持すること。
		<i>syn</i>	セイギョスル	
2412	10014408	A	許可する	「制御する」の一つで、以下の固有の特徴をもつ：公認する、または機会を認めること。
		<i>syn</i>	キョカスル	
2413	10016613	A	調節する	「制御する」の一つで、以下の固有の特徴をもつ：望ましい結果を得るために、物事を調整すること。
		<i>syn</i>	チョウセツスル	
2414	10002185	A	変更する	「調節する」の一つで、以下の固有の特徴をもつ：物事を変える、または別の物にすること。
		<i>syn</i>	ヘンコウスル	
2415	10005600	A	減らす	「変更する」の一つで、以下の固有の特徴をもつ：望ましい結果（より低い状態）を得るために、物事を調整すること。
		<i>syn</i>	ヘラス	

2416	10009961	A	増やす	「変更する」の一つで、以下の固有の特徴をもつ：望ましい結果（より高い状態）を得るために、物事を調整すること。
		<i>syn</i>	フヤス	
2417	10024884	A	<i>*Increasing Activity Tolerance</i>	<i>[see line 2118]</i>
2418	10010526	A	中断する	「変更する」の一つで、以下の固有の特徴をもつ：何かを生み出すために、または何かを別の状態にするために途中で止めること。
		<i>syn</i>	チュウダンスル	
2419	10019174	A	抑える	「中断する」の一つで、以下の固有の特徴をもつ：活動や物の存在を終わらせること。
		<i>syn</i>	オサエル	
2420	10020990	A	離脱させる	「中断する」の一つで、以下の固有の特徴をもつ：人が何かに依存するのをやめさせること。
		<i>syn</i>	リダツサセル	
2421	10012080	A	最小にする	「変更する」の一つで、以下の固有の特徴をもつ：より小さな量・規模・程度に減らすこと。
		<i>syn</i>	サイショウニスル	
2422	10012098	IC	<i>*Minimising Duration Of Operation</i>	<i>[see line 2174]</i>
2423	10010221	A	開始する	「調節する」の一つで、以下の固有の特徴をもつ：物事に変化を生じさせ始める、または別の物に変化させ始める。
		<i>syn</i>	カイスル	
2424	10010232	IC	<i>*Initiating Managing Transporting</i>	<i>[see line 2170]</i>
2425	10010245	IC	<i>*Initiating Patient Controlled Analgesia</i>	<i>[see line 2119]</i>
2426	10011504	A	維持する	「調節する」の一つで、以下の固有の特徴をもつ：物事を続けさせる、物事を保持する、または継続させる。
		<i>syn</i>	イジスル	
2427	10031674	IC	<i>*Maintaining Airway</i>	<i>[see line 2122]</i>
2428	10011515	IC	<i>*Maintaining Confidentiality</i>	<i>[see line 2123]</i>
2429	10011527	IC	<i>*Maintaining Dignity And Privacy</i>	<i>[see line 2124]</i>
2430	10011536	IC	<i>*Maintaining Health</i>	<i>[see line 2125]</i>
2431	10013712	A	<i>*Optimising</i>	<i>*Maintaining: Achieving the best result.</i>
2432	10018729	A	安定させる	「維持する」の一つで、以下の固有の特徴をもつ：物事を変化しにくくさせること。
		<i>syn</i>	アンテイサセル	
2433	10017172	A	限定する	「制御する」の一つで、以下の固有の特徴をもつ：人や物事を一定の物理的限界内にとどめること。
		<i>syn</i>	ゲンテイスル	
2434	10010906	A	隔離する	「限定する」の一つで、以下の固有の特徴をもつ：ある人と他の人々との間に隔たりを作り、二者を引き離すこと。
		<i>syn</i>	カクリスル	
2435	10011354	A	限界を設定する	「限定する」の一つで、以下の固有の特徴をもつ：制限または抑制する行動。
		<i>syn</i>	ゲンカイヲセツテイスル	
2436	10017155	A	制限する	「限定する」の一つで、以下の固有の特徴をもつ：人や物事を一定の限界内にとどめること。
		<i>syn</i>	セイゲンスル	
2437	10009762	A	固定する	「制限する」の一つで、以下の固有の特徴をもつ：人や物事の動きを限定すること。
		<i>syn</i>	コテイスル	
2438	10005190	A	コーディネートする	「組織する」の一つで、以下の固有の特徴をもつ：物事を適切に関連づけること。
		<i>syn</i>	コーディネートスル	
2439	10002527	A	整える	「コーディネートする」の一つで、以下の固有の特徴をもつ：物事を要求されている秩序に当てはめること。
		<i>syn</i>	トトノエル	
2440	10030493	IC	<i>*Arranging Transport Of Device</i>	<i>[see line 2169]</i>
2441	10024171	IC	<i>*Arranging Transportation Service</i>	<i>[see line 2052]</i>
		<i>syn</i>	コーディネイトスル	
2442	10031027	IC	<i>*Coordinating Care Plan</i>	<i>[see line 2087]</i>
2443	10014648	A	計画する	「コーディネートする」の一つで、以下の固有の特徴をもつ：あらかじめ物事を検討し、指示し、取り決めておくこと。
		<i>syn</i>	ケイカクスル	

2444	10006016	IC	<i>*Discharge Planning</i>	[see line 2098]
2445	10015736	A	優先順位をつける	「計画する」の一つで、以下の固有の特徴をもつ：物事を優先するものから順位づけること。
		syn	ユウセンジュンイヲツケル	
2446	10024438	IC	<i>*Prioritising (treatment) Regime</i>	[see line 2162]
2447	10020179	A	選別する	「優先順位をつける」の一つで、以下の固有の特徴をもつ：外傷や疾病などの処置順を決めるために緊急の度合いをつけること。
		syn	センベツスル	
2448	10017528	A	スケジュールを立てる	「計画する」の一つで、以下の固有の特徴をもつ：スケジュール（日程表）を作成すること。
		syn	スケジュールヲタテル	
2449	10016576	A	照会する	「コーディネートする」の一つで、以下の固有の特徴をもつ：人を誰かの元に行かせたり、何かに差し向けること。
		syn	ショウカイスル	
2450	10032567	IC	<i>*Referring To Care Provider</i>	[see line 2241]
2451	10024536	IC	<i>*Referring To Family Therapy</i>	[see line 2244]
2452	10032607	IC	<i>*Referring To Services</i>	[see line 2245]
2453	10024558	IC	<i>*Referring To Support Group Therapy</i>	[see line 2252]
2454	10016873	A	依頼する	「コーディネートする」の一つで、以下の固有の特徴をもつ：人に何かをするように頼むこと。何かを指示すること。
		syn	イライスル	
2455	10006950	A	確かにする	「組織する」の一つで、以下の固有の特徴をもつ：確かなもの、確実なものにすること。
		syn	タシカニスル	
2456	10006966	IC	<i>*Ensuring Continuity Of Care</i>	[see line 2101]
2457	10013984	A	緩和する	「管理する」の一つで、以下の固有の特徴をもつ：身体的・情緒的・心理的・精神的支援を通して、末期症状の病気をもつ人に快適さを提供したり、疼痛制御を行うこと。
		syn	カンワスル	
2458	10014145	A	<i>*Patient Activity</i>	<i>*Action</i>
2459	10032227	IC	<i>*Patient Controlled Analgesia</i>	[see line 2177]
2460	10017805	F	自分自身で行う活動	「行動」の一つ。
		syn	ジブンジシンデオコナウカツドウ	
2461	10017661	F	セルフケア	[see line 2260]
2462	10014291	A	実施する	「行為」の一つで、以下の固有の特徴をもつ：専門技術を要する作業を行うこと。
		syn	ジッシスル	
2463	10004162	A	交換する	「実施する」の一つで、以下の固有の特徴をもつ：ある物を別の物と取り換えること。
		syn	コウカンスル	
2464	10004437	A	クランプする	「実施する」の一つで、以下の固有の特徴をもつ：例えば組織や管などを締める、結びつける、または圧迫すること。
		syn	クランプスル	
2465	10004444	A	清掃する	「実施する」の一つで、以下の固有の特徴をもつ：汚れや感染の原因となる物を除去すること。ゴミを処分すること。
		syn	セイソウスル	
2466	10006044	A	消毒する	「清掃する」の一つで、以下の固有の特徴をもつ：ある物から病原性微生物をなくすこと。
		syn	ショウドクスル	
2467	10016181	A	浄化する	「消毒する」の一つで、以下の固有の特徴をもつ：消毒剤としての作用によって不純物を取り除くこと。
		syn	ジョウカスル	
2468	10006211	A	排液する	「清掃する」の一つで、以下の固有の特徴をもつ：何かを流出または排出させること。
		syn	ハイエキスル	
2469	10017619	A	こすり洗いのする	「清掃する」の一つで、以下の固有の特徴をもつ：固いブラシなどを使って強くこすること。
		syn	コスリアリスル	
2470	10018009	A	シャンプーする	「清掃する」の一つで、以下の固有の特徴をもつ：清潔にしたり微生物を取り除くために、水と洗剤を用いて洗うこと。
		syn	シャンプースル	
2471	10018826	A	滅菌する	「清掃する」の一つで、以下の固有の特徴をもつ：ある物を一切微生物がない状態にすること。

		<i>syn</i>	メッキンスル	
2472	10019038	A	サクションする	「清掃する」の一つで、以下の固有の特徴をもつ：ある物を除去するために、管腔内から空気や液体を取り除き、部分的な陰圧を作り出すこと。
		<i>syn</i>	サクションスル	
2473	10002641	A	吸引する	「サクションする」の一つで、以下の固有の特徴をもつ：物質を吸い出す、または引き出すこと。
		<i>syn</i>	キュウインスル	
2474	10011723	A	手動吸引する	「吸引する」の一つで、以下の固有の特徴をもつ：手動でサクションすること。
		<i>syn</i>	シュドウキュウインスル	
2475	10011821	A	器械吸引する	「吸引する」の一つで、以下の固有の特徴をもつ：器械でサクションすること。
		<i>syn</i>	キカイキュウインスル	
2476	10020935	A	洗浄する	「清掃する」の一つで、以下の固有の特徴をもつ：水その他の液体と洗浄剤を用いて何かを清潔にすること。
		<i>syn</i>	センジョウスル	
2477	10008070	A	洗い流す	「洗浄する」の一つで、以下の固有の特徴をもつ：圧をかけた水を噴出させて洗浄する、または洗うこと。
		<i>syn</i>	アライナガス	
2478	10031332	IC	<i>*Flushing Earwax</i>	[see line 2106]
2479	10010883	A	灌流する	「洗浄する」の一つで、以下の固有の特徴をもつ：持続的に液体を流して、何かを洗い落とすこと。
		<i>syn</i>	カンリュウスル	
2480	10011205	A	洗濯する	「洗浄する」の一つで、以下の固有の特徴をもつ：衣服を洗い、乾燥させ、アイロンをかけ、片づけること。
		<i>syn</i>	センタクスル	
2481	10017247	A	すすぐ	「洗浄する」の一つで、以下の固有の特徴をもつ：不要物を除去するために、きれいな水やその他の液体で軽く洗うこと。
		<i>syn</i>	ススグ	
2482	10017846	F	自己洗浄	[see line 2272]
2483	10005296	A	被せる	「実施する」の一つで、以下の固有の特徴をもつ：身体の上や前に何かを被せること。
		<i>syn</i>	カプセル	
2484	10006224	A	覆う	「被せる」の一つで、以下の固有の特徴をもつ：布などを被せること。
		<i>syn</i>	オオウ	
2485	10006253	A	更衣させる	「被せる」の一つで、以下の固有の特徴をもつ：誰かに衣服を着せたり脱がせたりすること。
		<i>syn</i>	コウイサセル	
2486	10031164	IC	<i>*Dressing Patient</i>	[see line 2100]
2487	10005491	A	切る	「実施する」の一つで、以下の固有の特徴をもつ：何かを短くする、または取り除くこと。
		<i>syn</i>	キル	
2488	10009935	A	切開する	「切る」の一つで、以下の固有の特徴をもつ：何かに切り込みを入れること。
		<i>syn</i>	セツカイスル	
2489	10018013	A	剃る	「切る」の一つで、以下の固有の特徴をもつ：髪やひげを切ること。
		<i>syn</i>	ソル	
2490	10005713	A	実演する	「実施する」の一つで、以下の固有の特徴をもつ：誰が見てもわかるような行動で示すこと。
		<i>syn</i>	ジツエンスル	
2491	10024710	IC	<i>*Demonstrating Falls Prevention</i>	[see line 2092]
2492	10024354	IC	<i>*Demonstrating Medication Administration</i>	[see line 2093]
2493	10024365	IC	<i>*Demonstrating Relaxation Technique</i>	[see line 2094]
2494	10021695	IC	<i>*Demonstrating Subcutaneous Injection Technique</i>	[see line 2095]
2495	10006156	A	気晴らしさせる	「実施する」の一つで、以下の固有の特徴をもつ：楽しみ、娯楽を提供すること。
		<i>syn</i>	キバラシサセル	
2496	10017711	F	気分転換	[see line 2262]
2497	10006538	F	飲食	「自分自身で行う活動」の一つ。
		<i>syn</i>	インショク	
2498	10004250	F	噛むこと	「飲食」の一つで、以下の固有の特徴をもつ：歯のこすり合

わせと舌の動きにより、口腔内で食物を物理的に砕くこと。

	<i>syn</i>	カムコト	
2499	10006276	F	飲むこと
			「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：日中または喉が渴いた時、食事中や定期的に液体を取り入れること。カップまたはグラスから液体を取り入れたり、口唇と筋肉と舌を用いて液体を口腔内に注ぎ込み、渴きを癒すこと。
	<i>syn</i>	ノムコト	
2500	10006517	F	食べること
			「飲食」の一つ。
	<i>syn</i>	タベルコト	
2501	10019001	F	吸うこと
			「飲食」の一つで、以下の固有の特徴をもつ：口唇の筋肉と舌を用いて、液体を口腔内に取り込むこと。乳房から乳汁を飲むことや、哺乳瓶の乳首から液体を飲むこと。
	<i>syn</i>	スウコト	
2502	10019347	F	嚥下
			「飲食」の一つで、以下の固有の特徴をもつ：舌と筋肉の動きによって、液体や細かく砕かれた食物を、咽喉から食道を経て胃へと通過させること。
	<i>syn</i>	エンゲ	
2503	10007315	F	エクササイズ
			「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：体調を保ち、活動的・健康的であるために、身体活動やエクササイズプログラムを実施すること。
2504	10007520	F	転倒転落
			「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：体のバランスが崩れたり、姿勢が変わって体重を支える力が低下することにより、体が高い位置から低い位置へと急に落ちること。
	<i>syn</i>	テントウテンラク	
2505	10007698	F	農耕
			「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：日常生活を維持するために必要な食料を園芸や作物栽培によって調達すること。
	<i>syn</i>	ノウコウ	
2506	10007786	A	食べさせる
			「実施する」の一つで、以下の固有の特徴をもつ：誰かに食物を与えること。
	<i>syn</i>	タベサセル	
2507	10017730	F	自己摂食
			[see line 2263]
2508	10007959	F	漁獲
			「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：日常生活を維持するために必要な食料を魚釣りによって調達すること。
	<i>syn</i>	ギョカク	
2509	10008117	F	食事の準備
			「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：食物や食事を質的・量的に提供すること。日常生活を維持するために必要な食物を加工、貯蔵、供給、分配すること。
	<i>syn</i>	ショクジノジュンビ	
2510	10005188	F	調理
			「食事の準備」の一つで、以下の固有の特徴をもつ：食物や食事を質的・量的に提供すること。日常生活を維持するために必要な食物を準備、貯蔵、供給、分配すること。
	<i>syn</i>	チョウリ	
2511	10008129	F	食料の貯蔵
			「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：適切に建設され・配置され・換気され・保護され・維持された清潔な部屋または空間において、衛生的に覆われた容器の中に適正な温度で食物が貯蔵されること。
	<i>syn</i>	ショクリョウノチョゾウ	
2512	10009076	F	家事
			「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：環境や住居を快適で居心地よくするために十分配慮すること。自分自身や他者がくつろげるようにすること。安全で管理の行き届いた家庭にすること。
	<i>syn</i>	カジ	
2513	10009263	F	狩猟
			「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：日常生活を維持するために必要な食料を狩猟方法によって調達すること。
	<i>syn</i>	シュリョウ	
2514	10009285	A	清潔を保つ
			「実施する」の一つで、以下の固有の特徴をもつ：入浴し、衣服を替え、装いを整えること。文化様式や社会経済レベルに関連する。
	<i>syn</i>	セイケツヲタモツ	
2515	10003134	A	入浴させる
			「清潔を保つ」の一つで、以下の固有の特徴をもつ：何かに水をかける、または何かを水に浸したり、水中に置いたりすること。
	<i>syn</i>	ニュウヨクサセル	
2516	10017657	F	自己入浴
			[see line 2265]

2517	10018343	A	浸す	「入浴させる」の一つで、以下の固有の特徴をもつ：何かにできるだけ多くの液体を吸収させること。
		<i>syn</i>	ヒタス	
2518	10008425	A	衣類を着脱する	「清潔を保つ」の一つ。
		<i>syn</i>	イルイブチャクダツスル	
2519	10016199	A	着衣する	「衣類を着脱する」の一つで、以下の固有の特徴をもつ：衣服を選び、手に入れ、着用すること。上半身と下半身の衣服のボタンをかけ（または衣服を留め）、衣服のファスナーを閉める。靴下、ストッキング、履物（靴、ブーツなど）を履く。
		<i>syn</i>	チャクイスル	
2520	10017748	F	自己更衣	[see line 2266]
2521	10019427	A	脱衣する	「衣類を着脱する」の一つで、以下の固有の特徴をもつ：ボタンを外し、留めていた物を解き、またはファスナーを開けて、上半身と下半身の衣服を脱ぐこと。靴下、ストッキング、靴を脱ぐ。衣服をたたむ、ハンガーにかける、引き出しやクローゼットにしまう。
		<i>syn</i>	ダツイスル	
2522	10008528	A	整容する	「清潔を保つ」の一つで、以下の固有の特徴をもつ：ブラッシングや他の方法で、頭髮や爪の手入れをし、きれいにすること。
		<i>syn</i>	セイヨウスル	
2523	10003737	A	ブラッシングする	「整容する」の一つで、以下の固有の特徴をもつ：髪や肌をブラシでなでる、または歯をブラシで清潔にすること。
		<i>syn</i>	ブラッシングスル	
2524	10004640	A	くしで梳く	「整容する」の一つで、以下の固有の特徴をもつ：髪をくしでなでること。
		<i>syn</i>	クシデスク	
2525	10017753	F	自己整容	[see line 2267]
2526	10017769	F	自己清潔	[see line 2264]
2527	10019807	A	排泄する	「清潔を保つ」の一つ。
		<i>syn</i>	ハイセツスル	
2528	10017814	F	自己排泄	[see line 2268]
2529	10009450	A	催眠誘導する	「実施する」の一つで、以下の固有の特徴をもつ：催眠によって眠気をもよおさせること。
		<i>syn</i>	サイミンユウドウスル	
2530	10010136	A	膨らませる	「実施する」の一つで、以下の固有の特徴をもつ：何かを物質で満たすこと。
		<i>syn</i>	フクラマセル	
2531	10009339	A	過膨脹させる	「膨らませる」の一つで、以下の固有の特徴をもつ：何かを物質で膨らませすぎること。
		<i>syn</i>	カボウチョウサセル	
2532	10010324	A	挿入する	「実施する」の一つで、以下の固有の特徴をもつ：身体の一部に何かを入れる、はめ込む、または留置すること。
		<i>syn</i>	ソウニュウスル	
2533	10004094	A	カテーテルを挿入する	「挿入する」の一つで、以下の固有の特徴をもつ：液体を注入または排出させるために、身体の一部にカテーテルを入れる、はめ込む、または留置すること。
		<i>syn</i>	カテーテルソウニュウスル	
2534	10030884	IC	*Catheterising Bladder	[see line 2085]
2535	10010266	A	注射する	「挿入する」の一つで、以下の固有の特徴をもつ：身体の一部に針を刺して、物質を体内に入れること。
		<i>syn</i>	チュウシャスル	
2536	10034200	IC	*Inserting Vascular Access Device	[see line 2120]
2537	10010369	A	点滴する	「挿入する」の一つで、以下の固有の特徴をもつ：ある物の中に液体を滴下して徐々に入れること。
		<i>syn</i>	テンテキスル	
2538	10010831	A	挿管する	「挿入する」の一つで、以下の固有の特徴をもつ：換気のために、気管内にチューブを入れる、はめ込む、または留置すること。
		<i>syn</i>	ソウカンスル	
2539	10016152	A	穿刺する	「挿入する」の一つで、以下の固有の特徴をもつ：血管や体腔に針を刺して物質を抜き出すこと。
		<i>syn</i>	センシスル	
2540	10016168	IC	*Puncturing Vein	[see line 2239]
2541	10010353	A	設置する	「実施する」の一つで、以下の固有の特徴をもつ：ある装置を使用場所に置く、または固定すること。
		<i>syn</i>	セツチスル	

2542	10016201	A	装着する	「設置する」の一つで、以下の固有の特徴をもつ：器具や装置などを使用場所に置く、つける、はめ込むこと。
		<i>syn</i>	ソウチャクスル	
2543	10016217	IC	<i>*Putting On Or In Haemostatic Agent</i>	<i>[see line 2240]</i>
2544	10011710	A	手で操作する	「実施する」の一つで、以下の固有の特徴をもつ：身体の一部を手で動かすこと。
		<i>syn</i>	テデソウサスル	
2545	10004877	A	圧迫する	「手で操作する」の一つで、以下の固有の特徴をもつ：何かに圧力をかけること。
		<i>syn</i>	アッパクスル	
2546	10011768	A	マッサージする	「手で操作する」の一つで、以下の固有の特徴をもつ：全身や身体の一部を強く押したりこすったりすること。
		<i>syn</i>	マッサージスル	
2547	10031983	IC	<i>*Massaging Infant</i>	<i>[see line 2173]</i>
2548	10012079	A	搾乳する	「手で操作する」の一つで、以下の固有の特徴をもつ：乳房から乳汁を取り出すために、手で乳房に圧力を加えてこすること。
		<i>syn</i>	サクニュウスル	
2549	10017397	A	こする	「手で操作する」の一つで、以下の固有の特徴をもつ：強い圧を加えながら、手やその他の物体を身体表面上で動かすこと。
		<i>syn</i>	コスル	
2550	10012120	A	動くようにする	「実施する」の一つで、以下の固有の特徴をもつ：何かを可動化すること。
		<i>syn</i>	ウゴクヨウニスル	
2551	10005347	F	這うこと	「可動性パターン」の一つで、以下の固有の特徴をもつ：地面の近くで体をゆっくり動かすこと。手と膝を付いてある場所から別の場所へ動くこと。
		<i>syn</i>	ハウコト	
2552	10029217	F	<i>*No Wandering</i>	<i>*Mobilising</i>
2553	10029201	DC	<i>*No Wandering</i>	<i>[see line 1057]</i>
2554	10020886	F	歩行	「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：両足を自ら交互に動かすことにより、体のある場所から別の場所へ動かすこと。体重を支え、ゆっくり、普通に、あるいは速く効率的な足取りで歩き、階段や坂道を上り下りする能力。
		<i>syn</i>	ホコウ	
2555	10020903	F	補助具使用による歩行	「歩行」の一つで、以下の固有の特徴をもつ：矯正靴、義肢装具、杖、添え木、松葉杖、歩行器などの補助具をついて両足を交互に動かすことにより、ゆっくり、普通に、あるいは速く効率的な足取りで歩き、階段や坂道を上り下りする能力。
		<i>syn</i>	ホジョグシヨウニヨルホコウ	
2556	10020919	F	徘徊	「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：動き回ること。目的もなく歩き回ったり、決められた場所からはぐれること。
		<i>syn</i>	ハイカイ	
2557	10021075	F	車椅子使用	「セルフケア」の一つで、以下の固有の特徴をもつ：車椅子を使って体のある場所から別の場所に移動させること。車椅子へまたは車椅子から移動すること。車椅子を安全に前進させること。縁石、出入り口のスロープその他障害をかわし、ゆっくり、普通に、あるいは速く車椅子を操作すること。
		<i>syn</i>	クルマイスシヨウ	
2558	10014301	IC	<i>*Performing Phenomenon Using Device</i>	<i>[see line 2178]</i>
2559	10014317	IC	<i>*Performing Role</i>	<i>[see line 2179]</i>
2560	10014757	A	位置を定める	「実施する」の一つで、以下の固有の特徴をもつ：人や物を特定の場所に置くこと。
		<i>syn</i>	イチヲサダメル	
2561	10006691	A	持ち上げる	「位置を定める」の一つで、以下の固有の特徴をもつ：全身あるいは身体の一部を持ち上げる、または高くすること。
		<i>syn</i>	モチアゲル	
2562	10017782	F	自己挙上	<i>[see line 2269]</i>
2563	10018755	F	起立	「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：体を動かしてまっすぐな立位になること。
		<i>syn</i>	キリツ	
2564	10011455	A	下げる	「位置を定める」の一つで、以下の固有の特徴をもつ：全身あるいは身体の一部を降ろす、または低くすること。
		<i>syn</i>	サゲル	

2565	10018195	F	座ること	「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：横になった状態または立っている状態から、体を動かしてまっすぐな座位になること。
		<i>syn</i>	スワルコト	
2566	10014364	A	手術体位をとらせる	「位置を定める」の一つ。
		<i>syn</i>	シュジュツタイイフトラセル	
2567	10014761	IC	*Positioning Patient	[see line 2181]
2568	10020030	A	移動させる	「位置を定める」の一つで、以下の固有の特徴をもつ：人や物のある場所から別の場所に移すこと。
		<i>syn</i>	イドウサセル	
2569	10033188	IC	*Transferring Patient	[see line 2308]
2570	10020228	A	向きを変える	「位置を定める」の一つで、以下の固有の特徴をもつ：違う方向を向くように、姿勢を変えること。
		<i>syn</i>	ムキヲカエル	
2571	10017833	F	自己体位変換	[see line 2271]
2572	10015478	A	準備する	「実施する」の一つで、以下の固有の特徴をもつ：人や物事を用意ができた状態にすること。
		<i>syn</i>	ジュンビスル	
2573	10015484	IC	*Preparing Skin Before Operation	[see line 2275]
2574	10017912	A	設定する	「準備する」の一つで、以下の固有の特徴をもつ：何かを使用場所に置くこと。
		<i>syn</i>	セッテイスル	
2575	10015599	A	押す	「実施する」の一つで、以下の固有の特徴をもつ：指や手を使って何かに圧力をかけること。手を使って物体に圧力を加える能力。
		<i>syn</i>	オス	
2576	10016763	A	除去する	「実施する」の一つで、以下の固有の特徴をもつ：何かを外す、または解体すること。
		<i>syn</i>	ジョキョスル	
2577	10006063	A	処分する	「除去する」の一つで、以下の固有の特徴をもつ：何かを始末すること。
		<i>syn</i>	ショブンスル	
2578	10006230	A	吸い出す	「除去する」の一つで、以下の固有の特徴をもつ：液体を抜き取ること。
		<i>syn</i>	スイダス	
2579	10032630	IC	*Removing Suture	[see line 2253]
2580	10032648	IC	*Removing Wound Clip	[see line 2254]
2581	10017805	F	自分自身で行う活動	[see line 2460]
2582	10017965	F	性交	「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：通常は2人の異性間の性的行為。相互の興奮とオルガスムを目的とする性的結合。
		<i>syn</i>	セイコウ	
2583	10018066	F	買い物	「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：日常生活を維持するために必要な物を購入すること。家庭に必要な物を購入、取引、物々交換すること。
		<i>syn</i>	カイモノ	
2584	10018842	A	刺激する	「実施する」の一つで、以下の固有の特徴をもつ：何かを誘発する、または興奮させること。
		<i>syn</i>	シゲキスル	
2585	10005659	A	除細動を行う	「刺激する」の一つで、以下の固有の特徴をもつ：致死的不整脈の発生時に、胸壁を介して心筋に除細動器で電気ショックを与えること。
		<i>syn</i>	ジョサイドウヲオコナウ	
2586	10019334	A	縫合する	「実施する」の一つで、以下の固有の特徴をもつ：創を縫い合わせること。
		<i>syn</i>	ホウゴウスル	
2587	10032871	IC	*Suturing Wound	[see line 2320]
2588	10020076	A	運ぶ	「実施する」の一つで、以下の固有の特徴をもつ：ある場所から別の場所へ持ち運んだり、移動させること。
		<i>syn</i>	ハコブ	
2589	10033190	A	*Transporting Of Device	[see line 2310]
2590	10020095	IC	*Transporting Patient	[see line 2311]
2591	10020552	A	予防接種をする	「実施する」の一つで、以下の固有の特徴をもつ：抗原を投与して人の免疫力の発達を刺激し、特定の疾患を予防すること。ワクチンを接種すること。
		<i>syn</i>	ヨボウセッシュヲスル	
2592	10020696	A	換気する	「実施する」の一つで、以下の固有の特徴をもつ：空気が自由に通り抜けるようにすること。

		<i>syn</i>	カンキスル	
2593	10017004	A	応答	「参加」の一つで、以下の固有の特徴をもつ：返答、回答する行為。
		<i>syn</i>	オウトウ	
2594	10006379	T	持続期間	「時間」の一つで、以下の固有の特徴をもつ：物事が発生している期間。
		<i>syn</i>	ジゾクジカン	
2595	10006380	T	手術時間	「持続期間」の一つ。
		<i>syn</i>	シュジュツジカン	
2596	10008234	T	頻度	「時間」の一つで、以下の固有の特徴をもつ：一定の期間内に発生する数。単位時間ごとに繰り返される数。
		<i>syn</i>	ヒンド	
2597	10002192	T	常に	「頻度」の一つ。
		<i>syn</i>	ツネニ	
2598	10013173	T	一度もない	「頻度」の一つで、以下の固有の特徴をもつ：一定の間隔内の反復率がゼロであること。
		<i>syn</i>	イチドモナイ	
2599	10013658	T	しばしば	「頻度」の一つで、以下の固有の特徴をもつ：一定の間隔内の反復率が高いこと（7～9）。
		<i>syn</i>	シバシバ	
2600	10016374	T	まれに	「頻度」の一つで、以下の固有の特徴をもつ：一定の間隔内の反復率が低いこと（3～5）。
		<i>syn</i>	マレニ	
2601	10018508	T	ときどき	「頻度」の一つで、以下の固有の特徴をもつ：一定の間隔内の反復率が時折あること（4～6）。
		<i>syn</i>	トキドキ	
2602	10013689	T	始まり	「時間」の一つ。
		<i>syn</i>	ハジマリ	
2603	10001739	T	急性	「始まり」の一つで、以下の固有の特徴をもつ：短時間の間に発生し、突然で思いがけない始まりのこと。
		<i>syn</i>	キュウセイ	
2604	10004395	T	慢性	「始まり」の一つで、以下の固有の特徴をもつ：長時間発生し、長く存在すること。
		<i>syn</i>	マンセイ	
2605	10018202	T	状況	「時間」の一つ。
		<i>syn</i>	ジョウキョウ	
2606	10005853	T	発達期間	「状況」の一つで、以下の固有の特徴をもつ：発達に関連する期間。
		<i>syn</i>	ハッタツキカン	
2607	10001858	T	青年期	「発達期間」の一つ。
		<i>syn</i>	セイネンキ	
2608	10001891	T	成人期	「発達期間」の一つ。
		<i>syn</i>	セイジンキ	
2609	10006627	T	老年期	「発達期間」の一つ。
		<i>syn</i>	ロウネンキ	
2610	10004348	T	小児期	「発達期間」の一つ。
		<i>syn</i>	ショウニキ	
2611	10015497	T	前学童期	「小児期」の一つ。
		<i>syn</i>	ゼンガクドウキ	
2612	10017544	T	学童期	「小児期」の一つ。
		<i>syn</i>	ガクドウキ	
2613	10019784	T	幼児期	「小児期」の一つ。
		<i>syn</i>	ヨウジキ	
2614	10010087	T	乳児期	「発達期間」の一つ。
		<i>syn</i>	ニュウジキ	
2615	10013059	T	新生児期	「乳児期」の一つ。
		<i>syn</i>	シンセイジキ	
2616	10013194	T	新生児期	「乳児期」の一つ。
		<i>syn</i>	シンセイジキ	
2617	10011924	T	初潮	「発達期間」の一つで、以下の固有の特徴をもつ：周期的な月経機能の開始。通常9～17歳の間に始まる。
		<i>syn</i>	ショチョウ	
2618	10011930	T	閉経	「発達期間」の一つで、以下の固有の特徴をもつ：女性の生殖能力の終了。更年期。月経サイクルとホルモン産生の終了で、通常45～60歳の間に見られる。病気や子宮摘出、両側卵

巣摘出により、早期に起こることもある。

		<i>syn</i>	ハイケイ	
2619	10007239	T	イベント	「状況」の一つで、以下の固有の特徴をもつ：出来事。何かが起こること。
2620	10001843	T	入院	「イベント」の一つ。
		<i>syn</i>	ニュウイン	
2621	10002486	T	予約	「イベント」の一つ。
		<i>syn</i>	ヨヤク	
2622	10004307	T	出産	「イベント」の一つで、以下の固有の特徴をもつ：子どもを産み、新たな人間を世の中にもたすこと。
		<i>syn</i>	シュッサン	
2623	10004311	T	分娩	「イベント」の一つで、以下の固有の特徴をもつ：子宮口開大から胎盤娩出までの間に起こる、出産前後の体内作用の進展。
		<i>syn</i>	ブンベン	
2624	10005560	F	死亡	「イベント」の一つ。
		<i>syn</i>	シボウ	
2625	10019040	F	*Sudden Infant Death	*Death
2626	10015339	DC	*Risk For Sudden Infant Death	[see line 102]
2627	10031138	F	*Diagnostic Test	*Event Or Episode
2628	10006000	T	退院	「イベント」の一つ。
		<i>syn</i>	タイイン	
2629	10027407	F	*Elopement	*Event or Episode
2630	10027411	DC	*Risk For Elopement	[see line 56]
2631	10006810	T	出会い	「イベント」の一つ。
		<i>syn</i>	デアイ	
2632	10007241	T	診査	「イベント」の一つ。
		<i>syn</i>	シンサ	
2633	10032243	F	*Physical Examination	*Examination
2634	10007512	F	転倒転落	「イベント」の一つ。
		<i>syn</i>	テントウテンラク	
2635	10029405	DC	*Fall	[see line 575]
2636	10015122	DC	*Risk For Fall	[see line 57]
2637	10009122	T	在院	「イベント」の一つ。
		<i>syn</i>	ザイイン	
2638	10013708	T	手術	「イベント」の一つ。
		<i>syn</i>	シュジュツ	
2639	10026038	T	*Perinatal Period	*Event or Episode
2640	10025906	T	*Postpartum Period	*Event or Episode
2641	10025910	T	*Prenatal Period	*Event or Episode
2642	10025896	T	*Perioperative Period	*Event or Episode
2643	10027623	T	*Intraoperative Period	*Event or Episode
2644	10027242	T	*Postoperative Period	*Event or Episode
2645	10025923	T	*Preoperative Period	*Event or Episode
2646	10034665	F	*Positive Event Or Episode	*Event Or Episode
2647	10034677	F	*No Elopement	*Positive Event or Episode
2648	10034696	DC	*No Elopement	[see line 1036]
2649	10034683	F	*No Fall	*Positive Event or Episode
2650	10034704	DC	*No Fall	[see line 1037]
2651	10034409	F	*Procedure	*Event Or Episode
2652	10016666	T	再発	「イベント」の一つで、以下の固有の特徴をもつ：治療が完全に終了した後に、病気や症状がふり返すこと。過去の症状が再び現れること。望ましくない状況や習慣に戻ってしまうこと。過去の症状に対して施され、完了した治療歴。ある症状、状況、習慣が再び現れるまでの期間。
		<i>syn</i>	サイハツ	
2653	10017299	T	通過儀礼	「イベント」の一つで、以下の固有の特徴をもつ：人生のある段階から次の段階への移行を認めるために慣習的に行われる儀式。
		<i>syn</i>	ツウカグレイ	
2654	10020817	T	訪問	「イベント」の一つ。
		<i>syn</i>	ハウモン	
2655	10009082	T	家庭訪問	「訪問」の一つ。
		<i>syn</i>	カテイハウモン	
2656	10019721	T	時点または間隔	「時間」の一つ。

		<i>syn</i>	ジテンマタハカンカク	
2657	10001955	T	午後	「時点または間隔」の一つ。
		<i>syn</i>	ゴゴ	
2658	10005502	T	日	「時点または間隔」の一つ。
		<i>syn</i>	ヒ／ニチ	
2659	10007225	T	夕方	「時点または間隔」の一つ。
		<i>syn</i>	ユウガタ	
2660	10008299	T	未来	「時点または間隔」の一つ。
		<i>syn</i>	ミライ	
2661	10012219	T	月	「時点または間隔」の一つ。
		<i>syn</i>	ツキ／ゲツ	
2662	10012226	T	午前	「時点または間隔」の一つ。
		<i>syn</i>	ゴゼン	
2663	10013207	T	夜	「時点または間隔」の一つ。
		<i>syn</i>	ヨル	
2664	10013282	T	正午	「時点または間隔」の一つ。
		<i>syn</i>	ショウゴ	
2665	10014113	T	過去	「時点または間隔」の一つ。
		<i>syn</i>	カコ	
2666	10015581	T	現在	「時点または間隔」の一つ。
		<i>syn</i>	ゲンザイ	
2667	10019778	T	今日	「時点または間隔」の一つ。
		<i>syn</i>	キョウ	
2668	10019811	T	明日	「時点または間隔」の一つ。
		<i>syn</i>	アス／アシタ	
2669	10021010	T	週	「時点または間隔」の一つ。
		<i>syn</i>	シュウ	
2670	10021270	T	年	「時点または間隔」の一つ。
		<i>syn</i>	ネン／トシ	
2671	10021289	T	昨日	「時点または間隔」の一つ。
		<i>syn</i>	サクジツ／キノウ	
2672	10014204	T	時系列	「時間」の一つで、以下の固有の特徴をもつ：時間に沿って次々に起こること。連続の順序。
		<i>syn</i>	ジケイレツ	
2673	10005086	T	連続的	「時系列」の一つで、以下の固有の特徴をもつ：間隔を置いて停止または休止することなく発生している状態。絶え間ない連続。
		<i>syn</i>	レンゾクテキ	
2674	10010485	T	断続的	「時系列」の一つで、以下の固有の特徴をもつ：間隔を置いて停止または休止すること。間隔を置いて止まったり始まったりする状態。
		<i>syn</i>	ダンゾクテキ	
2675	10004170	F	*Characteristic	*Phenomenon
2676	10017321	F	*Role	*Characteristic: Interacting according to implicit or explicit set of expectations, rules and standards of behaviour expected by others.
2677	10015715	F	*Prevention Role	*Role: Acting to keeping or averting something from happening.
2678	10017378	F	*Process Role	*Role
2679	10004865	F	合併症	「身体反応」の一つ。
		<i>syn</i>	ガッペイショウ	
2680	10018111	F	副作用	「合併症」の一つ。
		<i>syn</i>	フクサヨウ	
2681	10005980	F	障害	「状態」の一つで、以下の固有の特徴をもつ：観察可能かつ測定可能な身体的・精神的健康が失われていたり、欠けていたりすること。または身体的・精神的な能力の欠如。
		<i>syn</i>	ショウガイ	
2682	10006141	F	*Diversion Role	*Process Role
2683	10007304	F	*Exercise Role	*Process Role
2684	10011308	F	*Leisure Role	*Process Role
2685	10014669	F	*Play Role	*Leisure Role: Interacting in spontaneous or organised playing activity, participating in games, occupying oneself in amusement; primarily in relation to child development.
2686	10018605	F	*Spiritual Role	*Process Role
2687	10021150	F	*Work Role	*Process Role: Interacting according to responsibilities

of duties to work; expected behaviours of being employed, complying with working requirements; internalising expectation held by employees and employers, colleagues, organisations and society regarding appropriate or inappropriate work role behaviour.

2688	10017332	F	*Role Of Entity	*Role
2689	10017345	F	*Group Role	*Role of Entity: Group members interacting according to set of expectations, rules and standards of behaviour expected by others.
2690	10004831	F	*Community Role	*Group Role
2691	10007651	F	*Family Role	*Group Role
2692	10004297	F	*Childbearing Family Role	*Family Role
2693	10005283	F	*Couple Role	*Family Role
2694	10007336	F	*Expanded Family Unit Role	*Family Role: Interactions of member(s) of an extended family.
2695	10021132	F	*Workforce Role	*Group Role
2696	10006333	F	*Medication Effect□	*Role of Entity: Function, use or result of drug.
2697	10002312	F	*Anaesthesia Effect□	*Medication Effect□
2698	10002267	F	*Analgesia Effect□	*Medication Effect□
2699	10002396	F	*Antibiotic Effect□	*Medication Effect□
2700	10006670	F	*Electrolyte Effect□	*Medication Effect□
2701	10007358	F	*Expectorant Effect□	*Medication Effect□
2702	10008996	F	*Haemostatic Effect□	*Medication Effect□
2703	10009801	F	*Immunisation Effect□	*Medication Effect: Function, use, or effect of an□ immunisation.
2704	10017366	F	*Role Of Organism	*Role of Entity
2705	10017350	F	*Individual Role	*Role of Organism
2706	10003991	F	*Care Provider Role	*Individual Role
2707	10013346	F	*Nurse Role	*Care Provider Role
2708	10013426	F	*Nutritionist Role	*Care Provider Role
2709	10026539	F	*Occupational Therapist Role	*Care Provider Role
2710	10014465	F	*Pharmacist Role	*Care Provider Role
2711	10014533	F	*Physician Role	*Care Provider Role
2712	10014551	F	*Physiotherapist Role	*Care Provider Role
2713	10018468	F	*Social Worker Role	*Care Provider Role
2714	10019208	F	*Surgeon Role	*Care Provider Role
2715	10003962	F	*Caregiver Role	*Individual Role: Interacting according to responsibilities of caring for somebody; internalising expectation held by the health care institutions and health professionals, family members, and society regarding appropriate or inappropriate role behaviours of a caregiver; expressing these expectations as behaviours and values; primarily in relation to caring for dependent family member.
2716	10007605	F	*Family Member Role	*Individual Role
2717	10008494	F	*Grandfather Role	*Family Member Role: Conducting interactions according to the responsibility of being a grandfather. Reflecting expectations by family members, friends and□ society on appropriate or inappropriate role behaviours for a grandfather, and manifesting such expectations in actual behaviour and sense of values. The term is used mainly in relation to promoting the optimum growth and development of grandchildren.
2718	10008500	F	*Grandmother Role	*Family Member Role: Conducting interactions according to the responsibility of being a grandmother. Reflecting expectations by family members, friends and□ society on appropriate / inappropriate role behaviors for a grandmother, and manifesting such expectations in actual behavior and sense of values. The term is used mainly in relation to promoting the optimum growth / development of grandchildren.
2719	10014068	F	*Parent Role	*Family Member Role: Interacting according to responsibilities of being parents; internalising expectation held by family members, friends, and society regarding appropriate or inappropriate role behaviours of parents, expressing these expectations as behaviours, values; primarily in relation to promoting optimal growth and development of dependent child.
2720	10007701	F	*Father Role	*Parent Role: Carrying out the responsibilities of being the male parent in the family according to one's social

2721	10018803	F		*Stepfather Role	group and culture. *Father Role
2722	10012235	F		*Mother Role	*Parent Role: Interacting according to responsibilities of being mother; internalising expectation held by family members, friends, and society regarding appropriate or inappropriate role behaviours of pregnant women and mothers.
2723	10018819	F		*Stepmother Role	*Mother Role
2724	10018107	F		*Sibling Role	*Family Member Role
2725	10003716	F		*Brother Role	*Sibling Role
2726	10018182	F		*Sister Role	*Sibling Role
2727	10018680	F		*Spouse Role	*Family Member Role
2728	10008397	F		*Gender Role	*Individual Role: Interacting according to identity of being one sex or the other, internalising expectation held by individuals and society regarding appropriate or inappropriate role behaviours of men and of women, expressing these expectations as behaviours and values.
2729	10027606	F		*Legal Guardian Role	*Individual Role
2730	10014197	F		*Patient Role	*Individual Role
2731	10018928	F		*Student Role	*Individual Role: Interacting according to identity and responsibilities of being a student, expected behaviours of being in school or participating in education; primarily in relation to intellectual and personal development through adolescence.
2732	10014010	F		*Parasite Role	*Role of Organism: Organism living in or on another organism and benefiting at the expense of the other,□ frequently associated with harm to individuals influencing life and development of human beings.□
2733	10018549	F		*Specimen Role	*Role of Entity
2734	10017441	F		*Safety	*Role: Being safe, free from danger, risk, or injury.
2735	10017516	F		*Scene Of Accident	*Role
2736	10018153	F		*Sign Role	*Role
2737	10020838	F		*Vital Sign Role	*Sign Role
2738	10026980	F		*Support Role	*Role
2739	10027005	F		*Emotional Support Role	*Support Role
2740	10026998	F		*Family Support Role	*Support Role
2741	10026979	F		*Social Support Role	*Support Role
2742	10027014	F		*Spiritual Support Role	*Support Role
2743	10019381	F		*Symptom Role	*Role
2744	10018786	J	状態		「判断」の一つ。
		syn	ジョウタイ		
2745	10000270	J	絶対値		[see line 1]
2746	10023605	J	*Complexity		[see line 5]
2747	10007423	J	程度		[see line 8]
2748	10008234	T	頻度		[see line 2596]
2749	10013305	J	正常度状態		[see line 12]
2750	10013689	T	始まり		[see line 2602]
2751	10014788	L	場所		[see line 182]
2752	10010981	J	肯定的または否定的な判断		[see line 15]
2753	10015151	J	可能性		[see line 107]
2754	10015534	J	*Prescription State		[see line 110]
2755	10015789	J	進展		[see line 112]
2756	10026750	J	*Relative Judged State		[see line 117]
2757	10025849	J	*Severity		[see line 120]
2758	10018218	J	サイズ		[see line 124]
2759	10014204	T	時系列		[see line 2672]
2760	10018793	F	状態		「焦点」の一つで、以下の固有の特徴をもつ：他者と比較したある人物の状況。ある人物の相対的な様子。
		syn	ジョウタイ		
2761	10000034	F	能力		「状態」の一つ。
		syn	ノウリョク		
2762	10000047	F	適応能力		「能力」の一つ。
		syn	テキオウノウリョク		
2763	10021828	DC		*Ability To Adjust	[see line 882]
2764	10000863	DC		*Impaired Adjustment	[see line 601]

2765	10000052	F	コミュニケーション能力	「能力」の一つ。
		<i>syn</i>	コミュニケーションノウリョク	
2766	10025039	F	*Ability To Communicate By Talking	*Ability To Communicate
2767	10028230	DC	*Effective Verbal Communication	[see line 924]
2768	10025104	DC	*Impaired Verbal Communication	[see line 620]
2769	10026587	F	*Ability To Communicate Feelings	*Ability To Communicate
2770	10026573	F	*Ability To Talk About Dying Process	*Ability To Communicate
2771	10014790	F	*Effective Ability To Communicate	*Ability To Communicate
2772	10025025	DC	*Effective Ability To Communicate	[see line 923]
2773	10023370	DC	*Impaired Communication	[see line 619]
2774	10034534	F	*Ability To Manage Finances	*Ability
2775	10034547	DC	*Ability to Manage Finances	[see line 883]
2776	10034552	DC	*Impaired Ability to Manage Finances	[see line 583]
2777	10000068	F	計画管理能力	「能力」の一つ。
		<i>syn</i>	ケイカクカンリノウリョク	
2778	10000885	DC	*Impaired Ability To Manage Regime	[see line 584]
2779	10014800	F	*Positive Ability To Manage Regime	*Ability To Manage Regime
2780	10001407	DC	*Ability To Manage Regime	[see line 884]
2781	10012108	F	可動性	「能力」の一つで、以下の固有の特徴をもつ：身体各器官の随意かつ精神運動性の動き。筋肉と関節運動の協調、バランス動作、姿勢保持と歩行を含む。
		<i>syn</i>	カドウセイ	
2782	10000258	F	歩行能力	「可動性」の一つ。
		<i>syn</i>	ホコウノウリョク	
2783	10028333	DC	*Effective Walking	[see line 977]
2784	10001046	DC	*Impaired Walking	[see line 653]
2785	10003181	F	ベッド可動性	「可動性」の一つ。
		<i>syn</i>	ベッドカドウセイ	
2786	10001067	DC	*Impaired Bed Mobility	[see line 652]
2787	10029240	DC	*Positive Bed Mobility	[see line 978]
2788	10028461	DC	*Effective Mobility	[see line 976]
2789	10001219	DC	*Impaired Mobility	[see line 651]
2790	10021068	F	車椅子可動性	「可動性」の一つ。
		<i>syn</i>	クルマイスクドウセイ	
2791	10001363	DC	*Impaired Wheelchair Mobility	[see line 654]
2792	10029511	F	*Ability To Monitor	*Ability
2793	10029613	DC	*Impaired Ability To Monitor Disease	[see line 595]
2794	10025376	F	*Ability To Participate	*Ability
2795	10000075	F	遂行能力	「能力」の一つ。
		<i>syn</i>	スイコウノウリョク	
2796	10023729	F	*Ability To Perform Self Care	*Ability
2797	10000166	F	自己摂食能力	「遂行能力」の一つで、以下の固有の特徴をもつ：健康的な食事という形で食事摂取を自分で行うこと。食物を食べやすい大きさに切ること、および砕くこと。食物を口まで運ぶ。唇、筋肉、舌を動かして食物を口の中に入れる。満腹するまで食べる。
		<i>syn</i>	ジコセッシュノウリョク	
2798	10028253	DC	*Effective Ability to Feed Self	[see line 1068]
2799	10000973	DC	*Impaired Self Feeding	[see line 855]
2800	10000184	F	清潔維持能力	「遂行能力」の一つで、以下の固有の特徴をもつ：清潔水準を自分で継続的に守ること。体を清潔に保ち、きちんと身づくろいをする。体臭がなく、定期的に手を洗い、耳・鼻・会陰部をきれいにし、皮膚を滑らかに保つ。清潔度を守り維持するための方法を用いること。
		<i>syn</i>	セイケツイジノウリョク	

2801	10000121	F	入浴実施能力	「清潔維持能力」の一つで、以下の固有の特徴をもつ：自分で全身または体の一部を水の中で洗い流すこと。例えば浴槽に出入りする、入浴に必要なアイテムをすべて集め、水道の蛇口を開けて水を汲み、体を洗って乾燥させる。
		<i>syn</i>	ニュウヨクジッシノ ウリョク	
2802	10028224	DC	<i>*Effective Ability</i> □ [see line 1060] to Bath	
2803	10000956	DC	<i>*Impaired Ability</i> [see line 857] To Bath	
2804	10000145	F	更衣能力	「清潔維持能力」の一つで、以下の固有の特徴をもつ：服装に関する慣習を考慮しながら、場所や気候に合った衣服や履物を自分で着たり脱いだりすること。正しい順序で衣服を着脱し、ボタンなど適切な方法で服を留めること。
		<i>syn</i>	コウイノウリョク	
2805	10000150	F	<i>*Ability To Dress</i> <i>*Ability</i> And Groom Self	
2806	10028207	DC	<i>*Effective</i> □ [see line 1064] Dressing and Grooming	
2807	10000960	DC	<i>*Impaired</i> [see line 861] Dressing And Grooming	
2808	10028211	DC	<i>*Effective Ability</i> □ [see line 1061] To Dress	
2809	10027578	DC	<i>*Impaired Ability</i> [see line 858] To Dress	
2810	10000178	F	自己整容能力	「清潔維持能力」の一つで、以下の固有の特徴をもつ：自分で身だしなみを整えること。頭髮・ひげ・顔の毛を調髪する、剃る、櫛を入れる、ブラシでとかす、カールする。爪を手入れする、切る、磨く。デオドラントをつける、化粧を施す、メークアップをする。衣服を清潔でにおわないきちんとした状態に保つ。身だしなみを鏡で確かめる。
		<i>syn</i>	ジコセイヨウノウ リョク	
2811	10000150	F	<i>*Ability To Dress</i> [see line 2805] And Groom Self	
2812	10028269	DC	<i>*Effective Ability</i> □ [see line 1063] To Groom Self	
2813	10029632	DC	<i>*Impaired Ability</i> [see line 860] To Groom	
2814	10028708	DC	<i>*Ability To Perform</i> [see line 1059] Hygiene	
2815	10000197	F	自己排泄能力	「遂行能力」の一つで、以下の固有の特徴をもつ：排泄行為を自分で衛生的に行う。排尿後や排便後にきれいに拭き取る。環境を清潔に保ち感染を防ぐ適切な方法（水を流すなど）で排泄物を処分する。
		<i>syn</i>	ジコハイセツノウ リョク	
2816	10028314	DC	<i>*Effective Self</i> □ [see line 1066] Toileting	
2817	10000994	DC	<i>*Impaired Self</i> [see line 862] Toileting	
2818	10000987	DC	<i>*Inability To</i> [see line 856] Perform Hygiene	
2819	10000132	F	余暇活動実施能力	「遂行能力」の一つ。
		<i>syn</i>	ヨカカツドウジッシノウ リョク	
2820	10025767	DC	<i>*Ability To Perform</i> [see line 1067] Leisure Activity	
2821	10000800	DC	<i>*Inability To</i> [see line 864] Perform Leisure Activity	
2822	10000204	F	移乗能力	「能力」の一つで、以下の固有の特徴をもつ：体を動かしてベッドと椅子の間を移動すること。
		<i>syn</i>	イジョウノウリョク	
2823	10028322	DC	<i>*Effective Ability To</i> □[see line 1069] Transfer	
2824	10001005	DC	<i>*Impaired Ability To</i> [see line 854] Transfer	
2825	10025311	F	<i>*Positive Ability to</i> <i>*Ability To Perform Self Care</i> Perform Self Care	
2826	10025714	DC	<i>*Positive Ability To</i> [see line 1058]	

			<i>Perform Self Care</i>	
2827	10023410	DC	<i>*Self Care Deficit</i> □	[see line 853]
2828	10025640	F	<i>*Ability To Perform Caretaking</i>	<i>*Ability</i>
2829	10000109	F	子育て能力	「能力」の一つ。
		<i>syn</i>	コソダテノウリョク	
2830	10027955	DC	<i>*Effective Parenting</i> □	[see line 887]
2831	10000939	DC	<i>*Impaired Parenting</i>	[see line 597]
2832	10015198	DC	<i>*Risk For Impaired Ability To Perform Parenting</i>	[see line 61]
2833	10025655	DC	<i>*Ability To Perform Caretaking</i>	[see line 886]
2834	10029621	DC	<i>*Impaired Ability To Perform Caretaking</i>	[see line 596]
2835	10032270	DC	<i>*Risk For Impaired Ability To Perform Caretaking</i>	[see line 60]
2836	10000081	F	健康維持能力	「遂行能力」の一つ。
		<i>syn</i>	ケンコウイジノウリョク	
2837	10023452	DC	<i>*Ability To Perform Health Maintenance</i>	[see line 888]
2838	10000918	DC	<i>*Impaired Health Maintenance</i>	[see line 639]
2839	10000099	F	家事能力	「遂行能力」の一つ。
		<i>syn</i>	カジノウリョク	
2840	10028248	DC	<i>*Effective Ability to Perform</i> □	[see line 925]
			Homemaking	
2841	10000925	DC	<i>*Impaired Homemaking</i>	[see line 640]
2842	10000113	F	<i>*Ability To Perform Role</i>	<i>*Ability</i>
2843	10027940	DC	<i>*Effective Role Performance</i> □	[see line 1011]
2844	10000941	DC	<i>*Impaired Role Performance</i>	[see line 719]
2845	10029524	F	<i>*Ability To Prepare Food</i>	<i>*Ability</i>
2846	10030137	DC	<i>*Ability To Prepare Food</i>	[see line 889]
2847	10029650	DC	<i>*Impaired Ability To Prepare Food</i>	[see line 598]
2848	10000215	F	保護能力	「能力」の一つ。
		<i>syn</i>	ホゴノウリョク	
2849	10028276	DC	<i>*Effective Protective Ability</i> □	[see line 991]
2850	10001014	DC	<i>*Impaired Protective Ability</i>	[see line 689]
2851	10034568	F	<i>*Ability to Shop</i>	<i>*Ability</i>
2852	10034575	DC	<i>*Ability to Shop</i>	[see line 890]
2853	10034581	DC	<i>*Impaired Ability to Shop</i>	[see line 599]
2854	10000227	F	社会化能力	「能力」の一つ。
		<i>syn</i>	シャカイカノウリョク	
2855	10028282	DC	<i>*Effective Socialisation</i> □	[see line 1015]
2856	10001022	DC	<i>*Impaired Socialisation</i>	[see line 722]
2857	10000236	F	嚥下能力	「能力」の一つ。
		<i>syn</i>	エンゲノウリョク	
2858	10028295	DC	<i>*Effective Swallowing</i> □	[see line 1018]
2859	10001033	DC	<i>*Impaired Swallowing</i>	[see line 724]
2860	10000243	F	身体発育能力	「能力」の一つ。
		<i>syn</i>	シントイハツイクノウリョク	
2861	10028305	DC	<i>*Ability To Thrive</i>	[see line 891]
2862	10022898	DC	<i>*Failure To Thrive</i>	[see line 672]
2863	10007888	F	生殖能力	「能力」の一つで、以下の固有の特徴をもつ：子づくりに関与する能力。
		<i>syn</i>	セイショクノウリョク	
2864	10007826	F	女性生殖能力	「生殖能力」の一つで、以下の固有の特徴をもつ：生殖年齢にある女性の生殖能力。月経があり卵子と性ホルモンの産生がある。受精し妊娠する能力に関係する。
		<i>syn</i>	ジョセイセイショクノウリョク	
2865	10011558	F	男性生殖能力	「生殖能力」の一つで、以下の固有の特徴をもつ：生殖年齢にある男性の生殖能力。精子と性ホルモンの産生がある。女性を受精させ妊娠させる能力に関連する。
		<i>syn</i>	ダンセイセイショクノウリョク	
2866	10023195	DC	<i>*Risk For Impaired Fertility</i>	[see line 65]
2867	10023857	F	<i>*Literacy</i>	<i>*Ability</i>
2868	10022559	DC	<i>*Illiteracy</i>	[see line 581]

2869	10017559	F	学力	「能力」の一つで、以下の固有の特徴をもつ：年齢と在学年に応じて決まっている学校教育の基準に見合う知的能力。生徒の健康、学習能力、学習形式、教育の質に関連する。
		<i>syn</i>	ガクリョク	
2870	10024035	F	*Sensory Ability	*Ability
2871	10021800	F	*Ability To Feel	*Ability
2872	10028540	DC	*Effective Ability to Feel□	[see line 987]
2873	10022619	DC	*Inability to Feel	[see line 679]
2874	10023434	F	*Ability To Hear	*Ability
2875	10022544	DC	*Hearing Deficit□	[see line 677]
2876	10023468	F	*Ability To See	*Ability
2877	10022748	DC	*Inability To See	[see line 680]
2878	10023475	F	*Ability To Smell	*Ability
2879	10027344	DC	*Effective Ability To Smell	[see line 988]
2880	10022528	DC	*Impaired Ability To Smell	[see line 678]
2881	10023481	F	*Ability To Taste	*Ability
2882	10028538	DC	*Effective Ability To Taste	[see line 989]
2883	10022814	DC	*Inability To Taste	[see line 681]
2884	10022730	DC	*Sensory Deficit□	[see line 676]
2885	10000338	F	健康状態の受容	「受容」の一つで、以下の固有の特徴をもつ：健康状況を受け入れること。
		<i>syn</i>	ケンコウジョウタイノジュヨウ	
2886	10023499	DC	*Acceptance Of Health Status	[see line 892]
2887	10029480	DC	*Impaired Acceptance Of Health Status	[see line 600]
2888	10000340	F	アクセス	「状態」の一つで、以下の固有の特徴をもつ：何かを取得または利用することのできる機会。何かに接近する、出入りする、コミュニケーションをとる、活用する能力または権利。
2889	10024821	F	*Access To Treatment	*Access
2890	10010780	F	静脈アクセス	「アクセス」の一つで、以下の固有の特徴をもつ：静脈内に入る、または入れること。
		<i>syn</i>	ジョウミャクアクセス	
2891	10000364	F	達成	「状態」の一つで、以下の固有の特徴をもつ：仕事の完成または成就。
		<i>syn</i>	タッセイ	
2892	10002144	F	覚醒	「神経学的状態」の一つで、以下の固有の特徴をもつ：何かに対して常に用心深く注意している状態。行動する用意ができていること。
		<i>syn</i>	カクセイ	
2893	10028346	DC	*Effective Alertness□	[see line 928]
2894	10027165	DC	*Impaired Alertness	[see line 602]
2895	10002455	F	食欲	「状態」の一つで、以下の固有の特徴をもつ：栄養素または特定の食物に対する身体的必要性を満たそうと欲する感覚。
		<i>syn</i>	ショクヨク	
2896	10033399	DC	*Lack of Appetite	[see line 771]
2897	10003110	F	バランス	「状態」の一つで、以下の固有の特徴をもつ：身体の安定性、筋と骨と関節の協調。全身または身体各器官の一部を動かすために安定させること。頭をまっすぐに保つ、立った姿勢でいる、まっすぐに座ることを含む。身体バランスをとる能力は、ある程度年齢と関係している。
2898	10030845	F	*Blood Oxygen Saturation	*Status
2899	10003433	L	体位	「場所」の一つ。
		<i>syn</i>	タイイ	
2900	10011401	L	截石位	「体位」の一つ。
		<i>syn</i>	サイセキイ	
2901	10015829	L	腹臥位	「体位」の一つ。
		<i>syn</i>	フクガイ	
2902	10019103	L	仰臥位	「体位」の一つ。
		<i>syn</i>	ギョウガイ	
2903	10020151	L	トレンデンプルグ体位	「体位」の一つ。
		<i>syn</i>	トレンデンプルグタイイ	
2904	10030878	F	*Care Need	*Status
2905	10031350	F	*Health And Social Care Need	*Care Need
2906	10004655	F	安楽	「状態」の一つで、以下の固有の特徴をもつ：身体的な安らかさと肉体的な安寧感。

		<i>syn</i>	アンラク	
2907	10025330	F	*Comfortable	*Comfort
2908	10025574	DC	*Comfortable	[see line 921]
2909	10004975	F	意識	「神経学的状態」の一つで、以下の固有の特徴をもつ：外部環境を警戒・認識し敏感な状態であるために形成された、感覚の集合である印象に対する心の反応。
		<i>syn</i>	イシキ	
2910	10012634	F	*Impaired Consciousness	*Consciousness
2911	10004629	F	昏睡	「意識」の一つで、以下の固有の特徴をもつ：疼痛反応を含む生理的反応がない深い無意識の状態。
		<i>syn</i>	コンスイ	
2912	10007508	F	失神	「意識」の一つで、以下の固有の特徴をもつ：突然意識を失うこと。直前に蒼白と脱力が見られる。
		<i>syn</i>	シッシン	
2913	10018512	F	傾眠	「意識」の一つで、以下の固有の特徴をもつ：悪性の眠気。不自然な嗜眠状態。
		<i>syn</i>	ケイミン	
2914	10018937	F	昏迷	「意識」の一つで、以下の固有の特徴をもつ：深い睡眠状態。疼痛反応はある。
		<i>syn</i>	コンメイ	
2915	10004981	F	同意	「状態」の一つ。
		<i>syn</i>	ドウイ	
2916	10005064	F	継続	「状態」の一つ。
		<i>syn</i>	ケイゾク	
2917	10005072	F	ケアの継続	「継続」の一つ。
		<i>syn</i>	ケアノケイゾク	
2918	10029759	DC	*Continuity of Care Problem	[see line 537]
2919	10005135	F	制御	「状態」の一つ。
		<i>syn</i>	セイギョ	
2920	10031015	F	*Anger Control	*Control
2921	10005157	F	疼痛管理	「制御」の一つ。
		<i>syn</i>	トウツウカンリ	
2922	10025831	DC	*Pain Control	[see line 990]
2923	10025812	F	*Symptom Control	*Control
2924	10029286	DC	*Lack of Symptom Control	[see line 794]
2925	10025820	DC	*Symptom Control	[see line 1100]
2926	10005443	F	文化多様性	「状態」の一つで、以下の固有の特徴をもつ：民族、宗教、言語などが異なり、それぞれ独自の価値観、信念体系、伝統、生活様式を有する集団同士が共存すること。
		<i>syn</i>	ブンカタヨウセイ	
2927	10005663	J	*Degree	*Status
2928	10026671	J	*Dependence	*Status
2929	10026713	J	*Dependence	*Dependence
2930	10026721	J	*Independence	*Dependence
2931	10006379	T	持続期間	[see line 2594]
2932	10031210	F	*Employment Status	*Status
2933	10029841	DC	*Employment Problem	*Employment Status
2934	10006875	F	耐性	「状態」の一つで、以下の固有の特徴をもつ：長時間にわたってエネルギーを維持・集中・回復し、長引く緊張に耐えること。
		<i>syn</i>	タイセイ	
2935	10007045	F	民族性	「状態」の一つで、以下の固有の特徴をもつ：個人の国籍、継承物、習慣、言語によって、個人を記録または分類すること。
		<i>syn</i>	ミンゾクセイ	
2936	10031299	F	*Financial Status	*Status
2937	10029860	DC	*Financial Problem	[see line 576]
2938	10031563	F	*Income	*Financial Status: Taking care of money equivalence as a scheduled resource to a household; household financial resources predicted in a time period such as week, month, or year, money periodically received for labour or services as means of providing stability and security and fulfilment of basic needs.
2939	10007583	F	家族収入	「収入」の一つで、以下の固有の特徴をもつ：家族の経費をカバーしている賃金、利息、配当その他資源。保健水準、住居や衣服の状態、食習慣、家計の管理に関連する。
		<i>syn</i>	カゾクシュウニュウ	

2940	10022563	DC	<i>*Inadequate Income</i>	<i>[see line 577]</i>
2941	10034133	F	<i>*Genitourinary Status</i>	<i>*Status</i>
2942	10033745	DC	<i>*Effective Genitourinary Status</i>	<i>[see line 967]</i>
2943	10008711	F	健康	「状態」の一つで、以下の固有の特徴をもつ：環境に適応・対応する流動的なプロセス。ニーズを満たし、身体的・心理的・精神的・社会的に良好な状態を最大限に実現すること。単に疾患や障害がないというだけではない。
		<i>syn</i>	ケンコウ	
2944	10004767	F	地域保健	「健康」の一つで、以下の固有の特徴をもつ：コミュニティにおける健康の相対的な割合。健康と疾病の相対レベルに関するコミュニティの状態または状況。
		<i>syn</i>	チイキホケン	
2945	10013586	F	産業保健	「健康」の一つで、以下の固有の特徴をもつ：労働者が最適な状態で働ける職場の状態。
		<i>syn</i>	サンギョウホケン	
2946	10031378	F	<i>*Homebound</i>	<i>*Status</i>
2947	10029887	DC	<i>*Homebound</i>	<i>[see line 578]</i>
2948	10009069	F	ホームレス	「社会的状態」の一つで、以下の固有の特徴をもつ：決まった住居を持たない個人や家族のこと。適切な宿泊施設を得るために必要な資源の不足。不適切な栄養、社会からの孤立、清掃・洗濯施設への限られたアクセス。病気・暴力・薬物使用の危険にさらされやすい。
2949	10031402	F	<i>*Housing Status</i>	<i>*Status</i>
2950	10031397	F	<i>*House Safety</i>	<i>*Safety</i>
2951	10029904	DC	<i>*Housing Problem</i>	<i>[see line 580]</i>
2952	10009216	F	人権	「状態」の一つ。
		<i>syn</i>	ジンケン	
2953	10014184	F	患者の権利	「人権」の一つ。
		<i>syn</i>	カンジャンノケンリ	
2954	10003054	F	自律	「患者の権利」の一つで、以下の固有の特徴をもつ：自己制御、独立、自己統制、自己指導的な状態。
		<i>syn</i>	ジリツ	
2955	10004934	F	守秘義務	「患者の権利」の一つ。
		<i>syn</i>	シュヒギム	
2956	10005979	F	尊厳	「患者の権利」の一つ。
		<i>syn</i>	ソンゲン	
2957	10024995	F	<i>*Compromised Dignity</i>	<i>*Dignity</i>
2958	10023803	DC	<i>*Risk For Compromised Dignity</i>	<i>[see line 33]</i>
2959	10015758	F	プライバシー	「患者の権利」の一つ。
2960	10025601	DC	<i>*Lack Of Privacy</i>	<i>[see line 791]</i>
2961	10025590	DC	<i>*Privacy</i>	<i>[see line 1083]</i>
2962	10024845	F	<i>*Privacy For Spiritual Behaviour</i>	<i>*Privacy</i>
2963	10009715	F	アイデンティティ	「状態」の一つ。
2964	10014166	F	患者のアイデンティティ	「アイデンティティ」の一つ。
		<i>syn</i>	カンジャンノアイデンティティ	
2965	10012940	F	<i>*Impaired Status</i>	<i>*Status</i>
2966	10000408	F	活動耐性低下	「状態」の一つで、以下の固有の特徴をもつ：エネルギーを持続する能力の欠如。必要または望ましい日常活動に耐える、あるいは完了するための生理的・精神的エネルギーが不十分。疲れやすく、身体の動きが低下する。
		<i>syn</i>	カツドウタイセイテイカ	
2967	10000431	DC	<i>*Activity Intolerance</i>	<i>[see line 499]</i>
2968	10015011	DC	<i>*Risk For Activity Intolerance</i>	<i>[see line 22]</i>
2969	10022954	DC	<i>*Altered Blood Pressure</i>	<i>[see line 505]</i>
2970	10027702	F	<i>*Bowel Incontinence</i>	<i>*Bowel Continence: Involuntary, uncontrolled passage and expulsion of stool.</i>
2971	10027718	DC	<i>*Bowel Incontinence</i>	<i>[see line 671]</i>
2972	10027725	F	<i>*Encopresis</i>	<i>*Bowel Incontinence: Voluntary inappropriate passage and defaecation of stool, incontinence of stool not due to organic defect or illness.</i>
2973	10024995	F	<i>*Compromised Dignity</i>	<i>[see line 2957]</i>
2974	10004952	F	うっ血	「状態」の一つ。
		<i>syn</i>	ウッケツ	
2975	10029759	DC	<i>*Continuity of Care Problem</i>	<i>[see line 2918]</i>
2976	10005381	F	危機	「心理的反応」の一つで、以下の固有の特徴をもつ：不均

衡・緊張状態、非効率なコミュニケーション、問題解決の困難、変化・資源の認識困難、外部支援網の認識や使用の困難などの状態が一時的に起こること。死亡や離婚などによる喪失感やストレスに関連する。

		<i>syn</i>	キキ	
2977	10007577	F	家族危機	「家族プロセス」の一つで、以下の固有の特徴をもつ：家族集団の心理的・社会的・経済的安定性のバランスを崩す突然の事態。通常の家族の行為が一時的に調整できなくなったり、一時的に変化する。家族内で問題解決、変化する状況の把握、家庭内の資源の認識、外部サポートネットワークの認識を行うことが難しくなる。緊張した環境。家族間のコミュニケーション不足。
		<i>syn</i>	カゾクキキ	
2978	10031366	F	*Health Crisis	*Crisis
2979	10029684	DC	*Acute Health Crisis	[see line 500]
2980	10000828	DC	*Decreased Intracranial Adaptive Capacity	[see line 538]
2981	10001328	DC	*Delayed Surgical Recovery	[see line 540]
2982	10026713	J	*Dependence	[see line 2929]
2983	10005807	F	寂しさ	「心理学的状態」の一つで、以下の固有の特徴をもつ：見捨てられてひとりぼっちになったという感情。絶望感、憂うつで苦しい行動、絶望や落胆した表情を伴う。
		<i>syn</i>	サビンサ	
2984	10023835	F	*Discomfort	*Impaired Status
2985	10023066	DC	*Discomfort	[see line 542]
2986	10001235	DC	*Disorientation	[see line 543]
2987	10029856	DC	*Environmental Safety Problem	[see line 574]
2988	10029860	DC	*Financial Problem	[see line 2937]
2989	10008206	F	悪臭	「状態」の一つで、以下の固有の特徴をもつ：嗅覚に不快感を与えるにおい。
		<i>syn</i>	アクシュウ	
2990	10029887	DC	*Homebound	[see line 2947]
2991	10029904	DC	*Housing Problem	[see line 2951]
2992	10009302	F	多動	「精神運動性活動」の一つで、以下の固有の特徴をもつ：身体各器官の活動の異常な増大。振戦、不穏、一つの場所にじっとしていられない。甲状腺機能亢進症や精神障害などに関連する。
		<i>syn</i>	タドウ	
2993	10002035	F	興奮	「多動」の一つで、以下の固有の特徴をもつ：精神運動の無目的な興奮状態。落ち着きのない行動、歩き回る、神経系の緊張の解放。不安、恐怖、精神的なストレスに関連する。
		<i>syn</i>	コウフン	
2994	10025705	DC	*Agitation	[see line 501]
2995	10017138	F	不穏	「多動」の一つで、以下の固有の特徴をもつ：不安感、疲労感、筋肉深部のむずむずする感覚。筋のねじれやチクチクする感じの痛みと関連する場合もある。
		<i>syn</i>	フオン	
2996	10025722	DC	*Restlessness	[see line 852]
2997	10009466	F	低活動	「精神運動性活動」の一つで、以下の固有の特徴をもつ：身体活動の異常な低下、緩慢な動作、筋の硬直、硬い表情。神経障害や精神障害と関連する。
		<i>syn</i>	テイカツドウ	
2998	10004056	F	緊張病	「低活動」の一つで、以下の固有の特徴をもつ：目立った運動障害で、通常、極度の筋拘縮または過度の衝撃的運動を伴う不動状態として現われる。統合失調症などの精神障害と関連する。
		<i>syn</i>	キンチョウビョウ	
2999	10006139	F	廃用性	「低活動」の一つで、以下の固有の特徴をもつ：活動の欠如。
		<i>syn</i>	ハイヨウセイ	
3000	10023097	DC	*Disuse Syndrome	[see line 547]
3001	10015105	DC	*Risk For Disuse	[see line 54]
3002	10022559	DC	*Illiteracy	[see line 2868]
3003	10034552	DC	*Impaired Ability to Manage Finances	[see line 2776]
3004	10000885	DC	*Impaired Ability To Manage Regime	[see line 2778]
3005	10029613	DC	*Impaired Ability To Monitor Disease	[see line 2793]
3006	10029621	DC	*Impaired Ability To Perform	[see line 2834]

			<i>Caretaking</i>	
3007	10029650	DC	<i>*Impaired Ability To Prepare Food</i>	<i>[see line 2847]</i>
3008	10034581	DC	<i>*Impaired Ability to Shop</i>	<i>[see line 2853]</i>
3009	10029480	DC	<i>*Impaired Acceptance Of Health Status</i>	<i>[see line 2887]</i>
3010	10000863	DC	<i>*Impaired Adjustment</i>	<i>[see line 2764]</i>
3011	10027165	DC	<i>*Impaired Alertness</i>	<i>[see line 2894]</i>
3012	10012578	F	<i>*Impaired Body Tissue Integrity</i>	<i>*Tissue Integrity</i>
3013	10001080	DC	<i>*Impaired Tissue Integrity</i>	<i>[see line 725]</i>
3014	10015237	DC	<i>*Risk For Impaired Skin Integrity</i>	<i>[see line 75]</i>
3015	10019732	F	組織のびらん	「組織統合性」の一つで、以下の固有の特徴をもつ：表皮の損失、真皮乳頭の露出。
		<i>syn</i>	ソシキノビラン	
3016	10023370	DC	<i>*Impaired Communication</i>	<i>[see line 2773]</i>
3017	10012634	F	<i>*Impaired Consciousness</i>	<i>[see line 2910]</i>
3018	10000918	DC	<i>*Impaired Health Maintenance</i>	<i>[see line 2838]</i>
3019	10000925	DC	<i>*Impaired Homemaking</i>	<i>[see line 2841]</i>
3020	10001219	DC	<i>*Impaired Mobility</i>	<i>[see line 2789]</i>
3021	10012787	F	<i>*Impaired Neurological Status</i>	<i>*Neurological Status</i>
3022	10011706	F	躁状態	「神経学的状態」の一つで、以下の固有の特徴をもつ：前向きな活力にあふれた情緒的状态。懸念を否定し、抑制がなくなる。この状態に陥ると、自我の高揚・充足感・刺激を感じ、おしゃべりで多動になり、精神運動性の興奮や観念奔逸を示すようになる。
		<i>syn</i>	ソウジョウタイ	
3023	10022730	DC	<i>*Sensory Deficit</i> □	<i>[see line 2884]</i>
3024	10012804	F	<i>*Impaired Nutritional Status</i>	<i>*Nutritional Status</i>
3025	10012739	F	<i>*Impaired Fluid Volume</i>	<i>*Fluid Volume</i>
3026	10023391	DC	<i>*Impaired Fluid Volume</i>	<i>[see line 660]</i>
3027	10026951	DC	<i>*Risk For Impaired Fluid Volume</i>	<i>[see line 66]</i>
3028	10025746	DC	<i>*Impaired Nutritional Status</i>	<i>[see line 659]</i>
3029	10023013	DC	<i>*Risk For Nutritional Deficit</i> □	<i>[see line 86]</i>
3030	10030035	DC	<i>*Impaired Physiological Status</i>	<i>[see line 670]</i>
3031	10001014	DC	<i>*Impaired Protective Ability</i>	<i>[see line 2850]</i>
3032	10028754	DC	<i>*Impaired Psychological Status</i>	<i>[see line 690]</i>
3033	10000941	DC	<i>*Impaired Role Performance</i>	<i>[see line 2844]</i>
3034	10030061	DC	<i>*Impaired Social Status</i>	<i>[see line 721]</i>
3035	10001022	DC	<i>*Impaired Socialisation</i>	<i>[see line 2856]</i>
3036	10023336	DC	<i>*Impaired Spiritual Status</i>	<i>[see line 723]</i>
3037	10001033	DC	<i>*Impaired Swallowing</i>	<i>[see line 2859]</i>
3038	10013016	F	<i>*Impaired Weight</i>	<i>*Weight</i>
3039	10027290	DC	<i>*Impaired Weight</i>	<i>[see line 733]</i>
3040	10013899	F	体重過剰	「体重」の一つで、以下の固有の特徴をもつ：体重および体質量（ボディ・マス）が多い状態で、通常理想体重よりも10～20%重い。主に内臓と皮下組織の脂肪細胞の割合が高く、栄養の摂取過剰、過食、運動不足と関連している。
		<i>syn</i>	タイジュ ウカジョウ	
3041	10013457	F	肥満	「体重過剰」の一つで、以下の固有の特徴をもつ：体重および体質量（ボディマス）が多い状態で、通常理想体重よりも20%以上重い。主に内臓と皮下組織の脂肪細胞の割合が異常に高く、過度のまたは継続的な過剰摂取、過食、長期にわたる運動不足と関連している。
		<i>syn</i>	ヒマン	
3042	10027300	DC	<i>*Overweight</i>	<i>[see line 734]</i>
3043	10020263	F	低体重	「体重」の一つ。
		<i>syn</i>	テイタイジュウ	
3044	10006749	F	るいそう	「低体重」の一つで、以下の固有の特徴をもつ：極端にやせている状態。栄養不足、行き過ぎたダイエット、飢え、過度の運動、食物や栄養の活用に影響する病気の結果、などが関連している。
		<i>syn</i>	ルイソウ	
3045	10027316	DC	<i>*Underweight</i>	<i>[see line 735]</i>
3046	10025395	DC	<i>*Increased Intracranial Pressure</i>	<i>[see line 760]</i>
3047	10033399	DC	<i>*Lack of Appetite</i>	<i>[see line 2896]</i>
3048	10000837	DC	<i>*Lack Of Knowledge</i>	<i>[see line 773]</i>

3049	10027371	DC	<i>*Lack of Knowledge Of Community Service</i>	<i>[see line 789]</i>
3050	10025601	DC	<i>*Lack Of Privacy</i>	<i>[see line 2960]</i>
3051	10029286	DC	<i>*Lack of Symptom Control</i>	<i>[see line 2924]</i>
3052	10023900	F	<i>*Meaninglessness</i>	<i>*Impaired Status</i>
3053	10023423	DC	<i>*Lack Of Meaning</i>	<i>[see line 790]</i>
3054	10013248	F	ノンアドヒアランス	「アドヒアランス」の一つで、以下の固有の特徴をもつ：治療計画に従わないこと。
3055	10001371	DC	<i>*Non Adherence</i>	<i>[see line 837]</i>
3056	10025170	F	<i>*Non Adherence To Regime</i>	<i>*Non Adherence</i>
3057	10025136	F	<i>*Non Adherence To Diagnostic Test</i>	<i>*Non Adherence To Regime</i>
3058	10022101	DC	<i>*Non Adherence To Diagnostic Test</i>	<i>[see line 839]</i>
3059	10025143	F	<i>*Non Adherence To Dietary Regime</i>	<i>*Non Adherence To Regime</i>
3060	10022117	DC	<i>*Non Adherence To Dietary Regime</i>	<i>[see line 840]</i>
3061	10025191	F	<i>*Non Adherence To Exercise</i>	<i>*Non Adherence To Regime</i>
3062	10022657	DC	<i>*Non Adherence To Exercise</i>	<i>[see line 841]</i>
3063	10025158	F	<i>*Non Adherence To Fluid Volume</i>	<i>*Non Adherence To Regime</i>
3064	10022129	DC	<i>*Non Adherence To Fluid Volume</i>	<i>[see line 842]</i>
3065	10025189	F	<i>*Non Adherence To Medication</i>	<i>*Non Adherence To Regime</i>
3066	10032178	F	<i>*Non Adherence To Immunisation Regime</i>	<i>*Non Adherence To Regime</i>
3067	10030026	DC	<i>*Non Adherence To Immunisation Regime</i>	<i>[see line 844]</i>
3068	10021682	DC	<i>*Non Adherence To Medication</i>	<i>[see line 843]</i>
3069	10022155	DC	<i>*Non Adherence To Regime</i>	<i>[see line 838]</i>
3070	10025162	F	<i>*Non Adherence To Safety Precautions</i>	<i>*Non Adherence To Regime</i>
3071	10022140	DC	<i>*Non Adherence To Safety Precautions</i>	<i>[see line 845]</i>
3072	10030057	DC	<i>*Relationship Problem</i>	<i>[see line 851]</i>
3073	10032270	DC	<i>*Risk For Impaired Ability To Perform Caretaking</i>	<i>[see line 2835]</i>
3074	10023195	DC	<i>*Risk For Impaired Fertility</i>	<i>[see line 2866]</i>
3075	10032393	DC	<i>*Risk For Impaired Psychological Status</i>	<i>[see line 71]</i>
3076	10023410	DC	<i>*Self Care Deficit</i>	<i>[see line 2827]</i>
3077	10018389	F	社会的孤立	「社会的状態」の一つ。
		syn	シャカイテキコリツ	
3078	10001647	DC	<i>*Social Isolation</i>	<i>[see line 866]</i>
3079	10018888	F	ストレス	「状態」の一つで、以下の固有の特徴をもつ：精神的・心理的に適切に機能できなくなるほど緊張したり不安になること。不快な気分。不愉快な経験、苦痛、身体的および精神的な疲労、身体的・心理的な状態の乱れに関連する。
3080	10024775	F	<i>*Caregiver Stress</i>	<i>*Stress</i>
3081	10027773	DC	<i>*Caregiver Stress</i>	<i>[see line 869]</i>
3082	10027787	DC	<i>*Risk for Caregiver Stress</i>	<i>[see line 26]</i>
3083	10021742	DC	<i>*Stress Overload</i>	<i>[see line 868]</i>
3084	10001675	DC	<i>*Tendency To Wander</i>	<i>[see line 875]</i>
3085	10026895	F	<i>*Urinary Incontinence</i>	<i>*Continence Status: Involuntary passage of urine, failure of voluntary control over bladder and urethral sphincter.</i>
3086	10026824	F	<i>*Enuresis</i>	<i>*Urinary Incontinence: Involuntary loss of urine during sleep.</i>
3087	10026830	F	<i>*Functional Incontinence</i>	<i>*Urinary Incontinence: Bladder contractions sufficiently strong to result in loss of urine before reaching an appropriate receptacle.</i>
3088	10026778	DC	<i>*Functional</i>	<i>[see line 683]</i>

			<i>Incontinence</i>	
3089	10026922	F	*Overflow Incontinence□	*Urinary Incontinence
3090	10026914	DC	* <i>Overflow Incontinence</i> □	[see line 684]
3091	10026853	F	*Reflex Incontinence□	*Urinary Incontinence: Involuntary loss of urine occurring at somewhat predictable intervals when bladder volume is reached.
3092	10026784	DC	* <i>Reflex Incontinence</i> □	[see line 685]
3093	10026869	F	*Stress Incontinence	*Urinary Incontinence: Involuntary loss of small amounts of urine or dribbling of urine occurring in relation to increased abdominal pressure associated with sneezing, laughing and lifting, hopping, running and exercising.
3094	10026797	DC	* <i>Stress Incontinence</i>	[see line 686]
3095	10026876	F	*Total Urinary Incontinence	*Urinary Incontinence
3096	10026807	DC	* <i>Total Urinary Incontinence</i>	[see line 687]
3097	10026882	F	*Urge Incontinence	*Urinary Incontinence: Involuntary loss of urine occurring rapidly after a strong sense of urgency to void.
3098	10026848	DC	* <i>Risk for Urge Incontinence</i>	[see line 104]
3099	10026811	DC	*Urge Incontinence	*Urge Incontinence
3100	10025686	DC	* <i>Urinary Incontinence</i>	[see line 682]
3101	10034649	F	*Urinary Retention	*Urinary Retention
3102	10034654	DC	* <i>Urinary Retention</i>	[see line 688]
3103	10024897	F	*Weakness	*Impaired Status
3104	10022880	DC	* <i>Weakness</i>	[see line 880]
3105	10010416	F	健全性	「状態」の一つで、以下の固有の特徴をもつ：正直、道徳的に正しい、完全、しっかりした、信頼できるなどの特性と態度から成る。素直に感謝し、身勝手、利己的ではない。
			<i>syn</i>	ケンゼンセイ
3106	10003530	F	組織統合性	「健全性」の一つ。
			<i>syn</i>	ソシキトウゴウセイ
3107	10028474	F	*Effective Body Tissue□	*Tissue Integrity
3108	10028555	DC	* <i>Effective Body Tissue</i> □	[see line 932]
3109	10012578	F	* <i>Impaired Body Tissue Integrity</i>	[see line 3012]
3110	10018241	F	皮膚統合性	「健全性」の一つ。
			<i>syn</i>	ヒフトウゴウセイ
3111	10028501	DC	* <i>Effective Skin Integrity</i> □	[see line 934]
3112	10001290	DC	* <i>Impaired Skin Integrity</i>	[see line 727]
3113	10015237	DC	* <i>Risk For Impaired Skin Integrity</i>	[see line 3014]
3114	10025382	F	*Job Satisfaction	*Status
3115	10011042	F	知識	「状態」の一つで、以下の固有の特徴をもつ：獲得した知恵、学習した情報やスキルに基づく思考の具体的内容。情報の知覚と認識。
			<i>syn</i>	チシキ
3116	10014885	F	*Adequate Knowledge	*Knowledge
3117	10027112	DC	* <i>Adequate Knowledge</i>	[see line 894]
3118	10008753	F	健康知識	「知識」の一つで、以下の固有の特徴をもつ：一般的な健康問題、健康的な習慣、利用可能な保健サービスに関する認識。疾患の徴候および症状を認識する能力。重要他者との情報の共有。
			<i>syn</i>	ケンコウチシキ
3119	10024907	F	*Knowledge Of Behaviour Change Process	*Knowledge
3120	10024734	DC	* <i>Knowledge Deficit Of Behaviour Change Process</i>	[see line 774]
3121	10024723	DC	* <i>Knowledge Of Behaviour Change Process</i>	[see line 895]
3122	10031619	F	*Knowledge Of Breast Feeding	*Knowledge
3123	10029958	DC	* <i>Lack of Knowledge of Breast Feeding</i>	[see line 776]
3124	10031626	F	*Knowledge Of Child Development	*Knowledge
3125	10029962	DC	* <i>Lack Of Knowledge Of Child Development</i>	[see line 675]

3126	10027363	F	*Knowledge Of Community Service	*Knowledge
3127	10028627	DC	<i>*Knowledge Of Community Service</i>	<i>[see line 896]</i>
3128	10027371	DC	<i>*Lack of Knowledge Of Community Service</i>	<i>[see line 3049]</i>
3129	10021871	F	*Knowledge Of Diagnostic Test	*Knowledge
3130	10023764	DC	<i>*Knowledge Of Diagnostic Test</i>	<i>[see line 897]</i>
3131	10021987	DC	<i>*Lack Of Knowledge Of Diagnostic Test</i>	<i>[see line 777]</i>
3132	10021960	F	*Knowledge Of Fluid Volume	*Knowledge
3133	10028636	DC	<i>*Knowledge Of Fluid Volume</i>	<i>[see line 898]</i>
3134	10022004	DC	<i>*Lack Of Knowledge Of Fluid Volume</i>	<i>[see line 779]</i>
3135	10026659	F	*Knowledge Of Medication	*Knowledge
3136	10025968	DC	<i>*Knowledge Of Medication</i>	<i>[see line 899]</i>
3137	10025975	DC	<i>*Lack Of Knowledge Of Medication</i>	<i>[see line 780]</i>
3138	10031635	F	*Knowledge Of Oral Hygiene	*Knowledge
3139	10030246	DC	<i>*Knowledge of Oral Hygiene</i>	<i>[see line 900]</i>
3140	10029970	DC	<i>*Lack of Knowledge of Oral Hygiene</i>	<i>[see line 781]</i>
3141	10034259	F	*Knowledge of Pain Management	*Knowledge
3142	10033750	DC	<i>*Knowledge of Pain Management</i>	<i>[see line 901]</i>
3143	10021956	F	*Knowledge Of Pathological Process	*Knowledge
3144	10023826	DC	<i>*Knowledge Of Pathological Process</i>	<i>[see line 902]</i>
3145	10021994	DC	<i>*Lack Of Knowledge Of Disease</i>	<i>[see line 778]</i>
3146	10034263	F	*Knowledge Of Psychosocial Response To Procedure	*Knowledge
3147	10033766	DC	<i>*Knowledge Of Psychosocial Response To Procedure</i>	<i>[see line 993]</i>
3148	10021892	F	*Knowledge Of Regime	*Knowledge
3149	10021902	F	*Knowledge Of Dietary Regime	*Knowledge Of Regime
3150	10023772	DC	<i>*Knowledge Of Dietary Regime</i>	<i>[see line 907]</i>
3151	10021939	DC	<i>*Lack Of Knowledge Of Dietary Regime</i>	<i>[see line 786]</i>
3152	10023793	F	*Knowledge Of Exercise Regime	*Knowledge Of Regime
3153	10022585	DC	<i>*Knowledge Deficit About Exercise</i>	<i>[see line 785]</i>
3154	10023786	DC	<i>*Knowledge Of Exercise</i>	<i>[see line 908]</i>
3155	10021918	F	*Knowledge Of Medication Regime	*Knowledge Of Regime
3156	10023819	DC	<i>*Knowledge Of Medication Regime</i>	<i>[see line 909]</i>
3157	10021941	DC	<i>*Lack Of Knowledge Of Medication Regime</i>	<i>[see line 787]</i>
3158	10031642	F	*Knowledge Of Peritoneal Dialysis	*Knowledge
3159	10029989	DC	<i>*Lack of Knowledge of Peritoneal Dialysis</i>	<i>[see line 788]</i>
3160	10025733	DC	<i>*Knowledge Of Treatment Regime</i>	<i>[see line 906]</i>
3161	10021925	DC	<i>*Lack Of Knowledge Of Treatment Regime</i>	<i>[see line 784]</i>
3162	10034271	F	*Knowledge of Response to Procedure	*Knowledge
3163	10033778	DC	<i>*Knowledge of Response to Procedure</i>	<i>[see line 904]</i>
3164	10021973	F	*Knowledge Of Safety Measure	*Knowledge
3165	10028643	DC	<i>*Knowledge Of Safety Measure</i>	<i>[see line 775]</i>

3166	10022015	DC	<i>*Lack Of Knowledge Of Safety Measure</i>	<i>[see line 782]</i>
3167	10031657	F	<i>*Knowledge Of Sexual Behaviour</i>	<i>*Knowledge</i>
3168	10030251	DC	<i>*Knowledge Of Sexual Behaviour</i>	<i>[see line 905]</i>
3169	10029991	DC	<i>*Lack Of Knowledge of Sexual Behaviour</i>	<i>[see line 783]</i>
3170	10011026	F	創傷ケアの知識	「知識」の一つ。
		<i>syn</i>	ソウショウケアノチシキ	
3171	10033784	DC	<i>*Knowledge of Wound Care</i>	<i>[see line 910]</i>
3172	10011035	F	創傷治癒の知識	「知識」の一つ。
		<i>syn</i>	ソウショウチュノチシキ	
3173	10000837	DC	<i>*Lack Of Knowledge</i>	<i>[see line 3048]</i>
3174	10011163	L	側性	「場所」の一つ。
		<i>syn</i>	ソクセイ	
3175	10011171	L	手術の側性	「側性」の一つ。
		<i>syn</i>	シュジュツノソクセイ	
3176	10011331	F	寿命	「状態」の一つで、以下の固有の特徴をもつ：生きて生まれた特定の集団における、死亡時の平均年齢。
		<i>syn</i>	ジュミョウ	
3177	10011747	F	結婚満足度	「状態」の一つで、以下の固有の特徴をもつ：家族内の夫婦間またはカップル間における、欲求の継続的な充足、情緒的な満足、認め合い。
		<i>syn</i>	ケツコンマンゾクド	
3178	10012495	F	欲求	「状態」の一つ。
		<i>syn</i>	ヨッキュウ	
3179	10005946	F	食餌療法の必要性	「欲求」の一つ。
		<i>syn</i>	ショクジリョウホウノヒツヨウセイ	
3180	10013419	F	栄養学的状態	「生理学的状態」の一つで、以下の固有の特徴をもつ：栄養および特定の栄養素の摂取に関連した体重と体質量（ボディ・マス）。身長、体格、年齢から測定される。
		<i>syn</i>	エイヨウガクテキジョウタイ	
3181	10008043	F	排液量	「栄養学的状態」の一つ。
		<i>syn</i>	ハイエキリョウ	
3182	10008062	F	体液量	「栄養学的状態」の一つで、以下の固有の特徴をもつ：生体プロセスと恒常性維持機構の総和で、体液の保持と排泄の制御が関わっている（例：体細胞内の水・電解質の量とバランス）。
		<i>syn</i>	タイエキリョウ	
3183	10014871	F	<i>*Adequate Hydration</i>	<i>*Fluid Volume</i>
3184	10025115	DC	<i>*Adequate Hydration</i>	<i>[see line 1076]</i>
3185	10012739	F	<i>*Impaired Fluid Volume</i>	<i>[see line 3025]</i>
3186	10012804	F	<i>*Impaired Nutritional Status</i>	<i>[see line 3024]</i>
3187	10013403	F	栄養	「栄養学的状態」の一つで、以下の固有の特徴をもつ：体内に摂取される栄養素または食物の質と量。
		<i>syn</i>	エイヨウ	
3188	10008015	F	水分摂取	「栄養」の一つで、以下の固有の特徴をもつ：成長、および生命の正常機能と維持に必要な、栄養のある液体と水を取り入れる過程。
		<i>syn</i>	スイブンセツシュ	
3189	10029873	DC	<i>*Impaired Fluid Intake</i>	<i>[see line 664]</i>
3190	10008101	F	食物摂取	「栄養」の一つで、以下の固有の特徴をもつ：成長、および生命の正常機能と維持に必要な、タンパク質、ミネラル、炭水化物、脂質、ビタミンなどの栄養素を取り入れる過程。
		<i>syn</i>	ショクモツセツシュ	
3191	10000607	DC	<i>*Deficient Food Intake</i>	<i>[see line 668]</i>
3192	10000682	DC	<i>*Excess Food Intake</i>	<i>[see line 666]</i>
3193	10023021	DC	<i>*Risk For Deficient Food Intake</i>	<i>[see line 90]</i>
3194	10015114	DC	<i>*Risk For Excess Food Intake</i>	<i>[see line 88]</i>
3195	10023009	DC	<i>*Impaired Nutritional Intake</i>	<i>[see line 663]</i>
3196	10023013	DC	<i>*Risk For Nutritional Deficit</i>	<i>[see line 3029]</i>
3197	10014892	F	<i>*Positive Nutritional Status</i>	<i>*Nutritional Status</i>
3198	10014871	F	<i>*Adequate Hydration</i>	<i>[see line 3183]</i>
3199	10025002	DC	<i>*Positive Nutritional Status</i>	<i>[see line 1075]</i>

3200	10013810	F	見当識		「神経学的状態」の一つで、以下の固有の特徴をもつ：年・季節・月・日・正確な時刻などの時間、国・州（県）・都市・職場・家庭など任意の時点における場所や年齢、誕生日など自分自身のアイデンティティ、または周囲の人々の認識によって、周囲との関係を確かめること。
		<i>syn</i>	セントウシキ		
3201	10001235	DC	<i>*Disorientation</i>		[see line 2986]
3202	10014483	F	身体の大きさ		「生理学的状態」の一つ。
		<i>syn</i>	シントイノオオキサ		
3203	10008912	F	身長		「身体の大きさ」の一つ。
		<i>syn</i>	シンチョウ		
3204	10010640	F	頭蓋内許容量		「身体の大きさ」の一つ。
		<i>syn</i>	ズガイナイキョウウリョウ		
3205	10000828	DC	<i>*Decreased Intracranial Adaptive Capacity</i>		[see line 2980]
3206	10028071	DC	<i>*Effective Intracranial Adaptive Capacity</i>		[see line 974]
3207	10011312	F	長さ		「身体の大きさ」の一つ。
		<i>syn</i>	ナガサ		
3208	10015608	F	圧		「身体の大きさ」の一つ。
		<i>syn</i>	アツ		
3209	10003335	F	血圧		「圧」の一つで、以下の固有の特徴をもつ：体循環、肺循環、心臓循環において循環血液が血管壁に及ぼす圧。
		<i>syn</i>	ケツアツ		
3210	10022954	DC	<i>*Altered Blood Pressure</i>		[see line 2969]
3211	10003342	F	血圧サイン		「バイタルサイン」の一つで、以下の固有の特徴をもつ：血圧の測定値。単位はmmHg。
		<i>syn</i>	ケツアツサイン		
3212	10027647	DC	<i>*Effective Blood Pressure</i>		[see line 930]
3213	10010655	F	頭蓋内圧		「圧」の一つ。
		<i>syn</i>	ズガイナイアツ		
3214	10025395	DC	<i>*Increased Intracranial Pressure</i>		[see line 3046]
3215	10019556	F	温度		「身体の大きさ」の一つ。
		<i>syn</i>	オンド		
3216	10003507	F	体温		「温度」の一つで、以下の固有の特徴をもつ：身体の代謝に伴う体熱のことで、一定のレベルで維持されるが、睡眠中や休息中に比べ日中はやや高い。
		<i>syn</i>	タイオン		
3217	10003511	F	体温度		「バイタルサイン」の一つ。
		<i>syn</i>	タイオンド		
3218	10027652	DC	<i>*Effective Body Temperature</i>		[see line 931]
3219	10021034	F	体重		「身体の大きさ」の一つ。
		<i>syn</i>	タイジュウ		
3220	10027385	F	<i>*Effective Weight</i>		*Weight
3221	10027392	DC	<i>*Effective Weight</i>		[see line 1023]
3222	10013016	F	<i>*Impaired Weight</i>		[see line 3038]
3223	10014546	F	生理学的状態		「状態」の一つ。
		<i>syn</i>	セイリガクテキジョウタイ		
3224	10000243	F	身体発育能力		[see line 2860]
3225	10003507	F	体温		[see line 3216]
3226	10003927	F	心臓の状態		「生理学的状態」の一つ。
		<i>syn</i>	シンゾウノジョウタイ		
3227	10003887	F	心拍出量		「生理学的状態」の一つで、以下の固有の特徴をもつ：左心室から1分間に送り出される血液量のこと、全身の灌流圧、正常な末梢脈拍、正常なリズム、心音、頸静脈の充満を促進する。活動耐性や活性レベルに関連する。
		<i>syn</i>	シンハクシュツリョウ		
3228	10028689	DC	<i>*Effective Cardiac Output</i>		[see line 936]
3229	10025557	DC	<i>*Impaired Cardiac Output</i>		[see line 674]
3230	10033946	F	<i>*Cardiovascular Status</i>		*Status
3231	10033692	DC	<i>*Effective Cardiovascular Status</i>		[see line 937]
3232	10033979	F	<i>*Endocrine Status</i>		*Status
3233	10033713	DC	<i>*Effective Endocrine Status</i>		[see line 956]

3234	10034122	F	*Gastrointestinal Status	*Status
3235	10027681	F	*Bowel Status	*Status
3236	10027699	F	*Bowel Continence	*Bowel Status
3237	10027739	F	*Bowel Continence	*Bowel Continence
3238	10027741	DC	*Bowel Continence	[see line 963]
3239	10027702	F	*Bowel Incontinence	[see line 2970]
3240	10033732	DC	*Effective Gastrointestinal Status	[see line 962]
3241	10030035	DC	*Impaired Physiological Status	[see line 3030]
3242	10031626	F	*Knowledge Of Child Development	[see line 3124]
3243	10034271	F	*Knowledge of Response to Procedure	[see line 3162]
3244	10011035	F	創傷治癒の知識	[see line 3172]
3245	10034292	F	*Musculoskeletal Status	*Status
3246	10033807	DC	*Effective Musculoskeletal Status	[see line 979]
3247	10013141	F	神経学的状態	「状態」の一つ。
		syn	シンケイガクテキジョウタイ	
3248	10005157	F	疼痛管理	[see line 2921]
3249	10034387	F	*Effective Neurological Status	*Neurological Status
3250	10033811	DC	*Effective Neurological Status	[see line 986]
3251	10012787	F	*Impaired Neurological Status	[see line 3021]
3252	10024035	F	*Sensory Ability	[see line 2870]
3253	10001545	DC	*Readiness For Effective Sleep	[see line 1091]
3254	10016962	F	呼吸状態	「生理学的状態」の一つ。
		syn	コキュウジョウタイ	
3255	10033830	DC	*Effective Respiratory Status	[see line 1003]
3256	10019750	F	組織灌流状態	「生理学的状態」の一つ。
		syn	ソシキカンリュウジョウタイ	
3257	10026766	F	*Urinary Status	*Status
3258	10001566	DC	*Readiness For Positive Urination	[see line 1098]
3259	10026663	F	*Urinary Continence	*Urinary Status
3260	10026745	F	*Urinary Continence	*Continence Status
3261	10027836	DC	*Urinary Continence	[see line 1101]
3262	10026895	F	*Urinary Incontinence	[see line 3085]
3263	10034631	F	*Urinary Retention	*Urinary Status: Involuntary accumulation of urine in bladder, incomplete emptying of bladder associated with a loss of muscle function in bladder, side effects of narcotics or damage to bladder.
3264	10034649	F	*Urinary Retention	[see line 3101]
3265	10014960	F	*Positive Status	*Status
3266	10021828	DC	*Ability To Adjust	[see line 2763]
3267	10034547	DC	*Ability to Manage Finances	[see line 2775]
3268	10025655	DC	*Ability To Perform Caretaking	[see line 2833]
3269	10023452	DC	*Ability To Perform Health Maintenance	[see line 2837]
3270	10030137	DC	*Ability To Prepare Food	[see line 2846]
3271	10034575	DC	*Ability to Shop	[see line 2852]
3272	10028305	DC	*Ability To Thrive	[see line 2861]
3273	10023499	DC	*Acceptance Of Health Status	[see line 2886]
3274	10024878	F	*Activity Tolerance	*Positive Status
3275	10027634	DC	*Effective Activity Tolerance	[see line 927]
3276	10014885	F	*Adequate Knowledge	[see line 3116]
3277	10030298	F	*Adherence	*Positive Status: Self-initiated action to promote wellness, recovery and rehabilitation, following directions without deviation, devoted to a set of actions or behaviours. Compliant with treatment regimen, taking medicine as instructed, behaviour change for the better, signs of healing, collection of medicine on due date, internalisation of the value of health care behaviour and

obeying instructions regarding treatment. (Often associated with support from family and significant others, knowledge about supplied drugs and the disease process, client motivation, client health worker relationship.)

3278	10022210	DC	<i>*Adherence</i>	<i>[see line 912]</i>
3279	10030365	F	<i>*Adherence To Regime</i>	<i>*Adherence</i>
3280	10030308	F	<i>*Adherence To Diagnostic Test</i>	<i>*Adherence To Regime</i>
3281	10030144	DC	<i>*Adherence To Diagnostic Test</i>	<i>[see line 914]</i>
3282	10030312	F	<i>*Adherence To Dietary Regime</i>	<i>*Adherence To Regime</i>
3283	10030159	DC	<i>*Adherence To Dietary Regime</i>	<i>[see line 915]</i>
3284	10030320	F	<i>*Adherence To Exercise Regime</i>	<i>*Adherence To Regime</i>
3285	10030163	DC	<i>*Adherence To Exercise Regime</i>	<i>[see line 916]</i>
3286	10030331	F	<i>*Adherence To Fluid Volume</i>	<i>*Adherence To Regime</i>
3287	10030171	DC	<i>*Adherence To Fluid Volume</i>	<i>[see line 917]</i>
3288	10030354	F	<i>*Adherence To Medication Regime</i>	<i>*Adherence To Regime</i>
3289	10030185	DC	<i>*Adherence To Immunisation Regime</i>	<i>*Adherence To Immunisation Regime</i>
3290	10030349	F	<i>*Adherence To Immunisation Regime</i>	<i>*Adherence To Regime</i>
3291	10030192	DC	<i>*Adherence To Medication Regime</i>	<i>[see line 918]</i>
3292	10033869	F	<i>*Adherence To Rehabilitation Regime</i>	<i>*Adherence To Regime</i>
3293	10033671	DC	<i>*Adherence to Rehabilitation Regime</i>	<i>[see line 919]</i>
3294	10030377	F	<i>*Adherence To Safety Precautions</i>	<i>*Adherence To Regime</i>
3295	10030214	DC	<i>*Adherence To Safety Precautions</i>	<i>[see line 920]</i>
3296	10030205	DC	<i>*Adherence To Therapeutic Regime</i>	<i>[see line 913]</i>
3297	10027739	F	<i>*Bowel Continence</i>	<i>[see line 3237]</i>
3298	10025330	F	<i>*Comfortable</i>	<i>[see line 2907]</i>
3299	10014790	F	<i>*Effective Ability To Communicate</i>	<i>[see line 2771]</i>
3300	10028248	DC	<i>*Effective Ability to Perform Homemaking</i>	<i>[see line 2840]</i>
3301	10028346	DC	<i>*Effective Alertness</i>	<i>[see line 2893]</i>
3302	10027647	DC	<i>*Effective Blood Pressure</i>	<i>[see line 3212]</i>
3303	10027652	DC	<i>*Effective Body Temperature</i>	<i>[see line 3218]</i>
3304	10028474	F	<i>*Effective Body Tissue Integrity</i>	<i>[see line 3107]</i>
3305	10028689	DC	<i>*Effective Cardiac Output</i>	<i>[see line 3228]</i>
3306	10033692	DC	<i>*Effective Cardiovascular Status</i>	<i>[see line 3231]</i>
3307	10033713	DC	<i>*Effective Endocrine Status</i>	<i>[see line 3233]</i>
3308	10030233	DC	<i>*Effective Environmental Safety</i>	<i>[see line 958]</i>
3309	10033732	DC	<i>*Effective Gastrointestinal Status</i>	<i>[see line 3240]</i>
3310	10033745	DC	<i>*Effective Genitourinary Status</i>	<i>[see line 2942]</i>
3311	10028071	DC	<i>*Effective Intracranial Adaptive Capacity</i>	<i>[see line 3206]</i>
3312	10028461	DC	<i>*Effective Mobility</i>	<i>[see line 2788]</i>
3313	10033807	DC	<i>*Effective Musculoskeletal Status</i>	<i>[see line 3246]</i>
3314	10034387	F	<i>*Effective Neurological Status</i>	<i>[see line 3249]</i>
3315	10028276	DC	<i>*Effective Protective Ability</i>	<i>[see line 2849]</i>
3316	10028662	DC	<i>*Effective Psychological Status</i>	<i>[see line 992]</i>
3317	10033830	DC	<i>*Effective Respiratory Status</i>	<i>[see line 3255]</i>

3318	10027940	DC	<i>*Effective Role Performance</i>	[see line 2843]
3319	10030280	DC	<i>*Effective Social Status</i>	[see line 1014]
3320	10028282	DC	<i>*Effective Socialisation</i>	[see line 2855]
3321	10028529	DC	<i>*Effective Spiritual Status</i>	[see line 1016]
3322	10028691	DC	<i>*Effective Surgical Recovery</i>	[see line 1017]
3323	10028295	DC	<i>*Effective Swallowing</i>	[see line 2858]
3324	10027385	F	<i>*Effective Weight</i>	[see line 3220]
3325	10026721	J	<i>*Independence</i>	[see line 2930]
3326	10014800	F	<i>*Positive Ability To Manage Regime</i>	[see line 2779]
3327	10025311	F	<i>*Positive Ability to Perform Self Care</i>	[see line 2825]
3328	10029229	DC	<i>*Positive Heart Rate</i>	[see line 1074]
3329	10014892	F	<i>*Positive Nutritional Status</i>	[see line 3197]
3330	10025590	DC	<i>*Privacy</i>	[see line 2961]
3331	10001448	DC	<i>*Readiness For Ability To Manage Regime</i>	[see line 1084]
3332	10025284	DC	<i>*Readiness For Comfort</i>	[see line 1085]
3333	10030267	DC	<i>*Readiness For Discharge</i>	[see line 1086]
3334	10001430	DC	<i>*Readiness For Effective Communication</i>	[see line 1087]
3335	10001482	DC	<i>*Readiness For Effective Family Process</i>	[see line 1088]
3336	10025250	DC	<i>*Readiness For Effective Self Care</i>	[see line 1090]
3337	10001545	DC	<i>*Readiness For Effective Sleep</i>	[see line 3253]
3338	10033824	DC	<i>*Readiness For Effective Spiritual Status</i>	[see line 1092]
3339	10001509	DC	<i>*Readiness For Knowledge</i>	[see line 1093]
3340	10001424	DC	<i>*Readiness For Organised Infant Behaviour</i>	[see line 1094]
3341	10001513	DC	<i>*Readiness For Positive Nutritional Status</i>	[see line 1095]
3342	10001521	DC	<i>*Readiness For Positive Parenting</i>	[see line 1097]
3343	10001566	DC	<i>*Readiness For Positive Urination</i>	[see line 3258]
3344	10025820	DC	<i>*Symptom Control</i>	[see line 2925]
3345	10026745	F	<i>*Urinary Continence</i>	[see line 3260]
3346	10015547	J	<i>*Presence Or Absence</i>	<i>*Status</i>
3347	10015552	F	<i>*Presence Or Absence Of Corrective Device</i>	<i>*Presence Or Absence</i>
3348	10015568	F	<i>*Presence Or Absence Of Implantable Cardiac Device</i>	<i>*Presence Or Absence</i>
3349	10015988	F	心理学的状態	「状態」の一つ。
		syn	シンリガクテキジョウタイ	
3350	10031015	F	<i>*Anger Control</i>	[see line 2920]
3351	10028662	DC	<i>*Effective Psychological Status</i>	[see line 3316]
3352	10028754	DC	<i>*Impaired Psychological Status</i>	[see line 3032]
3353	10034263	F	<i>*Knowledge Of Psychosocial Response To Procedure</i>	[see line 3146]
3354	10032393	DC	<i>*Risk For Impaired Psychological Status</i>	[see line 3075]
3355	10016390	F	率	「状態」の一つ。
		syn	リツ	
3356	10003272	F	出生率	「率」の一つで、以下の固有の特徴をもつ：人口1,000人当たりの年間の出生児数。
		syn	シュウショウリツ	
3357	10003326	F	血流速度	「率」の一つで、以下の固有の特徴をもつ：体組織を循環する血液の量。
		syn	ケツリュウソクド	
3358	10030504	F	<i>*Arterial Blood Flow</i>	<i>*Blood Flow Rate</i>
3359	10005375	F	犯罪発生率	「率」の一つで、以下の固有の特徴をもつ：コミュニティ内で発生する犯罪の相対的な割合。
		syn	ハンザイハッセイリツ	
3360	10005573	F	死亡率	「率」の一つで、以下の固有の特徴をもつ：人の死の相対的な割合。

3361	10010073	<i>syn</i> F	シボウリツ 乳児死亡率	「死亡率」の一つで、以下の固有の特徴をもつ：乳幼児の死亡の相対的な割合。
3362	10011781	<i>syn</i> F	ニュウジシボウリツ 妊産婦死亡率	「死亡率」の一つで、以下の固有の特徴をもつ：出産時に死亡する女性の相対的な割合。
3363	10014338	<i>syn</i> F	ニンサンブシボウリツ 周産期死亡率	「死亡率」の一つで、以下の固有の特徴をもつ：周産期の死亡（妊娠28週目または28週以降の死産、生後1週間未満の乳児の死亡）の相対的な割合。
3364	10006636	<i>syn</i> F	シュウサンキシボウリツ 高齢者率	「率」の一つで、以下の固有の特徴をもつ：高齢者の相対的な割合。
3365	10008833	<i>syn</i> F	コウレイシャリツ 心拍数	「率」の一つ。
3366	10002440	<i>syn</i> F	シンパクスウ 心尖拍動数	「心拍数」の一つ。
3367	10008846	<i>syn</i> F	シンセンハクドウスウ 心拍数バイタルサイン	「心拍数」の一つ。
3368	10029229	<i>syn</i> DC	シンパクスウバイタルサイン *Positive Heart Rate	[see line 3328]
3369	10009791	F	予防接種実施率	「率」の一つで、以下の固有の特徴をもつ：特定の疾病について予防接種を受ける人の相対的な割合。
3370	10009926	<i>syn</i> F	ヨボウセッシュジツシリツ 罹患率	「率」の一つで、以下の固有の特徴をもつ：特定の疾病にかかる人の相対的な割合。
3371	10004686	<i>syn</i> F	リカンリツ 伝染病発生率	「罹患率」の一つで、以下の固有の特徴をもつ：人または動物から別の人へうつる感染症に罹患した人の数値的な割合。
3372	10010297	<i>syn</i> F	デンセンビョウハッセイリツ 受傷率	「率」の一つで、以下の固有の特徴をもつ：特定の期間の定められた集団において、意図的または事故による身体的危害または体組織の損傷が発生する頻度。
3373	10011320	<i>syn</i> F	ジュショウリツ 貧困度	「率」の一つで、以下の固有の特徴をもつ：コミュニティもしくは社会の構成員のうち、期待されるレベルの基本的ニーズを満たすために必要な金銭的・物質的資源が欠乏している人の相対的な割合。
3374	10011396	<i>syn</i> F	ヒンコンド 識字率	「率」の一つで、以下の固有の特徴をもつ：コミュニティまたは集団の中で、読み書きができる人の相対的な割合。
3375	10012051	<i>syn</i> F	シキジリツ 移住率	「率」の一つで、以下の固有の特徴をもつ：ある特定地域の人口1,000人当たりの、一年間に他の地域から移住してきた、または他の地域へ移住した人の数。
3376	10016134	<i>syn</i> F	イジュウリツ 脈拍数	「率」の一つ。
3377	10014215	<i>syn</i> F	ミャクハクスウ 足背脈拍数	「脈拍数」の一つ。
3378	10016255	<i>syn</i> F	ソクハイミャクハクスウ 橈骨動脈拍数	「脈拍数」の一つ。
3379	10016904	<i>syn</i> F	トウコツドウミャクハクスウ 呼吸数	「率」の一つで、以下の固有の特徴をもつ：（通常1分間の）呼吸数。
3380	10020271	<i>syn</i> F	コキュウスウ 失業率	「率」の一つで、以下の固有の特徴をもつ：収入のある仕事を得られない人の相対的な数。
3381	10016405	<i>syn</i> F	シツギョウリツ 比率	「状態」の一つ。
3382	10014262	<i>syn</i> F	ヒリツ 体脂肪率	「生理学的状態」の一つ。
3383	10014742	<i>syn</i> F	タイシボウリツ 人口密度	「状態」の一つで、以下の固有の特徴をもつ：土地一区画当たりの人数。
3384	10016414	<i>syn</i> F	ジンコウミツド 準備状態	「状態」の一つで、以下の固有の特徴をもつ：行動または進展に対して準備ができていたりまたは利用可能な状態であること。
		<i>syn</i>	ジュンビジョウタイ	

3385	10001448	DC	<i>*Readiness For Ability To Manage Regime</i>	[see line 3331]
3386	10025284	DC	<i>*Readiness For Comfort</i>	[see line 3332]
3387	10030267	DC	<i>*Readiness For Discharge</i>	[see line 3333]
3388	10001430	DC	<i>*Readiness For Effective Communication</i>	[see line 3334]
3389	10001469	DC	<i>*Readiness For Effective Coping</i>	[see line 994]
3390	10025278	DC	<i>*Readiness For Effective Decision Making</i>	[see line 997]
3391	10001482	DC	<i>*Readiness For Effective Family Process</i>	[see line 3335]
3392	10025250	DC	<i>*Readiness For Effective Self Care</i>	[see line 3336]
3393	10001545	DC	<i>*Readiness For Effective Sleep</i>	[see line 3337]
3394	10033824	DC	<i>*Readiness For Effective Spiritual Status</i>	[see line 3338]
3395	10025266	DC	<i>*Readiness For Hope</i>	[see line 998]
3396	10001509	DC	<i>*Readiness For Knowledge</i>	[see line 3339]
3397	10001424	DC	<i>*Readiness For Organised Infant Behaviour</i>	[see line 3340]
3398	10001513	DC	<i>*Readiness For Positive Nutritional Status</i>	[see line 3341]
3399	10001521	DC	<i>*Readiness For Positive Parenting</i>	[see line 3342]
3400	10021726	DC	<i>*Readiness For Positive Religious Belief</i>	[see line 999]
3401	10001532	DC	<i>*Readiness For Positive Self Image</i>	[see line 1000]
3402	10001566	DC	<i>*Readiness For Positive Urination</i>	[see line 3343]
3403	10016422	F	学習準備状態	「準備状態」の一つ。
		<i>syn</i>	ガクシュウジュンビジョウタイ	
3404	10016507	F	回復	「状態」の一つで、以下の固有の特徴をもつ：活力を得る、取り戻す。健康で正常な生活に戻ることに。
		<i>syn</i>	カイクク	
3405	10006777	F	情緒的回復	「回復」の一つ。
		<i>syn</i>	ジョウチョテキカイク	
3406	10007928	F	経済的回復	「回復」の一つ。
		<i>syn</i>	ケイザイテキカイク	
3407	10014496	F	身体的回復	「回復」の一つ。
		<i>syn</i>	シンタイテキカイク	
3408	10017983	F	性的回復	「回復」の一つ。
		<i>syn</i>	セイテキカイク	
3409	10019249	F	術後の回復	「回復」の一つ。
		<i>syn</i>	ジュツゴノカイク	
3410	10001328	DC	<i>*Delayed Surgical Recovery</i>	[see line 2981]
3411	10028691	DC	<i>*Effective Surgical Recovery</i>	[see line 3322]
3412	10032624	F	<i>*Relationship Status</i>	<i>*Status</i>
3413	10030057	DC	<i>*Relationship Problem</i>	[see line 3072]
3414	10017091	F	反応性	「神経学的状態」の一つで、以下の固有の特徴をもつ：刺激に対する反応。
		<i>syn</i>	ハンノウセイ	
3415	10017210	F	リズム	「状態」の一つ。
3416	10003904	F	心調律	「リズム」の一つ。
		<i>syn</i>	シンチョウリツ	
3417	10016915	F	呼吸リズム	「リズム」の一つ。
		<i>syn</i>	コキウリズム	
3418	10032676	F	<i>*Safety</i>	<i>*Status</i>
3419	10032682	F	<i>*Device Safety</i>	<i>*Safety</i>
3420	10031247	F	<i>*Environmental Safety</i>	<i>*Safety</i>
3421	10030233	DC	<i>*Effective Environmental Safety</i>	[see line 3308]
3422	10029856	DC	<i>*Environmental Safety Problem</i>	[see line 2987]
3423	10031397	F	<i>*House Safety</i>	[see line 2950]
3424	10018410	F	社会的状態	「状態」の一つ。
		<i>syn</i>	シャカイトキジョウタイ	

3425	10030280	DC	<i>*Effective Social Status</i> □	[see line 3319]
3426	10030061	DC	<i>*Impaired Social Status</i>	[see line 3034]
3427	10018614	F	精神的状態	「状態」の一つ。
		<i>syn</i>	セイシンテキジョウタイ	
3428	10028529	DC	<i>*Effective Spiritual Status</i> □	[see line 3321]
3429	10023336	DC	<i>*Impaired Spiritual Status</i>	[see line 3036]
3430	10019296	F	感受性	「状態」の一つ。
		<i>syn</i>	カンジュセイ	
3431	10019306	F	易感染性	「感受性」の一つ。
		<i>syn</i>	エキカンセンセイ	
3432	10019560	F	傾向	「状態」の一つ。
		<i>syn</i>	ケイコウ	
3433	10019573	F	徘徊傾向	「傾向」の一つ。
		<i>syn</i>	ハイカイケイコウ	
3434	10001675	DC	<i>*Tendency To Wander</i>	[see line 3084]
3435	10001986	F	<i>*Collection Of Acts</i>	<i>*Action</i>
3436	10017908	F	サービス	「作用」の一つで、以下の固有の特徴をもつ：公衆のニーズや人々の共通の便益を支えるシステムの利用可能性、割り当て、流通。
3437	10004722	F	通信サービス	「サービス」の一つで、以下の固有の特徴をもつ：メッセージを送るための電子的・機械的手段の提供。
		<i>syn</i>	ツウシンサービス	
3438	10004808	M	コミュニティ給食サービス	「保健医療サービス」の一つ。
		<i>syn</i>	コミュニティキュウショクサービス	
3439	10027359	F	<i>*Community Service</i>	<i>*Service</i>
3440	10006572	F	教育サービス	「サービス」の一つで、以下の固有の特徴をもつ：教育に関する、および知識、専門知識、職業的・芸術的技能の取得・維持・向上に関するサービスや事業の提供。
		<i>syn</i>	キョウイクサービス	
3441	10006783	F	雇用サービス	「サービス」の一つで、以下の固有の特徴をもつ：人々を経済的に支えるために必要な賃金や給与を供与できる仕事、ビジネス、パートナーシップ、企業取引、専門的雇用、その他ベンチャー、事業などの機会を提供すること。
		<i>syn</i>	コヨウサービス	
3442	10006921	F	エネルギーサービス	「サービス」の一つで、以下の固有の特徴をもつ：人々のニーズに対応するために必要な暖房用・照明用のエネルギーを提供すること。
3443	10007633	M	家族計画サービス	「保健医療サービス」の一つ。
		<i>syn</i>	カゾクケイカクサービス	
3444	10008281	F	葬儀関連サービス	「サービス」の一つ。
		<i>syn</i>	ソウギカンレンサービス	
3445	10008795	M	保健医療サービス	[see line 1253]
3446	10009053	M	在宅ケアサービス	[see line 1264]
3447	10009180	F	住宅サービス	「サービス」の一つで、以下の固有の特徴をもつ：公衆のニーズを支えるために必要な、適切な避難所、住まい、集合住宅、家を提供すること。
		<i>syn</i>	ジュウタクサービス	
3448	10011280	F	司法サービス	「サービス」の一つ。
		<i>syn</i>	シホウサービス	
3449	10014719	F	警察サービス	「サービス」の一つで、以下の固有の特徴をもつ：市民を保護し、市民を傷害や危険から守り、犯罪を発見・防止する任務を負う機関とその職員。
		<i>syn</i>	ケイサツサービス	
3450	10016737	F	宗教的サービス	「サービス」の一つ。
		<i>syn</i>	シュウキョウテキサービス	
3451	10020069	F	交通サービス	「サービス」の一つで、以下の固有の特徴をもつ：人々の交通ニーズを満たすために、手ごろな価格で利用できるサービスを提供すること。
		<i>syn</i>	コウツウサービス	
3452	10034599	DC	<i>*Access to Transportation</i>	[see line 893]
3453	10022822	DC	<i>*Lack Of Transportation</i>	[see line 795]
3454	10020942	F	廃棄物処理サービス	「サービス」の一つで、以下の固有の特徴をもつ：廃棄物を貯蔵・回収・処理・廃棄するための適切なサービスを提供すること。
		<i>syn</i>	ハイキブツショリサービス	
3455	10020961	F	浄水サービス	「サービス」の一つで、以下の固有の特徴をもつ：水の汚染物を除去して飲用に適したものにすることを提供するこ

		<i>syn</i>	ジョウスイサービス	
3456	10019628	M	療法	[see line 1351]
3457	10025459	F	*Complication	*Phenomenon
3458	10031384	F	*Hospital Acquired Complication	*Complication
3459	10029894	DC	*Hospital Acquired Complication	[see line 579]
3460	10034394	DC	*Risk for Hospital Acquired Complication	[see line 59]
3461	10022626	DC	*Medication Side Effect□	[see line 830]
3462	10023202	DC	*Risk For Complication With Contraception Use	[see line 27]
3463	10023241	DC	*Risk For Complications During Child Delivery	[see line 28]
3464	10023225	DC	*Risk For Complications During Pregnancy	[see line 29]
3465	10023256	DC	*Risk For Complications Postpartum	[see line 30]
3466	10023218	DC	*Risk For Complications Related To Childbirth	[see line 31]
3467	10005895	F	*Diagnosis and Outcome Phenomenon	*Phenomenon
3468	10025459	F	*Complication	[see line 3457]
3469	10016446	F	*Diagnosis and Outcome	*Diagnosis and Outcome Phenomenon
3470	10034421	F	*Body Process Diagnosis and Outcome	*Body Process
3471	10024930	DC	*Adequate Sleep	[see line 911]
3472	10029697	DC	*Allergy	[see line 503]
3473	10001242	DC	*Altered Perception	[see line 506]
3474	10000496	DC	*Autonomic Dysreflexia□	[see line 519]
3475	10027274	DC	*Bradycardia	[see line 520]
3476	10029728	DC	*Breast Engorgement	[see line 521]
3477	10034926	DC	*Delayed Growth	[see line 539]
3478	10005967	DC	尊厳死	[see line 922]
3479	10025209	DC	*Disuse Response	[see line 546]
3480	10033663	DC	*Effective Acid Base Balance□	[see line 926]
3481	10033685	DC	*Effective Blood Glucose Level□	[see line 929]
3482	10028380	DC	*Effective Circulatory System□ Process	[see line 939]
3483	10033709	DC	*Effective Electrolyte Balance□	[see line 955]
3484	10028037	DC	*Effective Endocrine System□ Process	[see line 957]
3485	10033721	DC	*Effective Fluid Balance□	[see line 961]
3486	10028016	DC	*Effective Gastrointestinal□ System Process	[see line 964]
3487	10028419	DC	*Effective Growth□	[see line 968]
3488	10028572	DC	*Effective Human Development□	[see line 969]
3489	10028044	DC	*Effective Immune System□ Process	[see line 971]
3490	10028092	DC	*Effective Musculoskeletal□ System Process	[see line 980]
3491	10027675	DC	*Effective Nervous System□ Process	[see line 981]
3492	10027827	DC	*Effective Reproductive System□ Process	[see line 1001]
3493	10028160	DC	*Effective Respiratory System□ Process	[see line 1004]
3494	10033427	DC	*Effective Response to Enteral□ Nutrition	[see line 1009]
3495	10028670	DC	*Effective Response to□ Medication	[see line 1010]
3496	10033848	DC	*Effective Thermoregulation□	[see line 1019]
3497	10028615	DC	*Effective Urinary System□ Process	[see line 1020]
3498	10028141	DC	*Effective Ventilatory Weaning□	[see line 1022]
3499	10022996	DC	*Immunologic Impairment	[see line 582]
3500	10001131	DC	*Impaired Dentition	[see line 627]
3501	10022931	DC	*Impaired Gastrointestinal System Process	[see line 633]
3502	10023260	DC	*Impaired Human Development	[see line 641]

3503	10029943	DC	<i>*Impaired Lactation</i>	<i>[see line 649]</i>
3504	10022642	DC	<i>*Impaired Musculoskeletal Process</i>	<i>[see line 655]</i>
3505	10023153	DC	<i>*Impaired Peripheral Neurovascular Process</i>	<i>[see line 669]</i>
3506	10025087	DC	<i>*Impaired Psychomotor Activity</i>	<i>[see line 691]</i>
3507	10023358	DC	<i>*Impaired Regulatory System Process</i>	<i>[see line 692]</i>
3508	10023362	DC	<i>*Impaired Respiration</i>	<i>[see line 709]</i>
3509	10001288	DC	<i>*Impaired Sexual Functioning</i>	<i>[see line 720]</i>
3510	10001359	DC	<i>*Impaired Urinary System Process</i>	<i>[see line 729]</i>
3511	10001261	DC	<i>*Impaired Ventilatory Weaning</i>	<i>[see line 732]</i>
3512	10001344	DC	<i>*Ineffective Tissue Perfusion□</i>	<i>[see line 761]</i>
3513	10033556	DC	<i>*Lack Of Response to Treatment</i>	<i>[see line 792]</i>
3514	10033415	DC	<i>*Negative Response to Enteral Nutrition</i>	<i>[see line 828]</i>
3515	10033381	DC	<i>*Negative Response to Medication</i>	<i>[see line 829]</i>
3516	10029020	DC	<i>*No Peripheral Oedema</i>	<i>[see line 1044]</i>
3517	10032291	DC	<i>*Risk for Anaphylaxis</i>	<i>[see line 23]</i>
3518	10015024	DC	<i>*Risk For Aspiration</i>	<i>[see line 24]</i>
3519	10015030	DC	<i>*Risk For Autonomic Dysreflexia□</i>	<i>[see line 25]</i>
3520	10015053	DC	<i>*Risk For Constipation</i>	<i>[see line 36]</i>
3521	10027509	DC	<i>*Risk for Deep Vein Thrombosis</i>	<i>[see line 37]</i>
3522	10034935	DC	<i>*Risk For Delayed Growth</i>	<i>[see line 38]</i>
3523	10034957	DC	<i>*Risk For Disproportionate Growth</i>	<i>[see line 53]</i>
3524	10017268	DC	<i>*Risk For Haemorrhaging Process</i>	<i>[see line 58]</i>
3525	10032317	DC	<i>*Risk For Impaired Child Development</i>	<i>[see line 1099]</i>
3526	10033375	DC	<i>*Risk for Impaired Infant Development</i>	<i>[see line 69]</i>
3527	10015228	DC	<i>*Risk For Impaired Peripheral Neurovascular Process</i>	<i>[see line 70]</i>
3528	10023176	DC	<i>*Risk For Impaired Reproductive Function</i>	<i>[see line 73]</i>
3529	10015244	DC	<i>*Risk For Impaired Thermoregulation</i>	<i>[see line 76]</i>
3530	10017281	DC	<i>*Risk For Ineffective Tissue□ Perfusion</i>	<i>[see line 79]</i>
3531	10015167	DC	<i>*Risk For Latex Allergy</i>	<i>[see line 80]</i>
3532	10022977	DC	<i>*Risk For Negative Response to Medication</i>	<i>[see line 82]</i>
3533	10015341	DC	<i>*Risk For Suffocation□</i>	<i>[see line 103]</i>
3534	10027226	DC	<i>*Sleep Deprivation</i>	<i>[see line 865]</i>
3535	10027288	DC	<i>*Tachycardia</i>	<i>[see line 874]</i>
3536	10023389	DC	<i>*Undignified Dying□</i>	<i>[see line 878]</i>
3537	10016467	DC	<i>*Negative Diagnosis and Outcome</i>	<i>[see line 498]</i>
3538	10034432	F	<i>*Non Body and Non Psychological Diagnosis and Outcome</i>	<i>*Diagnosis and Outcome Phenomenon</i>
3539	10021828	DC	<i>*Ability To Adjust</i>	<i>[see line 3266]</i>
3540	10034547	DC	<i>*Ability to Manage Finances</i>	<i>[see line 3267]</i>
3541	10001407	DC	<i>*Ability To Manage Regime</i>	<i>[see line 2780]</i>
3542	10025655	DC	<i>*Ability To Perform Caretaking</i>	<i>[see line 3268]</i>
3543	10023452	DC	<i>*Ability To Perform Health Maintenance</i>	<i>[see line 3269]</i>
3544	10030137	DC	<i>*Ability To Prepare Food</i>	<i>[see line 3270]</i>
3545	10034575	DC	<i>*Ability to Shop</i>	<i>[see line 3271]</i>
3546	10028305	DC	<i>*Ability To Thrive</i>	<i>[see line 3272]</i>
3547	10023499	DC	<i>*Acceptance Of Health Status</i>	<i>[see line 3273]</i>
3548	10034599	DC	<i>*Access to Transportation</i>	<i>[see line 3452]</i>
3549	10000431	DC	<i>*Activity Intolerance</i>	<i>[see line 2967]</i>
3550	10029684	DC	<i>*Acute Health Crisis</i>	<i>[see line 2979]</i>

3551	10027112	DC	<i>*Adequate Knowledge</i>	<i>[see line 3117]</i>
3552	10022210	DC	<i>*Adherence</i>	<i>[see line 3278]</i>
3553	10025705	DC	<i>*Agitation</i>	<i>[see line 2994]</i>
3554	10022954	DC	<i>*Altered Blood Pressure</i>	<i>[see line 3210]</i>
3555	10029737	DC	<i>*Burn Wound</i>	<i>[see line 522]</i>
3556	10025574	DC	<i>*Comfortable</i>	<i>[see line 2908]</i>
3557	10022332	DC	<i>*Communication Barrier</i>	<i>[see line 523]</i>
3558	10022350	DC	<i>*Complex Treatment Regime</i>	<i>[see line 524]</i>
3559	10029759	DC	<i>*Continuity of Care Problem</i>	<i>[see line 2975]</i>
3560	10000828	DC	<i>*Decreased Intracranial Adaptive Capacity</i>	<i>[see line 3205]</i>
3561	10001328	DC	<i>*Delayed Surgical Recovery</i>	<i>[see line 3410]</i>
3562	10029785	DC	<i>*Diabetic Wound</i>	<i>[see line 541]</i>
3563	10023066	DC	<i>*Discomfort</i>	<i>[see line 2985]</i>
3564	10001235	DC	<i>*Disorientation</i>	<i>[see line 3201]</i>
3565	10001149	DC	<i>*Disrupted Energy Field</i>	<i>[see line 545]</i>
3566	10023097	DC	<i>*Disuse Syndrome</i>	<i>[see line 3000]</i>
3567	10029818	DC	<i>*Earwax Problem</i>	<i>[see line 1284]</i>
3568	10025025	DC	<i>*Effective Ability To□ Communicate</i>	<i>[see line 2772]</i>
3569	10028248	DC	<i>*Effective Ability to Perform□ Homemaking</i>	<i>[see line 3300]</i>
3570	10027634	DC	<i>*Effective Activity Tolerance□</i>	<i>[see line 3275]</i>
3571	10028346	DC	<i>*Effective Alertness□</i>	<i>[see line 3301]</i>
3572	10027647	DC	<i>*Effective Blood Pressure□</i>	<i>[see line 3302]</i>
3573	10027652	DC	<i>*Effective Body Temperature□</i>	<i>[see line 3303]</i>
3574	10028555	DC	<i>*Effective Body Tissue Integrity□</i>	<i>[see line 3108]</i>
3575	10027972	DC	<i>*Effective Breathing Pattern□</i>	<i>[see line 935]</i>
3576	10028689	DC	<i>*Effective Cardiac Output□</i>	<i>[see line 3305]</i>
3577	10033692	DC	<i>*Effective Cardiovascular Status□</i>	<i>[see line 3306]</i>
3578	10028658	DC	<i>*Effective Caregiver Child□ Attachment</i>	<i>[see line 938]</i>
3579	10033713	DC	<i>*Effective Endocrine Status□</i>	<i>[see line 3307]</i>
3580	10030233	DC	<i>*Effective Environmental Safety□</i>	<i>[see line 3421]</i>
3581	10033732	DC	<i>*Effective Gastrointestinal□ Status</i>	<i>[see line 3309]</i>
3582	10033745	DC	<i>*Effective Genitourinary Status□</i>	<i>[see line 3310]</i>
3583	10028059	DC	<i>*Effective Infant Feeding□ Behaviour</i>	<i>[see line 972]</i>
3584	10028063	DC	<i>*Effective Interactive Behaviour□</i>	<i>[see line 1603]</i>
3585	10028071	DC	<i>*Effective Intracranial Adaptive□ Capacity</i>	<i>[see line 3311]</i>
3586	10028461	DC	<i>*Effective Mobility□</i>	<i>[see line 3312]</i>
3587	10033807	DC	<i>*Effective Musculoskeletal□ Status</i>	<i>[see line 3313]</i>
3588	10033811	DC	<i>*Effective Neurological Status□</i>	<i>[see line 3250]</i>
3589	10028276	DC	<i>*Effective Protective Ability□</i>	<i>[see line 3315]</i>
3590	10028662	DC	<i>*Effective Psychological Status□</i>	<i>[see line 3351]</i>
3591	10033830	DC	<i>*Effective Respiratory Status□</i>	<i>[see line 3317]</i>
3592	10027940	DC	<i>*Effective Role Performance□</i>	<i>[see line 3318]</i>
3593	10028187	DC	<i>*Effective Sexual Behaviour□</i>	<i>[see line 1012]</i>
3594	10030279	DC	<i>*Effective Sleep Pattern□</i>	<i>[see line 1013]</i>
3595	10030280	DC	<i>*Effective Social Status□</i>	<i>[see line 3425]</i>
3596	10028282	DC	<i>*Effective Socialisation□</i>	<i>[see line 3320]</i>
3597	10028529	DC	<i>*Effective Spiritual Status□</i>	<i>[see line 3428]</i>
3598	10028691	DC	<i>*Effective Surgical Recovery□</i>	<i>[see line 3411]</i>
3599	10028295	DC	<i>*Effective Swallowing□</i>	<i>[see line 3323]</i>
3600	10027392	DC	<i>*Effective Weight□</i>	<i>[see line 3221]</i>
3601	10029856	DC	<i>*Environmental Safety Problem</i>	<i>[see line 3422]</i>
3602	10029405	DC	<i>*Fall</i>	<i>[see line 2635]</i>
3603	10029860	DC	<i>*Financial Problem</i>	<i>[see line 2988]</i>
3604	10000735	DC	<i>*Health Seeking Behaviour</i>	<i>[see line 1025]</i>
3605	10029887	DC	<i>*Homebound</i>	<i>[see line 2990]</i>
3606	10029904	DC	<i>*Housing Problem</i>	<i>[see line 2991]</i>
3607	10022559	DC	<i>*Illiteracy</i>	<i>[see line 3002]</i>

3608	10034552	DC	<i>*Impaired Ability to Manage Finances</i>	<i>[see line 3003]</i>
3609	10000885	DC	<i>*Impaired Ability To Manage Regime</i>	<i>[see line 3004]</i>
3610	10029613	DC	<i>*Impaired Ability To Monitor Disease</i>	<i>[see line 3005]</i>
3611	10029621	DC	<i>*Impaired Ability To Perform Caretaking</i>	<i>[see line 3006]</i>
3612	10029650	DC	<i>*Impaired Ability To Prepare Food</i>	<i>[see line 3007]</i>
3613	10034581	DC	<i>*Impaired Ability to Shop</i>	<i>[see line 3008]</i>
3614	10029480	DC	<i>*Impaired Acceptance Of Health Status</i>	<i>[see line 3009]</i>
3615	10000863	DC	<i>*Impaired Adjustment</i>	<i>[see line 3010]</i>
3616	10027165	DC	<i>*Impaired Alertness</i>	<i>[see line 3011]</i>
3617	10022949	DC	<i>*Impaired Cardiovascular System</i>	<i>[see line 604]</i>
3618	10023370	DC	<i>*Impaired Communication</i>	<i>[see line 3016]</i>
3619	10000918	DC	<i>*Impaired Health Maintenance</i>	<i>[see line 3018]</i>
3620	10000925	DC	<i>*Impaired Homemaking</i>	<i>[see line 3019]</i>
3621	10027430	DC	<i>*Impaired Interactive Behaviour</i>	<i>[see line 1604]</i>
3622	10001219	DC	<i>*Impaired Mobility</i>	<i>[see line 3020]</i>
3623	10025746	DC	<i>*Impaired Nutritional Status</i>	<i>[see line 3028]</i>
3624	10030035	DC	<i>*Impaired Physiological Status</i>	<i>[see line 3241]</i>
3625	10001014	DC	<i>*Impaired Protective Ability</i>	<i>[see line 3031]</i>
3626	10028754	DC	<i>*Impaired Psychological Status</i>	<i>[see line 3352]</i>
3627	10000941	DC	<i>*Impaired Role Performance</i>	<i>[see line 3033]</i>
3628	10030061	DC	<i>*Impaired Social Status</i>	<i>[see line 3426]</i>
3629	10001022	DC	<i>*Impaired Socialisation</i>	<i>[see line 3035]</i>
3630	10023336	DC	<i>*Impaired Spiritual Status</i>	<i>[see line 3429]</i>
3631	10001033	DC	<i>*Impaired Swallowing</i>	<i>[see line 3037]</i>
3632	10001080	DC	<i>*Impaired Tissue Integrity</i>	<i>[see line 3013]</i>
3633	10027290	DC	<i>*Impaired Weight</i>	<i>[see line 3039]</i>
3634	10025395	DC	<i>*Increased Intracranial Pressure</i>	<i>[see line 3214]</i>
3635	10033399	DC	<i>*Lack of Appetite</i>	<i>[see line 3047]</i>
3636	10000837	DC	<i>*Lack Of Knowledge</i>	<i>[see line 3173]</i>
3637	10027371	DC	<i>*Lack of Knowledge Of Community Service</i>	<i>[see line 3128]</i>
3638	10023423	DC	<i>*Lack Of Meaning</i>	<i>[see line 3053]</i>
3639	10025601	DC	<i>*Lack Of Privacy</i>	<i>[see line 3050]</i>
3640	10029286	DC	<i>*Lack of Symptom Control</i>	<i>[see line 3051]</i>
3641	10022822	DC	<i>*Lack Of Transportation</i>	<i>[see line 3453]</i>
3642	10030019	DC	<i>*Malignant Wound</i>	<i>[see line 800]</i>
3643	10029716	DC	<i>*Negative Behaviour</i>	<i>[see line 801]</i>
3644	10023959	DC	<i>*Negative Environmental Process</i>	<i>[see line 824]</i>
3645	10034696	DC	<i>*No Elopement</i>	<i>[see line 2648]</i>
3646	10034704	DC	<i>*No Fall</i>	<i>[see line 2650]</i>
3647	10029065	DC	<i>*No Pressure Ulcer</i>	<i>[see line 1046]</i>
3648	10029083	DC	<i>*No Self Destructive Behaviour</i>	<i>[see line 1048]</i>
3649	10029123	DC	<i>*No Substance Abuse</i>	<i>[see line 1050]</i>
3650	10029168	DC	<i>*No Violence</i>	<i>[see line 1056]</i>
3651	10029201	DC	<i>*No Wandering</i>	<i>[see line 2553]</i>
3652	10001371	DC	<i>*Non Adherence</i>	<i>[see line 3055]</i>
3653	10025714	DC	<i>*Positive Ability To Perform Self Care</i>	<i>[see line 2826]</i>
3654	10001411	DC	<i>*Positive Breast Feeding</i>	<i>[see line 1071]</i>
3655	10029229	DC	<i>*Positive Heart Rate</i>	<i>[see line 3368]</i>
3656	10025002	DC	<i>*Positive Nutritional Status</i>	<i>[see line 3199]</i>
3657	10025590	DC	<i>*Privacy</i>	<i>[see line 3330]</i>
3658	10001448	DC	<i>*Readiness For Ability To Manage Regime</i>	<i>[see line 3385]</i>
3659	10025284	DC	<i>*Readiness For Comfort</i>	<i>[see line 3386]</i>
3660	10030267	DC	<i>*Readiness For Discharge</i>	<i>[see line 3387]</i>
3661	10001430	DC	<i>*Readiness For Effective□</i>	<i>[see line 3388]</i>

			<i>Communication</i>
3662	10001482	DC	<i>*Readiness For Effective Family□ [see line 3391] Process</i>
3663	10025250	DC	<i>*Readiness For Effective Self□ [see line 3392] Care</i>
3664	10001545	DC	<i>*Readiness For Effective Sleep□ [see line 3393]</i>
3665	10033824	DC	<i>*Readiness For Effective□ [see line 3394] Spiritual Status</i>
3666	10001509	DC	<i>*Readiness For Knowledge [see line 3396]</i>
3667	10001424	DC	<i>*Readiness For Organised [see line 3397] Infant Behaviour</i>
3668	10001513	DC	<i>*Readiness For Positive [see line 3398] Nutritional Status</i>
3669	10001521	DC	<i>*Readiness For Positive [see line 3399] Parenting</i>
3670	10001566	DC	<i>*Readiness For Positive [see line 3402] Urination</i>
3671	10030057	DC	<i>*Relationship Problem [see line 3413]</i>
3672	10025722	DC	<i>*Restlessness [see line 2996]</i>
3673	10032289	DC	<i>*Risk for Abuse [see line 19]</i>
3674	10015011	DC	<i>*Risk For Activity Intolerance [see line 2968]</i>
3675	10027787	DC	<i>*Risk for Caregiver Stress [see line 3082]</i>
3676	10023803	DC	<i>*Risk For Compromised Dignity [see line 2958]</i>
3677	10015082	DC	<i>*Risk For Disorganised Infant [see line 52] Behaviour</i>
3678	10015105	DC	<i>*Risk For Disuse [see line 3001]</i>
3679	10027411	DC	<i>*Risk For Elopement [see line 2630]</i>
3680	10015122	DC	<i>*Risk For Fall [see line 2636]</i>
3681	10032270	DC	<i>*Risk For Impaired Ability To [see line 3073] Perform Caretaking</i>
3682	10027235	DC	<i>*Risk for Impaired Caregiver [see line 62] Child Attachment</i>
3683	10023195	DC	<i>*Risk For Impaired Fertility [see line 3074]</i>
3684	10026951	DC	<i>*Risk For Impaired Fluid Volume [see line 3027]</i>
3685	10032393	DC	<i>*Risk For Impaired [see line 3354] Psychological Status</i>
3686	10015237	DC	<i>*Risk For Impaired Skin [see line 3113] Integrity</i>
3687	10033436	DC	<i>*Risk for Neglect [see line 83]</i>
3688	10023013	DC	<i>*Risk For Nutritional Deficit□ [see line 3196]</i>
3689	10027453	DC	<i>*Risk for Polypharmacy [see line 91]</i>
3690	10027337	DC	<i>*Risk for Pressure Ulcer [see line 478]</i>
3691	10015302	DC	<i>*Risk For Self Destructive [see line 96] Behaviour</i>
3692	10015339	DC	<i>*Risk For Sudden Infant Death [see line 2626]</i>
3693	10026848	DC	<i>*Risk for Urge Incontinence [see line 3098]</i>
3694	10022487	DC	<i>*Risk For Violence [see line 105]</i>
3695	10023410	DC	<i>*Self Care Deficit□ [see line 3076]</i>
3696	10001647	DC	<i>*Social Isolation [see line 3078]</i>
3697	10021742	DC	<i>*Stress Overload [see line 3083]</i>
3698	10023148	DC	<i>*Surgical Wound [see line 873]</i>
3699	10025820	DC	<i>*Symptom Control [see line 3344]</i>
3700	10001675	DC	<i>*Tendency To Wander [see line 3434]</i>
3701	10030088	DC	<i>*Traumatic Wound [see line 876]</i>
3702	10030090	DC	<i>*Ulcer [see line 877]</i>
3703	10027836	DC	<i>*Urinary Continence [see line 3261]</i>
3704	10022880	DC	<i>*Weakness [see line 3104]</i>
3705	10016479	DC	<i>*Positive Diagnosis and Outcome [see line 881]</i>
3706	10034445	F	<i>*Psychological Process Diagnosis and Outcome *Psychological Process</i>
3707	10022397	DC	<i>*Conflicting (Negative) Cultural□ [see line 527] beliefs</i>
3708	10022456	DC	<i>*Conflicting (Negative) Family□ [see line 629] Attitude</i>
3709	10022281	DC	<i>*Conflicting Attitude Toward□ [see line 528] Care</i>
3710	10023622	DC	<i>*Conflicting Attitude Toward□ [see line 530]</i>

			<i>Therapeutic Regime</i>	
3711	10022516	DC	<i>*Conflicting Health Belief</i>	<i>[see line 533]</i>
3712	10021757	DC	<i>*Conflicting Religious Belief</i>	<i>[see line 534]</i>
3713	10022769	DC	<i>*Conflicting Spiritual Belief</i>	<i>[see line 535]</i>
3714	10028367	DC	<i>*Effective Cognition</i>	<i>[see line 945]</i>
3715	10022378	DC	<i>*Effective Coping</i>	<i>[see line 950]</i>
3716	10028435	DC	<i>*Effective Memory</i>	<i>[see line 975]</i>
3717	10029839	DC	<i>*Emotional Problem</i>	<i>[see line 549]</i>
3718	10022345	DC	<i>*Grief</i>	<i>[see line 1024]</i>
3719	10025780	DC	<i>*Hope</i>	<i>[see line 1026]</i>
3720	10025492	DC	<i>*Impaired Attitude To Nutritional Status</i>	<i>[see line 603]</i>
3721	10022321	DC	<i>*Impaired Cognition</i>	<i>[see line 605]</i>
3722	10001120	DC	<i>*Impaired Coping</i>	<i>[see line 621]</i>
3723	10001203	DC	<i>*Impaired Memory</i>	<i>[see line 650]</i>
3724	10021788	DC	<i>*Impaired Relocation Stress</i>	<i>[see line 707]</i>
3725	10027131	DC	<i>*Low Self Efficacy</i>	<i>[see line 796]</i>
3726	10022867	DC	<i>*Low Volition</i>	<i>[see line 797]</i>
3727	10025629	DC	<i>*Negative Caregiver Attitude</i>	<i>[see line 823]</i>
3728	10022724	DC	<i>*Negative Self Image</i>	<i>[see line 831]</i>
3729	10022275	DC	<i>*Positive Attitude To Care</i>	<i>[see line 1070]</i>
3730	10025638	DC	<i>*Positive Caregiver Attitude</i>	<i>[see line 1072]</i>
3731	10025779	DC	<i>*Positive Pride</i>	<i>[see line 1077]</i>
3732	10025672	DC	<i>*Positive Self Efficacy</i>	<i>[see line 1078]</i>
3733	10027108	DC	<i>*Positive Self Image</i>	<i>[see line 1079]</i>
3734	10001699	DC	<i>*Post Trauma Response</i>	<i>[see line 846]</i>
3735	10023050	DC	<i>*Risk For Confusion</i>	<i>[see line 34]</i>
3736	10022070	DC	<i>*Risk For Delirium</i>	<i>[see line 39]</i>
3737	10032329	DC	<i>*Risk for Depression</i>	<i>[see line 40]</i>
3738	10021735	DC	<i>*Risk For Dysfunctional Grief</i>	<i>[see line 55]</i>
3739	10032364	DC	<i>*Risk for Impaired Family Coping</i>	<i>[see line 64]</i>
3740	10021774	DC	<i>*Risk For Impaired Religious Belief</i>	<i>[see line 72]</i>
3741	10015179	DC	<i>*Risk For Loneliness</i>	<i>[see line 81]</i>
3742	10015259	DC	<i>*Risk For Post Trauma Response</i>	<i>[see line 92]</i>
3743	10015285	DC	<i>*Risk For Powerlessness</i>	<i>[see line 93]</i>
3744	10015292	DC	<i>*Risk For Relocation Stress</i>	<i>[see line 95]</i>
3745	10015180	DC	<i>*Risk For Situational Low Self Esteem</i>	<i>[see line 100]</i>
3746	10015325	DC	<i>*Risk For Spiritual Distress</i>	<i>[see line 101]</i>
3747	10022782	DC	<i>*Stigma</i>	<i>[see line 867]</i>
3748	10022441	DC	<i>*Unrealistic Expectation</i>	<i>[see line 879]</i>
3749	10012521	F	<i>*Impaired Aggregate Of Entity</i>	<i>*Collection of Things</i>
3750	10016388	F	発疹	「外皮系プロセス」の一つで、以下の固有の特徴をもつ：皮膚に発生する紅斑で、さまざまな色と隆起具合、局所の浮腫、蕁麻疹、小水疱、かゆみを伴う。
			<i>syn</i>	ホッシン
3751	10005922	F	オムツかぶれ	「発疹」の一つで、以下の固有の特徴をもつ：皮膚に発生する紅斑で、主におむつ着用者に見られ、おむつに覆われている部位、おむつと接触している部位、ひだ状になった部分の皮膚に限局して起こる。尿のようなさまざまな刺激物やおむつなどの接触要因に関連する。
			<i>syn</i>	オムツカブレ
3752	10007260	F	皮疹	「発疹」の一つで、以下の固有の特徴をもつ：皮膚に発生する紅斑で、さまざまな色と隆起具合を伴う。温かく、発赤し、かゆみのあるただれ。水痘（水疱瘡）、麻疹（はしか）、風疹に関連する。
			<i>syn</i>	ヒシン
3753	10008880	F	紅色汗疹	「発疹」の一つで、以下の固有の特徴をもつ：皮膚に発生する紅斑で、ぴったりした厚着の服に覆われた部位や、暖かさや熱にさらされた部位に限局して起こる。
			<i>syn</i>	コウショクカンシン
3754	10012843	F	<i>*Impaired Process</i>	<i>*Process</i>
3755	10024768	F	<i>*Barriers to Adherence</i>	<i>*Obstruction</i>
3756	10013564	F	コミュニケーション障害	「閉塞」の一つで、以下の固有の特徴をもつ：思考、メッ

		<i>syn</i>	コミュニケーションショウガイ	
3757	10022332	DC	<i>*Communication Barrier</i>	[see line 3557]
3758	10029405	DC	<i>*Fall</i>	[see line 3602]
3759	10012532	F	<i>*Impaired Attitude</i>	<i>*Attitude</i>
3760	10022456	DC	<i>*Conflicting (Negative) Family Attitude</i>	[see line 3708]
3761	10022281	DC	<i>*Conflicting Attitude Toward Care</i>	[see line 3709]
3762	10023622	DC	<i>*Conflicting Attitude Toward Therapeutic Regime</i>	[see line 3710]
3763	10025492	DC	<i>*Impaired Attitude To Nutritional Status</i>	[see line 3720]
3764	10012550	F	<i>*Impaired Belief</i>	<i>*Belief</i>
3765	10022397	DC	<i>*Conflicting (Negative) Cultural beliefs</i>	[see line 3707]
3766	10022516	DC	<i>*Conflicting Health Belief</i>	[see line 3711]
3767	10022769	DC	<i>*Conflicting Spiritual Belief</i>	[see line 3713]
3768	10005709	F	妄想	「信念」の一つで、以下の固有の特徴をもつ：適切な外部刺激なしにもたらされた、固定し誤った信念。自分自身の知識や経験と整合していない。社会や自然界の構造に関する誤った信念で、理性、議論、説得、または自らの感覚による証拠によっても是正できないもの。
		<i>syn</i>	モウソウ	
3769	10006037	F	差別	「信念」の一つで、以下の固有の特徴をもつ：処遇に差をつける習俗。共通の属性を有する集団に対して偏愛や偏見を示すことで、他者は自分とは違う存在であるという認識に関連することが多い。
		<i>syn</i>	サベツ	
3770	10001972	F	年齢差別	「差別」の一つで、以下の固有の特徴をもつ：年齢に基づいて処遇に差をつけたり、偏愛や偏見を示す習俗。
		<i>syn</i>	ネンレイサベツ	
3771	10017920	F	性的差別	「差別」の一つで、以下の固有の特徴をもつ：性別に基づいて処遇に差をつけたり、偏愛や偏見を示す習俗。
		<i>syn</i>	セイテキサベツ	
3772	10025400	F	<i>*Child Gender Discrimination</i>	<i>*Gender Discrimination: Predisposition toward valuing one gender more than another, discriminating between children by gender.</i>
3773	10016240	F	人種差別	「差別」の一つで、以下の固有の特徴をもつ：人種に基づいて処遇に差をつけたり、偏愛や偏見を示す習俗。
		<i>syn</i>	ジンシュサベツ	
3774	10027131	DC	<i>*Low Self Efficacy</i>	[see line 3725]
3775	10025463	F	<i>*Negative Religious Belief</i>	<i>*Religious Belief</i>
3776	10021757	DC	<i>*Conflicting Religious Belief</i>	[see line 3712]
3777	10021774	DC	<i>*Risk For Impaired Religious Belief</i>	[see line 3740]
3778	10023963	F	<i>*Negative Self Image</i>	<i>*Self Image</i>
3779	10011472	F	<i>*Low Self Esteem</i>	<i>*Self Esteem</i>
3780	10004400	F	<i>*Chronic Low Self Esteem</i>	<i>*Low Self Esteem</i>
3781	10000533	DC	<i>*Chronic Low Self Esteem</i>	[see line 835]
3782	10029507	DC	<i>*Low Self Esteem</i>	[see line 834]
3783	10015180	DC	<i>*Risk For Situational Low Self Esteem</i>	[see line 3745]
3784	10022724	DC	<i>*Negative Self Image</i>	[see line 3728]
3785	10015466	F	没頭	「信念」の一つで、以下の固有の特徴をもつ：あることに心が支配され没頭し、他のことを考えられず、心がかき乱されること。
		<i>syn</i>	ボットウ	
3786	10013540	F	強迫観念	「没頭」の一つで、以下の固有の特徴をもつ：無意識のうちに常に心を支配する執拗な思考または考え。不合理な行為を示唆する思考、反復的思考、些細で無関係な内容の思考、現実的な根拠を欠く非常識な考え。論理や合理性では排除できない。強迫行動と関連する。
		<i>syn</i>	キョウハクカンネン	
3787	10017688	F	自己意識	「信念」の一つで、以下の固有の特徴をもつ：他者とは異なり、個人的境界をもち、個人的に経験・欲求・行動する自分についての考え。

3788	10018835	<i>syn</i> F	ジコイシキ スティグマ	「信念」の一つで、以下の固有の特徴をもつ：特徴的な要因があるという理由で、他者に不名誉の印や恥辱を負わせること。精神病、身体障害、宗教、犯罪歴などに関連することが多い。
3789	10022782	DC	<i>*Stigma</i>	<i>[see line 3747]</i>
3790	10024144	F	<i>*Unrealistic Expectation</i>	<i>*Expectation</i>
3791	10022441	DC	<i>*Unrealistic Expectation</i>	<i>[see line 3748]</i>
3792	10012647	F	<i>*Impaired Coping Process</i>	<i>*Coping</i>
3793	10003771	F	燃え尽き	「コーピング」の一つで、以下の固有の特徴をもつ：エネルギーの枯渇。長期にわたる慢性的かつ緩和されないストレス、支援不足、尊敬し合う関係の欠如、外圧、現実と期待との葛藤に起因する。
3794	10005721	<i>syn</i> F	モエツキ 否認	「コーピング」の一つで、以下の固有の特徴をもつ：不安や葛藤を最小限に抑えるために、ある出来事の知識や意味をなくす、回避する、または否定すること。意識下では耐えがたい思考、感情、願望、衝動、外的事実の受容を無意識に拒否すること。
3795	10000624	<i>syn</i> DC	ヒニン <i>*Denial</i>	<i>[see line 623]</i>
3796	10001120	DC	<i>*Impaired Coping</i>	<i>[see line 3722]</i>
3797	10032364	DC	<i>*Risk for Impaired Family Coping</i>	<i>[see line 3739]</i>
3798	10013000	F	<i>*Impaired Volition</i>	<i>*Volition</i>
3799	10005334	F	渴望	「意志」の一つで、以下の固有の特徴をもつ：物質（特に食物、薬物その他刺激物）を摂取することへの抑えがたい衝動。
3800	10014580	<i>syn</i> F	カツボウ 異食	「渴望」の一つで、以下の固有の特徴をもつ：異常なものを食物として強く欲する感覚。妊娠、栄養不良、ヒステリーに関連した食欲の喪失。
3801	10022867	<i>syn</i> DC	イショク <i>*Low Volition</i>	<i>[see line 3726]</i>
3802	10025629	DC	<i>*Negative Caregiver Attitude</i>	<i>[see line 3727]</i>
3803	10012545	F	<i>*Impaired Behaviour</i>	<i>*Behaviour</i>
3804	10002026	F	攻撃的行動	「相互作用行動」の一つで、以下の固有の特徴をもつ：身体的・言語的・象徴的に表現される激しい自己主張の行為または態度。自己または他者に向けられる建設的もしくは破壊的行為で、内的衝動、または防御メカニズムとして引き起こされる。
3805	10000317	<i>syn</i> F	コウゲキテキコウドウ 虐待	「攻撃的行動」の一つで、以下の固有の特徴をもつ：暴行やいじめを目的とした身体的または精神的な攻撃。
3806	10029666	<i>syn</i> DC	ギャクタイ <i>*Abuse</i>	<i>[see line 802]</i>
3807	10004278	F	小児虐待	「虐待」の一つで、以下の固有の特徴をもつ：子どもへの暴行、攻撃、虐待行為。家庭内の虐待、違法行為または文化的に禁じられた行為に関連する。
3808	10029744	<i>syn</i> DC	ショウニギャクタイ <i>*Child Abuse</i>	<i>[see line 803]</i>
3809	10032301	DC	<i>*Risk for Child Abuse</i>	<i>[see line 20]</i>
3810	10006615	F	高齢者虐待	「虐待」の一つで、以下の固有の特徴をもつ：高齢者への暴行、攻撃、虐待行為。家庭内の虐待、違法行為または文化的に禁じられた行為に関連する。
3811	10029825	<i>syn</i> DC	コウレイシャギャクタイ <i>*Elder Abuse</i>	<i>[see line 804]</i>
3812	10032340	DC	<i>*Risk for Elder Abuse</i>	<i>[see line 21]</i>
3813	10032289	DC	<i>*Risk for Abuse</i>	<i>[see line 3673]</i>
3814	10017931	F	性的虐待	「虐待」の一つで、以下の固有の特徴をもつ：性的な虐待、攻撃、愛玩、または性的行為の強要。違法行為または文化的に禁じられた行為に関連する。法的な定義は文化や国によって異なるが、性的虐待は違法行為または文化的に禁じられた行為とみなされている。
3815	10009919	<i>syn</i> F	セイテキギャクタイ 近親相姦	「性的虐待」の一つで、以下の固有の特徴をもつ：血縁者間の性的関係。家族など近親者による暴力犯罪。小児虐待に関連する。
3816	10016326	<i>syn</i> F	キンシンソウカン レイプ	「性的虐待」の一つで、以下の固有の特徴をもつ：性的攻

3817	10004369	F	小児レイプ	撃、暴力的脅迫によって性的関係や性交渉を強いる暴力犯罪。 「レイプ」の一つで、以下の固有の特徴をもつ：強制行為（脅迫、詐欺、暴力など）による法定の未成年者へのレイプ。加害者が被害者の知り合いである場合とそうでない場合がある。肉体的トラウマ、感情的トラウマ、関連感染症に関連することが多い。
3818	10018679	<i>syn</i> F	ショウニレイプ 配偶者虐待	「虐待」の一つで、以下の固有の特徴をもつ：配偶者への暴行攻撃、虐待行為。違法行為または文化的に禁じられた行為に関連する。
3819	10023755	<i>syn</i> DC	ハイグウシャギャクタイ *Intimate Partner Abuse	[see line 805]
3820	10009146	F	敵意	「攻撃的行動」の一つで、以下の固有の特徴をもつ：恨みや憎しみを表に出すこと。他者を脅迫したり、他者に危害を加えたりすること。
3821	10010094	<i>syn</i> F	テキイ 間引き	「攻撃的行動」の一つで、以下の固有の特徴をもつ：胎児または乳児の殺害。一部の社会で行われている伝統的慣行で、家族構成に影響を及ぼすために出生直後の乳児を殺す行為に関連する。
3822	10012385	<i>syn</i> F	マビキ 身体の切断	「攻撃的行動」の一つで、以下の固有の特徴をもつ：身体部位の破壊、身体の一部の破壊や損傷で、手足の切断、皮膚や臓器の火傷を伴う。衝動的な行為、意図的または計画的な拷問、文化的習慣や宗教的信念にも関連する。
3823	10008418	<i>syn</i> F	シンタイヘノキガイ 割礼	「身体への危害」の一つで、以下の固有の特徴をもつ：男性または女性の乳幼児、小児、成人の外性器の一部または全部を切除すること。人生の通過儀礼に関連し、文化的習慣、宗教的信念・苦痛として正当化されている場合もある。
3824	10007835	<i>syn</i> F	カツレイ 女性器割礼	「割礼」の一つで、以下の固有の特徴をもつ：女性の外性器の一部または全部を切除すること。女性の乳幼児、小児、成人の生殖器を切除または損傷し、後の性的機能、妊娠、分娩に障害をもたらす。人生の通過儀礼に関連し、文化的習慣や宗教的信念として正当化されている場合もある。
3825	10011562	<i>syn</i> F	ジョセイキカツレイ 男性器割礼	「割礼」の一つで、以下の固有の特徴をもつ：男性の乳幼児または成人の外性器の一部または全部を切除すること。人生の通過儀礼に関連し、文化的習慣または宗教的信念として正当化されている場合もある。男性器の包皮切除は除く。
3826	10017954	<i>syn</i> F	ダンセイキカツレイ セクシュアルハラスメント	「攻撃的行動」の一つで、以下の固有の特徴をもつ：性的な動機の下に1人または複数の他者へ行う身体的または言葉による暴力。権力を行使して、機会均等、プライバシー、暴力からの自由に関する被害者の権利を剥奪すること。
3827	10020789	F	暴力	「攻撃的行動」の一つで、以下の固有の特徴をもつ：傷害、損傷、虐待、攻撃を目的とした強制的な示威行為、または力もしくは権力の不正な行使。他者への暴力的・攻撃的・有害・違法・文化的に禁止された行為。権力抗争または紛争の状態。
3828	10006194	<i>syn</i> F	ボウリョク 家庭内暴力	「暴力」の一つで、以下の固有の特徴をもつ：家族間または所帯内で起こる暴力。
3829	10029792	<i>syn</i> DC	カテイナイボウリョク *Domestic Violence	[see line 807]
3830	10022487	DC	*Risk For Violence	[see line 3694]
3831	10020926	F	戦争	「攻撃的行動」の一つで、以下の固有の特徴をもつ：集団または国家の間で公然と行われる武力紛争。本来の手段によらない政治。
3832	10004883	<i>syn</i> F	センソウ 強迫行動	「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：日常的な機能を妨げる反復的行動。不安や強迫観念を軽減するために繰り返される行為。手洗い、計算、仕分けを何度も繰り返すことに関連する。
3833	10006059	<i>syn</i> F	キョウハクコウドウ 行動統合障害	「神経系プロセス」の一つで、以下の固有の特徴をもつ：秩序を欠く行為、または混乱した行為。一連の行為が環境手がかりに対して統合されていない。
3834	10000653	<i>syn</i> DC	コウドウトウゴウショウガイ *Disorganised Infant	[see line 806]

3835	10015082	DC	<i>Behaviour</i> <i>*Risk For Disorganised Infant Behaviour</i>	<i>[see line 3677]</i>
3836	10012668	F	<i>*Impaired Eating Behaviour</i>	<i>*Eating Pattern</i>
3837	10004896	F	強迫性摂食行動	「摂食パターン」の一つで、以下の固有の特徴をもつ：何度も摂食を繰り返すこと。空腹でないにもかかわらず食物を食べたいという抑えられない欲求に関連した行動。不安を軽減するために食物を食べることに関連する。
		<i>syn</i>	キョウハクセイセッシュコウドウ	
3838	10003759	F	過食症	「強迫性摂食行動」の一つで、以下の固有の特徴をもつ：食物を異常に欲しがることや、過度の食欲に関わる行動。大量に食べた後に意図的に嘔吐すること。うつ状態や自己剥奪に関連する。
		<i>syn</i>	カシヨクショウ	
3839	10001196	DC	<i>*Impaired Infant Feeding Behaviour</i>	<i>[see line 814]</i>
3840	10012901	F	<i>*Impaired Sexual Behaviour</i>	<i>*Sexual Behaviour</i>
3841	10009990	F	公然猥褻	「性的行動」の一つで、以下の固有の特徴をもつ：性的な動機の下に、1人または複数の他者の前で性器を露出すること。他者のプライバシーを侵し、品位を汚し、権力を行使し、自分自身の性的感情を刺激することを目的とする。
		<i>syn</i>	コウゼンワイセツ	
3842	10001274	DC	<i>*Problematic Sexual Behaviour</i>	<i>[see line 816]</i>
3843	10015791	F	乱交	「性的行動」の一つで、以下の固有の特徴をもつ：無差別、または多くのパートナーとの性行為に参加すること。性感染症を広めるリスクを伴う。
		<i>syn</i>	ランコウ	
3844	10029716	DC	<i>*Negative Behaviour</i>	<i>[see line 3643]</i>
3845	10033462	F	<i>*Neglect</i>	<i>*Impaired Behaviour: Failure to give proper care or attention, ignore.</i>
3846	10033458	F	<i>*Child Neglect</i>	<i>*Neglect</i>
3847	10033470	DC	<i>*Risk for Child Neglect</i>	<i>[see line 84]</i>
3848	10033443	F	<i>*Elder Neglect</i>	<i>*Neglect</i>
3849	10033489	DC	<i>*Risk for Elder Neglect</i>	<i>[see line 85]</i>
3850	10033436	DC	<i>*Risk for Neglect</i>	<i>[see line 3687]</i>
3851	10027235	DC	<i>*Risk for Impaired Caregiver Child Attachment</i>	<i>[see line 3682]</i>
3852	10017707	F	自己破壊的行動	「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：自分に危害を加える目的で行う自己主導的行動。自分自身に向けた暴力。
		<i>syn</i>	ジコハカイテキコウドウ	
3853	10002907	F	自殺企図	「自己破壊的行動」の一つで、以下の固有の特徴をもつ：自分を殺害すると脅すため、または自分を殺害するために、自己破壊につながる行動を自ら行うこと。
		<i>syn</i>	ジサツキト	
3854	10013881	F	薬物過剰摂取	「自己破壊的行動」の一つで、以下の固有の特徴をもつ：致死量の薬物を意図的に摂取すること。薬物中毒、習慣的薬物使用に関連する。
		<i>syn</i>	ヤクブツカジョウセッシュ	
3855	10015302	DC	<i>*Risk For Self Destructive Behaviour</i>	<i>[see line 3691]</i>
3856	10027424	DC	<i>*Self Destructive Behaviour</i>	<i>[see line 817]</i>
3857	10017795	F	自傷行為	「自己破壊的行動」の一つで、以下の固有の特徴をもつ：自分を傷つける、または不安から逃れるために、切り傷や火傷など、組織を損傷するが致命的ではないケガを自分自身に負わせること。
		<i>syn</i>	ジショウコウイ	
3858	10015318	DC	<i>*Risk For Self Mutilation</i>	<i>[see line 97]</i>
3859	10001623	DC	<i>*Self Mutilation</i>	<i>[see line 818]</i>
3860	10019072	F	自殺	「自己破壊的行動」の一つで、以下の固有の特徴をもつ：自分自身に死をもたらす自滅的な行動を行うこと。
		<i>syn</i>	ジサツ	
3861	10015356	DC	<i>*Risk For Suicide</i>	<i>[see line 98]</i>
3862	10018992	F	物質常用	「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：治療以外の目的で物質を定期的に使用すること。健康への害や、中毒を起こす可能性がある。
		<i>syn</i>	ブッシツジョウヨウ	
3863	10002137	F	アルコール常用	「物質常用」の一つで、以下の固有の特徴をもつ：ワイン、ビール、蒸留酒などのアルコールを刺激剤として常用すること。

		<i>syn</i>	アルコールジョウヨウ	
3864	10022234	DC	*Alcohol Abuse	[see line 820]
3865	10006346	F	薬物常用	「物質常用」の一つで、以下の固有の特徴をもつ：麻薬などの薬物を、治療以外の目的で常用すること。
		<i>syn</i>	ヤクブツジョウヨウ	
3866	10022425	DC	*Drug Abuse	[see line 821]
3867	10022268	DC	*Substance Abuse	[see line 819]
3868	10019766	F	タバコ常用	「物質常用」の一つで、以下の固有の特徴をもつ：シガレット、葉巻、パイプタバコ、噛みタバコ、嗅ぎタバコを刺激剤として常用すること。
		<i>syn</i>	タバコジョウヨウ	
3869	10022247	DC	*Tobacco Abuse	[see line 822]
3870	10012566	F	*Impaired Body Process	*Body Process
3871	10004041	F	*Cataract	*Impaired Body Process
3872	10022996	DC	*Immunologic Impairment	[see line 3499]
3873	10012606	F	*Impaired Circulatory System Process	*Circulatory System System Process
3874	10009394	F	高血圧	「循環器系プロセス」の一つで、以下の固有の特徴をもつ：正常を超える圧で血管内へ血液を送ること。
		<i>syn</i>	コウケツアツ	
3875	10009534	F	低血圧	「循環器系プロセス」の一つで、以下の固有の特徴をもつ：正常を下回る圧で血管内へ血液を送ること。
		<i>syn</i>	テイケツアツ	
3876	10012597	F	*Impaired Cardiac Process	*Cardiac Process
3877	10002536	F	不整脈	「心臓プロセス」の一つで、以下の固有の特徴をもつ：心房および心室の正常な心筋収縮リズムが変動することで、洞房結節のペースメーカー機能と関連する。
		<i>syn</i>	フセイミャク	
3878	10003613	F	徐脈	「不整脈」の一つで、以下の固有の特徴をもつ：心拍が遅いこと。成人で脈拍数が毎分60以下。
		<i>syn</i>	ジョミャク	
3879	10027274	DC	*Bradycardia	[see line 3475]
3880	10019415	F	頻拍	「不整脈」の一つで、以下の固有の特徴をもつ：心拍が速いこと。脈拍が異常に速く、成人で脈拍数が毎分100以上。
		<i>syn</i>	ヒンパク	
3881	10027288	DC	*Tachycardia	[see line 3535]
3882	10012993	F	*Impaired Vascular Process	*Vascular Process
3883	10003303	F	出血	「血管プロセス」の一つで、以下の固有の特徴をもつ：血管系から血液が失われること。1つ以上の血管の損傷、開口部あるいは皮膚の損傷部から体外または体内（体腔内、器官内、もしくは組織間）への血液流出をいう。
		<i>syn</i>	シュツケツ	
3884	10008954	F	大出血	「出血」の一つで、以下の固有の特徴をもつ：短時間に体外へ、または体内で大量の血液を失うこと。動脈、静脈、または毛細血管の出血に関連する。
		<i>syn</i>	ダイシュツケツ	
3885	10017268	DC	*Risk For Haemorrhaging Process	[see line 3524]
3886	10008931	F	血腫	「出血」の一つで、以下の固有の特徴をもつ：組織や皮膚、器官に血液が蓄積・貯留すること。外傷や術後の止血不全、触知可能な塊、触知時の痛み、有痛性の暗青緑色または黄色く変色した皮膚に関連する。
		<i>syn</i>	ケツシュ	
3887	10011948	F	月経過多	「出血」の一つで、以下の固有の特徴をもつ：日数または出血量が過度に多い月経出血。
		<i>syn</i>	ゲツケイカタ	
3888	10027495	F	*Deep Vein Thrombosis	*Impaired Vascular Process
3889	10027509	DC	*Risk for Deep Vein Thrombosis	[see line 3521]
3890	10012794	F	*Impaired Neurovascular Process	*Neurovascular Process
3891	10023153	DC	*Impaired Peripheral Neurovascular Process	[see line 3505]
3892	10015228	DC	*Risk For Impaired Peripheral Neurovascular Process	[see line 3527]
3893	10001344	DC	*Ineffective Tissue□	[see line 3512]

3894	10017281	DC	<i>Perfusion</i>	
			<i>*Risk For Ineffective Tissue Perfusion</i>	<i>[see line 3530]</i>
3895	10018050	F	ショック	「循環器系プロセス」の一つで、以下の固有の特徴をもつ：心臓への静脈還流の低下による循環不全であり、心拍出量の低下および血流の不足、循環量の喪失、生命に関わる細胞機能不全を招くもの。強い不安、虚脱、発汗、息切れ、低血圧、不整脈、喉頭浮腫、吐き気、下痢、急激な血圧低下、皮膚の冷感、頻脈、乏尿に関連する。
3896	10002308	F	アナフィラキシーショック	「ショック」の一つで、以下の固有の特徴をもつ：急速な末梢循環不全で、過敏症、または血清、タンパク質、薬物、ワクチン、食物、化学物質、昆虫やヘビ毒などのアレルゲンに対するアレルギー反応による生じる。
3897	10032291	DC	<i>*Risk for Anaphylaxis</i>	<i>[see line 3517]</i>
3898	10003915	F	心原性ショック	「ショック」の一つで、以下の固有の特徴をもつ：急速な末梢循環不全で、心拍出量低下に対する反応として生じる。
		<i>syn</i>	シンゲンセイショック	
3899	10009599	F	循環血流量減少性ショック	「ショック」の一つで、以下の固有の特徴をもつ：急速な末梢循環不全で、血液損失、重度の脱水症状、その他血液量に影響を及ぼす重大な症状に対する反応として生じる。
		<i>syn</i>	ジュンカンケツエキリョウゲンショウセイショック	
3900	10013139	F	神経原性ショック	「ショック」の一つで、以下の固有の特徴をもつ：急速な末梢循環不全で、血管拡張を引き起こしている神経系に対する反応として生じる。
		<i>syn</i>	シンケイゲンセイショック	
3901	10017898	F	敗血症性ショック	「ショック」の一つで、以下の固有の特徴をもつ：急速な末梢循環不全で、化膿菌血症による重篤な感染症に起因する。
		<i>syn</i>	ハイケツショウセイショック	
3902	10020631	F	血管原性ショック	「ショック」の一つで、以下の固有の特徴をもつ：急速な末梢循環不全で、著しい血管拡張に対する反応として生じる。
		<i>syn</i>	ケツカンゲンセイショック	
3903	10001131	DC	<i>*Impaired Dentition</i>	<i>[see line 3500]</i>
3904	10012681	F	<i>*Impaired Engorgement</i>	<i>*Engorgement</i>
3905	10003632	F	乳房腫脹	「充血」の一つで、以下の固有の特徴をもつ：出産に関連して乳房の分泌管に乳汁が貯留することに伴う乳房の腫れ、限局性の痛み、重苦しさ。
		<i>syn</i>	ニュウボウシュチョウ	
3906	10029728	DC	<i>*Breast Engorgement</i>	<i>[see line 3476]</i>
3907	10012741	F	<i>*Impaired Gastrointestinal System Process</i>	<i>*Gastrointestinal System Process</i>
3908	10012584	F	<i>*Burping</i>	<i>*Burping</i>
3909	10004999	F	便秘	「消化器系プロセス」の一つで、以下の固有の特徴をもつ：便の排出が困難または不完全になり、排便の頻度が減少すること。非常に硬く乾いた便が排出される。
		<i>syn</i>	ベンピ	
3910	10000567	DC	<i>*Constipation</i>	<i>[see line 634]</i>
3911	10009817	F	宿便	「便秘」の一つで、以下の固有の特徴をもつ：便通の欠如、排便痛、直腸圧迫感・充満感、直腸に触知可能な腫瘍、または直腸に硬化した便が集積。
		<i>syn</i>	シュクベン	
3912	10021885	DC	<i>*Impaction</i>	<i>[see line 635]</i>
3913	10015053	DC	<i>*Risk For Constipation</i>	<i>[see line 3520]</i>
3914	10006442	F	胃部不快	「消化器系プロセス」の一つで、以下の固有の特徴をもつ：食後、心窩部に生じる漠然とした不快感。痛みを伴う消化、不快な満腹感、胸焼け、膨満感、吐き気、食欲の低下。
		<i>syn</i>	イブフカイ	
3915	10012725	F	<i>*Flatulence</i>	<i>*Flatulence</i>
3916	10012652	F	<i>*Impaired Defaecation</i>	<i>*Defaecation</i>
3917	10005933	F	下痢	「排便」の一つで、以下の固有の特徴をもつ：緩く液状で形のない便の排出で、排便頻度が増加する。腸音亢進、激しい腹痛、便意切迫を伴う。
		<i>syn</i>	ゲリ	
3918	10000630	DC	<i>*Diarrhoea</i>	<i>[see line 637]</i>
3919	10022062	DC	<i>*Impaired Defaecation</i>	<i>[see line 636]</i>
3920	10022931	DC	<i>*Impaired Gastrointestinal System Process</i>	<i>[see line 3501]</i>

3921	10016632	F	逆流	「消化器系プロセス」の一つで、以下の固有の特徴をもつ： 飲み込まれた食物が口腔内へと逆方向に流れるまたは戻ること。胃から気道へ胃内容物が逆方向に流れてくるのを抑えられず、気道に吸入されること。
3922	10020864	<i>syn</i> F	ギャクリュウ 嘔吐	「消化器系プロセス」の一つで、以下の固有の特徴をもつ： 分解された食物または胃内容物を、食道を経て口から吐き出すまたは排出すること。
3923	10025981	<i>syn</i> DC	オウト *Vomiting	[see line 638]
3924	10034903	F	*Impaired Growth	*Growth
3925	10034919	F	*Delayed Growth	*Impaired Growth
3926	10034926	DC	*Delayed Growth	[see line 3477]
3927	10034935	DC	*Risk For Delayed Growth	[see line 3522]
3928	10034942	F	*Disproportionate Growth	*Impaired Growth
3929	10034957	DC	*Risk For Disproportionate Growth	[see line 3523]
3930	10023260	DC	*Impaired Human Development	[see line 3502]
3931	10029943	DC	*Impaired Lactation	[see line 3503]
3932	10012773	F	*Impaired Musculoskeletal System Process	*Musculoskeletal System Process
3933	10005174	F	けいれん	「筋骨格系プロセス」の一つで、以下の固有の特徴をもつ： 制御不能の筋肉運動。一群の筋の不随意収縮。発作性で一時的なものは、けいれん性疾患、脳震盪、発熱に関連する。
3934	10029763	<i>syn</i> DC	ケイレン *Convulsion	[see line 656]
3935	10008140	F	尖足	「筋骨格系プロセス」の一つで、以下の固有の特徴をもつ： 足の底屈、足関節の足底方向への屈曲、足底が下方に下がる、歩行時に足底が地面につかず足をひきずる、爪先歩き、足を正常な背屈位に保てない。適切な関節のアライメントを保持しない状態での長期臥床、重い寝具の圧が足にかかることに関連する。
3936	10008210	<i>syn</i> F	センソク 骨折	「筋骨格系プロセス」の一つで、以下の固有の特徴をもつ： 身体各器官の部分的な運動障害。骨の外傷による骨組織の連続性の分断に関連する。骨折の重症度は、骨の構造、部位、骨折の性質に関連する。
3937	10022642	<i>syn</i> DC	コッセツ *Impaired Musculoskeletal Process	[see line 3504]
3938	10010975	F	関節拘縮	「筋骨格系プロセス」の一つで、以下の固有の特徴をもつ： 関節の反転、関節囊の結合組織の線維化により、手、指、肘、肩、踝、膝、足趾の正常や可動性が妨げられ、動きが限定、または動かせない、関節の配列異常。自動および他動関節運動の欠如による筋肉線維の萎縮や短縮に関連する。または広範な関節上の癒着による皮膚弾性の低下に関連する。
3939	10012328	<i>syn</i> F	カンセツコウシュク 筋収縮プロセス	「筋骨格系プロセス」の一つで、以下の固有の特徴をもつ：1つまたは一群の筋の不随意収縮で痛みを伴う。体力を使う身体活動や、1つまたは複数の筋肉の使いすぎに関連する（例：転倒を避けようとして体の姿勢を保った時）。
3940	10014006	<i>syn</i> F	キンシュウシュクプロセス 麻痺	「筋骨格系プロセス」の一つで、以下の固有の特徴をもつ： 筋機能あるいは感覚のどちらか一方または両方の喪失を特徴とする異常な状態。排便・排尿の制御不能や呼吸障害を伴う、全身または身体部位を動かす能力の喪失。ケガ、神経・筋作用の障害、脊髄損傷などの外傷、疾患、中毒などに関連する。
3941	10022674	<i>syn</i> DC	マヒ *Paralysis	[see line 657]
3942	10014075	F	不全麻痺	「麻痺」の一つで、以下の固有の特徴をもつ：部分的あるいは全面的麻痺で、口、喉、眼瞼などの身体部位を動かす能力を、完全にまたは一部喪失すること。
3943	10018520	<i>syn</i> F	フゼンマヒ 痙性	「筋骨格系プロセス」の一つで、以下の固有の特徴をもつ： 骨格筋の無制御な収縮、筋緊張の増強、筋の硬直、ぎこちない動き。
3944	10018698	<i>syn</i> F	ケイセイ 捻挫	「筋骨格系プロセス」の一つで、以下の固有の特徴をもつ： 関節の外傷により疼痛と障害が起こること。関節運動の障害と疼痛、圧痛、筋けいれん、関節腫脹、皮膚の変色、機能障

				害。外傷および関節周囲の結合組織の断裂に関連する。
3945	10020146	<i>syn</i> F	ネンザ 振戦	「筋骨格系プロセス」の一つで、以下の固有の特徴をもつ：リズムカルな無目的の揺れ、震え、拮抗する筋骨格の交互の不随意的収縮と弛緩。高齢者が有目的運動を行っている際の震えの増強と関連する。変性性神経疾患の遺伝的性質と関連する場合もある。
3946	10017851	<i>syn</i> F	シンセン 老年性振戦	「振戦」の一つで、以下の固有の特徴をもつ：細かく速く揺れる震え、特に手に起こる。リズムカルな頭のうなずき運動。通常、有目的運動の際に震えが増強。不安や興奮、自意識によっても増強。主として高齢者に見られる。
3947	10022846	<i>syn</i> DC	ロウネンセイシンセン *Tremor	[see line 658]
3948	10012815	F	*Impaired Perception	*Perception
3949	10001242	DC	*Altered Perception	[see line 3473]
3950	10006160	F	眩暈	「知覚」の一つで、以下の固有の特徴をもつ：気が遠くなるような感覚。立位や座位を保てないと感じること。混乱や吐き気、虚弱に関連する。
3951	10008635	<i>syn</i> F	ゲンウン 幻覚	「知覚」の一つで、以下の固有の特徴をもつ：実際には存在しない感覚的刺激の見かけ上の記録。幻視、幻聴、幻嗅、幻味、幻触と感覚器官で区分する。
3952	10022500	<i>syn</i> DC	ゲンカク *Hallucination	[see line 507]
3953	10009758	F	錯覚	「知覚」の一つで、以下の固有の特徴をもつ：記録された感覚的刺激の誤った解釈。外部の物体や刺激の誤った解釈。
3954	10010934	<i>syn</i> F	サッカク 搔痒感	「知覚」の一つで、以下の固有の特徴をもつ：ムズムズとうっとうしい感覚。皮膚または頭皮を掻きたいという衝動が続いて起こる。
3955	10012453	<i>syn</i> F	ソウヨウカン 嘔気	「知覚」の一つで、以下の固有の特徴をもつ：嘔吐につながるような不快な感覚。心窩部から腹部に生じる漠然とした不快感。味をみたり匂いを嗅いだりすると不快になる。
3956	10000859	<i>syn</i> DC	オウキ／オウケ *Nausea	[see line 509]
3957	10013211	F	悪夢	「知覚」の一つで、以下の固有の特徴をもつ：REM（急速眼球運動）睡眠時に夢を見ること。逃れがたい強い恐怖や苦悩や苦痛、極度の不安が起こり、通常眠っている人を目覚めさせる。
3958	10013950	<i>syn</i> F	アクム 疼痛	「知覚」の一つで、以下の固有の特徴をもつ：体の不快感の増大、苦痛の主観的な表現、しかめっ面、筋緊張の変化、自己防衛行動、注意の焦点がせばまる、時間認識の変化、社会からの引きこもり、思考過程の悪化、気晴らし行動、落ち着かない状態、食欲の消失。
3959	10003841	<i>syn</i> F	トウツウ がん性疼痛	「疼痛」の一つで、以下の固有の特徴をもつ：同時に起こるさまざまな強さの急性と慢性の疼痛。体内がん細胞の浸潤性拡大、化学療法を含むがん治療の結果、創痛などがんと関係のある病状に関連する。がん性疼痛は通常「鈍い」「傷ついたような」「疼くような」「すさまじい」「耐え難い」痛みと表現され、時に激痛の発作が起こる。睡眠障害、易興奮性、抑うつ、苦痛、孤独感、絶望感、無力感を伴う。
3960	10005470	<i>syn</i> F	ガンセイトウツウ 表皮痛	「疼痛」の一つで、以下の固有の特徴をもつ：身体を覆う組織から生じる疼痛感覚。炎症、熱傷、外傷、皮膚疾患に関連する。皮膚と組織の痛みは通常、限局的な急性の感覚で「鋭くちくりとする」「チクチクする」「切り裂かれるような」「灼けるような」痛みと表現される。自動反応の徴候や他部位への関連痛は見られない。
3961	10021243	<i>syn</i> F	ヒョウヒツウ 創痛	「表皮痛」の一つで、以下の固有の特徴をもつ：創または創周囲から生じる疼痛感覚。損傷で神経末端の疼痛感覚にダメージがなければ、創の性質によって「鋭い」「切り裂かれるような」「鈍い」「疼くような」「しつこい」「触られると痛い」痛みと表現される。
3962	10011088	<i>syn</i> F	ソウツウ 分娩痛	「疼痛」の一つで、以下の固有の特徴をもつ：激しさと発生頻度が増大する疼痛感覚。分娩中の子宮収縮と子宮口開大に関連する。
		<i>syn</i>	ブンベンツウ	

3963	10003152	F	共圧陣痛	「分娩痛」の一つで、以下の固有の特徴をもつ：分娩第2期の疼痛感覚。疼痛は前腹部全体に及ぶ。子宮口全開大により疼痛は持続的となる。痛みの感覚は「激しい」「締めつけられる」しばしば「耐えがたい」と表現される。
3964	10004136	<i>syn</i> F	キョウアツジンツウ 子宮頸部開大時疼痛	「分娩痛」の一つで、以下の固有の特徴をもつ：分娩第1期の疼痛感覚。子宮収縮に関連する。急に始まり、疼痛部位は主として背部中央に局限する。痛みの感覚は通常「体内の深いところで感じ、軽度締めつけられるような、徐々に強くなっていく」痛みと表現される。
3965	10007549	<i>syn</i> F	シキウケイブカイ ダイジトウツウ 偽陣痛	「分娩痛」の一つで、以下の固有の特徴をもつ：腹部に局限した疼痛感覚で、最初は分娩痛に見えるが、子宮腔部展退や子宮口開大を伴わない無効な痛み。不規則で短く軽度の疼痛。背部から下腹部へ放散しない。疼痛感覚は「深部の」「締めつけられるようだが軽度で増強しない」痛みと表現される。
3966	10012337	<i>syn</i> F	ギジンツウ 筋骨格系疼痛	「疼痛」の一つで、以下の固有の特徴をもつ：筋肉、骨、関節、歯から生じる疼痛感覚。通常「深部の」「ずしっとした」「疼くような」痛みと表現される。全身または身体各部の動きに起因するが、安静時にも存在する。
3967	10002570	<i>syn</i> F	キンコツカクケイトウツウ 関節炎痛	「筋骨格系疼痛」の一つで、以下の固有の特徴をもつ：炎症を起こし腫張した関節から生じる疼痛感覚。活動時、安静時、不動の状態のいずれでも、通常「強くなったり弱くなったりする」「間欠的な」「疼くような」「鋭くズキンズキンする」痛みと表現される。
3968	10003569	<i>syn</i> F	カンセツエンツウ 骨痛	「筋骨格系疼痛」の一つで、以下の固有の特徴をもつ：骨の骨膜や圧迫骨折から生じる疼痛感覚。感覚は通常、安静時および不動時にも存在する「深部で疼くような」「刺すような痛み」と表現される。
3969	10008223	<i>syn</i> F	コツツウ 骨折痛	「骨痛」の一つで、以下の固有の特徴をもつ：急性の骨折から生じる疼痛感覚。通常「鋭い」「切り裂かれるような」「熱くむずがゆい」「蜂に刺されたような」痛みと表現される。骨折部を動かすことによって痛みは増悪する。安静時および動かない状態では痛みは存在しない。
3970	10012316	<i>syn</i> F	コッセツツウ 筋肉痛	「筋骨格系疼痛」の一つで、以下の固有の特徴をもつ：筋緊張や筋挫傷から生じる疼痛感覚。運動、感染、筋骨格系疾患に関連する。通常「ひきつるような」「しばられるような」「ズキンズキンする」痛みと表現され、しばしば関連痛を伴う。
3971	10013125	<i>syn</i> F	キンニクツウ 神経原性疼痛	「疼痛」の一つで、以下の固有の特徴をもつ：末梢神経の損傷部より生じる疼痛感覚。通常「ウズウズする」「チクリとする」痛みと表現され、感覚の障害を伴う。太い神経の損傷による神経原性疼痛は、外科手術や脳損傷に関連する。神経原性疼痛は通常「貫くような」「突き刺すような」「切り裂かれるような」「灼けるような」「猛烈な」「拷問のような」痛みと表現される。
3972	10014454	<i>syn</i> F	シンケイゲンセイトウツウ 幻肢痛	「神経原性疼痛」の一つで、以下の固有の特徴をもつ：切断などにより切除された身体の一部や器官の疼痛感覚。切除前の疼痛感覚が切除後の幻肢痛につながる。通常「むずがゆい」「突き刺すような」「ひきつるような」「猛烈な」「拷問のような」「耐えがたいほどの」痛みと表現される。
3973	10023130	<i>syn</i> DC	ゲンシツウ *Pain	[see line 510]
3974	10013966	F	排尿時痛	「疼痛」の一つで、以下の固有の特徴をもつ：尿道または膀胱の疼痛感覚。排尿時に灼けるような感覚を伴う。
3975	10020612	<i>syn</i> F	ハイニョウジツウ 血管性疼痛	「疼痛」の一つで、以下の固有の特徴をもつ：血管系から生じる疼痛感覚。血管拡張や血管機能不全の結果による。通常「圧迫されるような」「ガンガンする」「しばられるような」痛みと表現される。
3976	10010896	<i>syn</i> F	ケツカンセイトウツウ 虚血性疼痛	「血管性疼痛」の一つで、以下の固有の特徴をもつ：末梢への血液供給の減少によって生じる疼痛感覚。末梢血管疾患

や、ギブス等の締めつける固定具による血流減少、閉塞性動脈疾患や外科手術による不十分な血液供給などに関連する。虚血性疼痛は通常「激しく、耐えがたいほどの」痛みと表現される。

		<i>syn</i>	キョケツセイトウツウ		
3977	10012046	F	偏頭痛		「血管性疼痛」の一つで、以下の固有の特徴をもつ：偏側性で繰り返して起こる血管性頭痛に起因した疼痛感覚。光・音・臭気などの外部刺激や、食物不耐性、ストレス、他の疼痛などの内部刺激が引き金になる。疼痛感覚に先立って、閃光や独特の雰囲気などの前駆症状を伴う場合がある。通常「圧迫されるような」「押しつぶされるような」「ガンガンする」「割れるような」「耐えがたい偏側の」痛みと表現され、吐き気や嘔吐、口渇、情緒の変化を伴う。
		<i>syn</i>	ヘンズツウ		
3978	10020801	F	内臓痛		「疼痛」の一つで、以下の固有の特徴をもつ：心膜や骨膜、小腸粘膜などの後方の被膜組織から生じる疼痛感覚。内臓痛は多少限局性であるが、患部よりも広範囲から生じているように感じられる。通常「深くずっしりとした」「かみつかるような」「しつこい」「きつく締めつけられる」痛みと表現される。吐き気や息が詰まるような感じと関連する。
		<i>syn</i>	ナイゾウツウ		
3979	10004535	F	疝痛		「内臓痛」の一つで、以下の固有の特徴をもつ：小腸や腎臓、胆管など、腹腔内器官の平滑筋がけいれんを起こすことで生じる疼痛感覚。通常、連続する筋のけいれんによる収縮で、「しぼられるような」「引き裂かれるような」痛みと表現される。足の屈曲などの動作、激しく泣く、腹部の膨隆および陥凹。
		<i>syn</i>	センツウ		
3980	10006435	F	性交痛		「内臓痛」の一つで、以下の固有の特徴をもつ：有痛性の性交。強制的な性交、不完全な性的喚起、外陰部損傷に関連する。疾患、出産や女児割礼による外陰および周辺部位の潰瘍に関連する。
		<i>syn</i>	セイコウツウ		
3981	10011953	F	月経痛		「内臓痛」の一つで、以下の固有の特徴をもつ：子宮筋のれん縮から生じる疼痛感覚。通常「激しく締めつけられるようなひきつれ感」「ズキンズキンする」「腹部と腰背部に違和感のある」痛みと表現される。
		<i>syn</i>	ゲツケイツウ		
3982	10015450	F	月経前緊張症		「内臓痛」の一つで、以下の固有の特徴をもつ：月経周期の終盤数日間に見られる月経開始の前兆。月経開始前の神経の緊張、興奮性、体重増加、浮腫、頭痛、乳房痛、不機嫌、集中力低下など。月経開始後1〜2日でこれらの特徴は消える。
		<i>syn</i>	ゲツケイゼンキン チョウショウ		
3983	10014258	F	知覚的便秘		「知覚」の一つ。
		<i>syn</i>	チカクテキベンピ		
3984	10001392	DC	*Perceived Constipation [see line 514]		
3985	10019310	F	疑惑		「知覚」の一つで、以下の固有の特徴をもつ：現われていないものが存在するという印象。明確な根拠なくためらうこと。心の中で非難したり、真実性を信じない傾向。
		<i>syn</i>	ギワク		
3986	10022805	DC	*Suspicion [see line 516]		
3987	10034478	F	*Unilateral Neglect		
		<i>syn</i>	ギワク		
3988	10033573	DC	*Unilateral Neglect [see line 517]		
3989	10012827	F	*Impaired Physical Response		
3990	10002163	F	アレルギー		*Physical Response 「身体反応」の一つで、以下の固有の特徴をもつ：異物の抗原に対する免疫反応。炎症や臓器障害を引き起こす。
		<i>syn</i>	ショクモツアレルギー		
3991	10029697	DC	*Allergy [see line 3472]		
3992	10008091	F	食物アレルギー		「アレルギー」の一つで、以下の固有の特徴をもつ：食物との接触によって感作された結果起こる免疫反応。
		<i>syn</i>	昆虫毒アレルギー		
3993	10010307	F	アレルギー		「アレルギー」の一つ。
		<i>syn</i>	コンチュウドクアレルギー		
3994	10011185	F	ラテックスアレルギー		「アレルギー」の一つで、以下の固有の特徴をもつ：ゴムの木を材料とする製品に接触した結果起こる免疫反応。
		<i>syn</i>	ラテックスアレルギー		
3995	10000790	DC	*Latex Allergy [see line 504]		
3996	10015167	DC	*Risk For Latex Allergy [see line 3531]		
3997	10011878	F	薬剤アレルギー		「アレルギー」の一つ。

3998	10018336	<i>syn</i> F	ヤクザイアレルギー 蛇毒アレルギー <i>syn</i> ジャドクアレルギー	「アレルギー」の一つ。
3999	10025127	F	*Disuse Response	*Impaired Physical Response
4000	10025209	DC	*Disuse Response	[see line 3479]
4001	10012862	F	*Impaired Reflex□	*Reflex□
4002	10003049	F <i>syn</i>	自律神経反射不全 ジリツシンケイハンシャ フゼン	「反射不全」の一つ。
4003	10000496	DC	*Autonomic Dysreflexia□	[see line 3474]
4004	10015030	DC	*Risk For Autonomic Dysreflexia□	[see line 3519]
4005	10024832	F	*Negative Response To Treatment	*Response To Treatment
4006	10001261	DC	*Impaired Ventilatory Weaning	[see line 3511]
4007	10033556	DC	*Lack Of Response to Treatment	[see line 3513]
4008	10033415	DC	*Negative Response to Enteral Nutrition	[see line 3514]
4009	10033381	DC	*Negative Response to Medication	[see line 3515]
4010	10022977	DC	*Risk For Negative Response to Medication	[see line 3532]
4011	10025094	F	*Impaired Psychomotor Activity	*Psychomotor Activity
4012	10025087	DC	*Impaired Psychomotor Activity	[see line 3506]
4013	10012870	F	*Impaired Regulatory System Process	*Regulatory System Process
4014	10029548	F	*Acid Base Imbalance	*Impaired Regulatory System Process
4015	10033539	DC	*Acid Base Imbalance	[see line 693]
4016	10032010	F	*Metabolic Acidosis	*Acid Base Imbalance
4017	10032023	F	*Metabolic Alkalosis	*Acid Base Imbalance
4018	10032653	F	*Respiratory Acidosis	*Acid Base Imbalance
4019	10032669	F	*Respiratory Alkalosis	*Acid Base Imbalance
4020	10005876	F	*Diabetes	*Impaired Regulatory System Process
4021	10031186	F	*Electrolyte Imbalance	*Impaired Regulatory System Process
4022	10033541	DC	*Electrolyte Imbalance	[see line 696]
4023	10031418	F	*Hypercalcemia	*Electrolyte Imbalance
4024	10031425	F	*Hyperkalemia	*Electrolyte Imbalance
4025	10031439	F	*Hypermagnesia	*Electrolyte Imbalance
4026	10031441	F	*Hypernatremia	*Electrolyte Imbalance
4027	10031456	F	*Hyperphosphatemia	*Electrolyte Imbalance
4028	10031473	F	*Hypocalcaemia	*Electrolyte Imbalance
4029	10031487	F	*Hypokalemia	*Electrolyte Imbalance
4030	10031494	F	*Hypomagnesia	*Electrolyte Imbalance
4031	10031500	F	*Hyponatremia	*Electrolyte Imbalance
4032	10031516	F	*Hypophosphatemia	*Electrolyte Imbalance
4033	10031309	F	*Fluid Imbalance	*Impaired Regulatory System Process
4034	10031089	F	*Dehydration	*Fluid Imbalance: Decreased fluid volume or loss of body fluid.□
4035	10025808	DC	*Dehydration	[see line 695]
4036	10009413	F	高張性脱水	「脱水」の一つで、以下の固有の特徴をもつ：水分喪失が電解質喪失を上回る体液喪失状態、または電解質投与が水分投与を上回るような体液喪失状態。人工ミルクまたは静脈栄養を規程よりも少ない水分で溶解したことによる投与ミス、あるいはタンパク質の過量摂取などで生じる。強度の口渇、張りはあるが乾燥し灰色でひび割れた皮膚、乾燥し荒れた口唇、皮膚の肥厚、乾燥粘膜、涙液や唾液の欠乏、易興奮性、混乱、刺激に対する高度の易興奮性を伴った著しい嗜眠が起こる。
		<i>syn</i>	コウチョウセイダツ スイ	
4037	10009552	F	低張性脱水	「脱水」の一つで、以下の固有の特徴をもつ：身体組織からの電解質喪失が水分喪失を上回る体液喪失状態。創傷からの分泌物の多量喪失や嘔吐などによる急激な体液喪失によるもので、口渇はなく、皮膚は冷や汗で湿り、冷たく張りがないう。粘膜はやや湿潤し、体温は正常以下。脈拍数や呼吸数は減少し、嗜眠や昏睡に移行する。

		<i>syn</i>	テイチョウセイダッ スイ	
4038	<u>10010910</u>	F	等張性脱水	「脱水」の一つで、以下の固有の特徴をもつ：体液の喪失状態で、電解質濃度は体液と同等に保たれ、口渇は伴わない。
		<i>syn</i>	トウチョウセイダッ スイ	
4039	<u>10031313</u>	F	*Fluid Retention	*Fluid Imbalance: Condition of retention of body fluids in□ tissue spaces associated with altered electrolyte balance, oedema of body tissue, effusion, weight gain, shortness□ of breath, restlessness and changes in mental state.
4040	<u>10002625</u>	F	腹水	「体液貯留」の一つで、以下の固有の特徴をもつ：タンパク質と電解質を大量に含む体液が腹腔内に異常に貯留した状態。腹部膨隆、浮腫、尿量減少が見られる。肝硬変、癌、心不全、寄生虫による疾患などに関連する。
		<i>syn</i>	フクスイ	
4041	<u>10013627</u>	F	浮腫	「体液貯留」の一つで、以下の固有の特徴をもつ：細胞間隙に体液が多量に貯留した状態。起座位では下肢の末梢組織が腫脹し、仰臥位では臀部組織が腫脹する体液の貯留。中心性の浮腫では、息切れ、呼吸パターンの変化、呼吸音の異常を伴う。
		<i>syn</i>	フシュ	
4042	<u>10031661</u>	F	*Lymphatic Oedema	*Oedema
4043	<u>10030003</u>	DC	*Lymphatic Oedema	[see line 704]
4044	<u>10033310</u>	F	*Weeping Oedema	*Lymphatic Oedema
4045	<u>10030116</u>	DC	*Weeping Oedema	[see line 705]
4046	<u>10027476</u>	F	*Peripheral Oedema	*Oedema
4047	<u>10027482</u>	DC	*Peripheral Oedema	[see line 706]
4048	<u>10031460</u>	F	*Hypertonic Over Hydration	*Fluid Imbalance: Rare condition of overload of hypertonic fluids with higher electrolyte concentration□ than body fluids, strong thirst, dry read and warm skin□ accompanied by—confusion, hallucination, somnolence and convulsions associated with errors in administration of fluids such as intravenous transfusion□ of hypertonic fluids to unconscious patients or errors in□ administration of breast milk substitution mixed with salt instead of sugar or shipwrecked drinking sea water.
4049	<u>10031528</u>	F	*Hypotonic Over Hydration	*Fluid Imbalance: Fluid volume overload of hypotonic fluids with lower electrolyte concentration than body□ fluids such as water intoxication due to replacement of□ loss of body fluids for example through vomit,□ diarrhoea or extensive perspiration with plain water associated with nausea, vomiting, weakness, decreased consciousness, muscle spasm and convulsion.
4050	<u>10031603</u>	F	*Isotonic Over Hydration	*Fluid Imbalance: Condition of overload of isotonic fluids with the same electrolyte concentration as body□ fluids accompanied by increased blood pressure,□ increased body weight, distension of neck and hand veins, difficulties in breathing, presence of breath□ sounds associated with development of lung oedema occurring due to rapid administering of intravenous transfusion or associated with renal failure.
4051	<u>10027521</u>	F	*Hyperglycaemia	*Impaired Regulatory System Process
4052	<u>10027550</u>	DC	*Hyperglycaemia	[see line 698]
4053	<u>10009445</u>	F	ビタミン過剰	「制御系プロセス」の一つで、以下の固有の特徴をもつ：1種類または数種類のビタミンが長期にわたり中毒量まで体内に蓄積した状態。ビタミンA、D、E、Kの過剰摂取と関連し、水溶性ビタミンのB、Cでは起こりにくい。
		<i>syn</i>	ビタミンカジョウ	
4054	<u>10027513</u>	F	*Hypoglycaemia	*Impaired Regulatory System Process
4055	<u>10027566</u>	DC	*Hypoglycaemia	[see line 699]
4056	<u>10009581</u>	F	ビタミン欠乏	「制御系プロセス」の一つで、以下の固有の特徴をもつ：日常の飲食物中の必須ビタミンが、1種類または数種類不足している状態。
		<i>syn</i>	ビタミンケツボウ	
4057	<u>10023358</u>	DC	*Impaired Regulatory System Process	[see line 3507]
4058	<u>10012964</u>	F	*Impaired Thermoregulation	*Thermoregulation

4059	10007916	F	発熱		「体温調節」の一つで、以下の固有の特徴をもつ：体内温度自動調節器のセットポイントの変化による体温の異常な上昇。呼吸回数の増加や代謝亢進、頻脈（拍動性または微弱）、不穏、頭痛または混乱を伴う。急激な発熱に伴い、戦慄や振戦、悪寒、蒼白で乾燥した皮膚が見られる。熱の分利または下降時には、温かく紅潮した皮膚と発汗が見られる。
4060	10008851	<i>syn</i> F	ハツネツ 熱疲労		「体温調節」の一つで、以下の固有の特徴をもつ：激しい暑さへの曝露時に生じる、体温自動調節機能の低下、または熱に適応できないこと。体液および電解質の喪失に伴う虚脱、めまい、皮膚冷感、皮膚湿潤、皮膚蒼白、筋けいれん、ほぼ平常の体温、臥床により正常化する低血圧、意識消失、ならびに虚脱を伴う。
4061	10008898	<i>syn</i> F	ネツヒヘイ 熱射病		「体温調節」の一つで、以下の固有の特徴をもつ：太陽または高温への長時間曝露時に生じる体温自動調節器を制御する能力の低下。発汗の減少、著しい高体温、頻脈、熱をもち乾いた皮膚、頭痛、混乱、けいれん、意識消失、虚脱。
4062	10009409	<i>syn</i> F	ネツシャビョウ 高体温		「体温調節」の一つで、以下の固有の特徴をもつ：体温自動調節機能の低下。体温上昇、温かく乾いた皮膚、眠気や頭痛を伴う。中枢神経系や内分泌系の障害、熱中症、または治療目的の人為的体温上昇。
4063	10000757	<i>syn</i> DC	コウタイオン *Hyperthermia	[see line 702]	
4064	10027328	DC	*Risk for Hyperthermia	[see line 77]	
4065	10009547	F	低体温		「体温調節」の一つで、以下の固有の特徴をもつ：体温自動調節機能の低下。体温の低下、冷たく蒼白で乾燥した皮膚、震え、毛細血管の再充血時間の遅延、頻脈、爪床チアノーゼ、高血圧、立毛を伴う。長時間の寒冷曝露、寒冷条件または治療目的の人為的異常低体温による中枢神経系あるいは内分泌系の機能低下に関連する。
4066	10000761	<i>syn</i> DC	テイタイオン *Hypothermia	[see line 703]	
4067	10017275	DC	*Risk For Hypothermia	[see line 78]	
4068	10033560	DC	*Impaired Thermoregulation	[see line 701]	
4069	10015244	DC	*Risk For Impaired Thermoregulation	[see line 3529]	
4070	10011602	F	栄養失調		「制御系プロセス」の一つで、以下の固有の特徴をもつ：貧弱な食事、吸収障害、食物や栄養素の活用に影響する病気により、バランスのよい質の高い栄養素が摂取できず、栄養状態が悪いこと。
4071	10003802	<i>syn</i> F	エイヨウシツチョウ 悪液質		「栄養失調」の一つで、以下の固有の特徴をもつ：やせ、筋肉消耗、虚弱、るいそうの見られる状態。がんや結核など全身的な健康障害や疾病と関連することが多い。
4072	10011057	<i>syn</i> F	アクエキシツ クワシオルコル		「栄養失調」の一つで、以下の固有の特徴をもつ：カロリー欠乏を伴わない重度のタンパク欠乏状態で、主に子どもに見られる。急激な体重減少を伴わない成長遅延で、皮膚や頭髮色素の変化、下痢、食欲低下、神経過敏、易興奮性、浮腫、貧血、皮膚炎、ビタミン欠乏症などを伴う。
4073	10011734	F	栄養消耗症		「栄養失調」の一つで、以下の固有の特徴をもつ：重度の栄養不良と飢餓状態で、主に子どもに見られる。重度のタンパク・カロリー欠乏状態で、組織と筋肉の著しい低下、脱水、皮下脂肪の低下、無気力、成長遅延などを伴う。
4074	10018772	<i>syn</i> F	エイヨウショウモウショウ ウ 飢餓		「制御系プロセス」の一つで、以下の固有の特徴をもつ：必須栄養素を摂取していない、または長期間にわたって摂食を拒否していること。極度の空腹、体重減少、筋けいれん、骨痛、脂肪便、貧血、虚弱、倦怠感を伴う。
4075	10012889	<i>syn</i> F	キガ *Impaired Reproductive System Process	*Reproductive System Process	
4076	10000262	F	妊娠中絶		「生殖器系プロセス」の一つで、以下の固有の特徴をもつ：妊娠を中断または終了させること、または生育不能な胎児を娩出すること。生育不能な胎児を子宮から早期娩出すること。
4077	10018646	<i>syn</i> F	ニンシンチュウゼツ 自然流産		「妊娠中絶」の一つで、以下の固有の特徴をもつ：非人為的

		<i>syn</i>	シゼンリュウザン	に妊娠が終了し、胎芽または胎児を娩出すること。流産。
4078	10009151	F	のぼせ	「生殖系プロセス」の一つで、以下の固有の特徴をもつ：上半身に生じる突然の熱感。突然の血管拡張と発汗を伴う。ホルモン分泌の変調や更年期障害の始まりと関連する。
		<i>syn</i>	ノボセ	
4079	10012836	F	*Impaired Pregnancy	*Pregnancy
4080	10020292	F	予定外の妊娠	「妊娠」の一つで、以下の固有の特徴をもつ：計画外または予定外の妊娠や出産の経験に関する行動。
		<i>syn</i>	ヨテイガイノニンシン	
4081	10023182	DC	*Risk For Unintended Pregnancy	[see line 74]
			*Impaired Sexual Functioning	[see line 3509]
4082	10001288	DC		
4083	10009886	F	インポテンス	「生殖系プロセス」の一つで、以下の固有の特徴をもつ：ペニスが勃起しない、または勃起しても射精することが少ない。年齢、過労、健康障害、薬物使用、疾患など、心理的または生理的要因に関連する。
4084	10023176	DC	*Risk For Impaired Reproductive Function	[see line 3528]
4085	10012891	F	*Impaired Respiratory System Process	*Respiratory System Process
4086	10002656	F	誤嚥	「呼吸器系プロセス」の一つで、以下の固有の特徴をもつ：体外の物質または胃内容物を下部気道に吸い込むこと。
		<i>syn</i>	ゴエン	
4087	10027177	DC	*Aspiration	[see line 710]
4088	10015024	DC	*Risk For Aspiration	[see line 3518]
4089	10005249	F	咳嗽	「呼吸器系プロセス」の一つで、以下の固有の特徴をもつ：深吸気と声門の閉鎖に引き続き、肺から勢いよく空気を排出すること。気道の異物を排泄しようとする保護的な反射。気道の炎症と関連する。
		<i>syn</i>	ガイソウ	
4090	10006461	F	呼吸困難	「呼吸器系プロセス」の一つで、以下の固有の特徴をもつ：困難と努力を伴い肺に空気を出し入れすること。息切れ。血中の酸素不足、鼻翼呼吸、吸気深度の変化、異常な呼吸音、喘鳴、水泡音、ラ音、叩打時共鳴音、呼吸補助筋の使用、胸の収縮、口すぼめ呼吸、振とう音および不快感と関連する。
		<i>syn</i>	コキュウコンナン	
4091	10029433	DC	*Dyspnoea	[see line 711]
4092	10008268	F	機能的呼吸困難	「呼吸困難」の一つで、以下の固有の特徴をもつ：運動や歩行などの身体活動に伴う息切れ。
		<i>syn</i>	キノウテキコキュウコンナン	
4093	10029414	DC	*Functional Dyspnoea	[see line 712]
4094	10017117	F	安静時呼吸困難	「呼吸困難」の一つで、以下の固有の特徴をもつ：安楽な姿勢で安静にしている際に生じる息切れ。
		<i>syn</i>	アンセイジコキュウコンナン	
4095	10013823	F	起座呼吸	「安静時呼吸困難」の一つで、以下の固有の特徴をもつ：仰臥位または横臥位になると生じる息切れ。
		<i>syn</i>	キザコキュウ	
4096	10029422	DC	*Resting Dyspnoea	[see line 713]
4097	10009432	F	過換気	「呼吸器系プロセス」の一つで、以下の固有の特徴をもつ：呼吸回数の増加、吸気深度および呼気強度の増大。換気量の増大により、低二酸化炭素血症と呼吸性アルカローシスを生じ、めまいや失神、手指・足趾のしびれ感を伴う。
		<i>syn</i>	カカンキ	
4098	10009575	F	低換気	「呼吸器系プロセス」の一つで、以下の固有の特徴をもつ：呼吸回数の減少、吸気深度および呼気強度の減少。チアノーゼ、二酸化炭素分圧 (pCO ₂) の上昇を伴う。
		<i>syn</i>	テイカンキ	
4099	10009608	F	低酸素血症	「呼吸器系プロセス」の一つで、以下の固有の特徴をもつ：細胞内酸素分圧の低下のことで、チアノーゼ、頻脈、末梢血管れん縮、呼吸音減弱、めまい、精神的混乱を伴う。
		<i>syn</i>	テイサンソケッショウ	
4100	10023362	DC	*Impaired Respiration	[see line 3508]
4101	10022223	F	*Postnasal Drip	*Impaired Respiratory System Process
4102	10021761	DC	*Postnasal Drip	[see line 717]
4103	10019064	F	窒息	「呼吸器系プロセス」の一つで、以下の固有の特徴をもつ：空気が肺に入ることを妨げることで、呼吸の停止や仮死にな

		<i>syn</i>	チツソク	る。
4104	10015341	DC	*Risk For Suffocation□	[see line 3533]
4105	10033334	F	*Wheeze	*Impaired Respiratory System Process
4106	10030128	DC	*Wheeze	[see line 718]
4107	10012929	F	*Impaired Sleep	*Sleep
4108	10009387	F	睡眠過剰	「睡眠」の一つで、以下の固有の特徴をもつ：過度に深く異常に長時間の睡眠。覚醒時の混乱、極度の眠気、虚脱感。身体的要因よりも心理的要因に関連する。
		<i>syn</i>	スイミンカジョウ	
4109	10010330	F	不眠	「睡眠」の一つで、以下の固有の特徴をもつ：快適な環境で楽な姿勢をとっているにもかかわらず、慢性的に眠れない、あるいは夜中または予定した時間の眠りを継続できない。目がさえている、睡眠不足。精神的ストレス、不安、疼痛、不快、緊張、大脳機能の障害、薬物乱用などの身体的または心理的要因にしばしば関連する。
		<i>syn</i>	フミン	
4110	10027226	DC	*Sleep Deprivation	[see line 3534]
4111	10018294	F	夢遊	「睡眠」の一つで、以下の固有の特徴をもつ：睡眠中の運動活動で、通常、最後はベッドを離れて眠ったまま歩き回る。数分から半時間ほど続く。覚醒時にはその出来事を覚えていない。疲労やストレス、不安に関連する。
		<i>syn</i>	ムユウ	
4112	10012972	F	*Impaired Urinary System Process	*Urinary System Process
4113	10001359	DC	*Impaired Urinary System Process	[see line 3510]
4114	10012986	F	*Impaired Urination	*Urination
4115	10021790	DC	*Impaired Urination	[see line 731]
4116	10033375	DC	*Risk for Impaired Infant Development	[see line 3526]
4117	10023389	DC	*Undignified Dying□	[see line 3536]
4118	10012610	F	*Impaired Cognition	*Cognition
4119	10002438	F	失語	「認知」の一つで、以下の固有の特徴をもつ：言葉を使い理解する言語機能の障害または喪失。重い頭部外傷、脳卒中、遷延性低酸素、心血管系の発作など、脳の特定部位の損傷に関連する。
		<i>syn</i>	シツゴ	
4120	10007406	F	運動性失語	「失語」の一つで、以下の固有の特徴をもつ：口頭あるいは文書で言葉を形成または表現できないこと。部分的または完全に言葉を表現できないが、必ずしも感覚失語や言葉・言語の理解障害を意味しない。
		<i>syn</i>	ウンドウセイシツゴ	
4121	10006419	F	書字障害	「運動性失語」の一つで、以下の固有の特徴をもつ：書くことの障害。言葉や文章を書面で表せない。書字困難は必ずしも構語障害を意味しない。
		<i>syn</i>	ショジショウガイ	
4122	10006457	F	構語障害	「運動性失語」の一つで、以下の固有の特徴をもつ：表現の障害。口頭で言葉を形成・表現できない。構語障害は必ずしも書字困難を意味しない。
		<i>syn</i>	コウゴショウガイ	
4123	10029802	DC	*Dysphasia	[see line 615]
4124	10018304	F	不明瞭言語	「構語障害」の一つで、以下の固有の特徴をもつ：不明瞭な発語、不完全な発音、言葉の結合や部分的な断ち切れ。明瞭な発音に関わる筋の脆弱化、神経系の障害、薬物使用、不注意な発音に関連する。
		<i>syn</i>	フメイリョウゲンゴ	
4125	10018944	F	連発性吃音	「構語障害」の一つで、以下の固有の特徴をもつ：痙攣性の言葉の発音、極度の口ごもり、とちり、同じ音節の繰り返し、音の引き伸ばしを伴う。明瞭な発音に関係する器官の損傷、大脳・神経筋の障害、また感情に関連する。
		<i>syn</i>	レンバツセイキツオン	
4126	10009893	F	感覚性失語	「失語」の一つで、以下の固有の特徴をもつ：交わされる言語や言葉の理解の障害。全体的または部分的な理解で、言葉の表現には障害がないこともある。
		<i>syn</i>	カンカクセイシツゴ	
4127	10002159	F	失読	「感覚性失語」の一つで、以下の固有の特徴をもつ：書き言葉の理解が欠けている。
		<i>syn</i>	シツドク	
4128	10006426	F	読字障害	「感覚性失語」の一つで、以下の固有の特徴をもつ：読む機能の障害、読む能力の欠損。書面の文字や言葉が反転して知

覚される。書面の文字のつながりを判別する能力の障害。左右の区別が困難。読字障害は必ずしも失読を意味しない。

		<i>syn</i>	ドクジショウガイ	
4129	10005587	F	意思決定の葛藤	「認知」の一つ。
		<i>syn</i>	イシケッテイノカットウ	
4130	10000579	DC	<i>*Decisional Conflict</i>	[see line 606]
4131	10025542	F	<i>*Moral Distress</i>	<i>*Decisional Conflict</i>
4132	10025018	DC	<i>*Moral Distress</i>	[see line 608]
4133	10006092	F	思考の歪み	「認知」の一つ。
		<i>syn</i>	シコウノユガミ	
4134	10002042	F	失認	「思考の歪み」の一つで、以下の固有の特徴をもつ：既知の物体や人物を感覚刺激を通じて認識する能力の全部または一部の喪失。脳損傷の結果による。影響の及んだ感覚器官に関連し、視覚的失認、聴覚的失認、嗅覚的失認、味覚的失認、触覚的失認に分類される。
		<i>syn</i>	シツニン	
4135	10004947	F	混乱	「思考の歪み」の一つで、以下の固有の特徴をもつ：時間、場所、人の見当がつかない記憶障害。混乱し、一貫性のない話、不穩、方向感覚の欠如を伴う。
		<i>syn</i>	コンラン	
4136	10023633	DC	<i>*Confusion</i>	[see line 610]
4137	10023050	DC	<i>*Risk For Confusion</i>	[see line 3735]
4138	10005692	F	譫妄	「思考の歪み」の一つ。
		<i>syn</i>	センモウ	
4139	10022091	DC	<i>*Delirium</i>	[see line 614]
4140	10022070	DC	<i>*Risk For Delirium</i>	[see line 3736]
4141	10031091	F	<i>*Dementia</i>	<i>*Distorted Thinking</i>
4142	10000669	DC	<i>*Distorted Thinking Process</i>	[see line 609]
4143	10022321	DC	<i>*Impaired Cognition</i>	[see line 3721]
4144	10024100	F	<i>*Suicidal Ideation</i>	<i>*Impaired Cognition</i>
4145	10022795	DC	<i>*Suicidal Ideation</i>	[see line 618]
4146	10012699	F	<i>*Impaired Environmental Process</i>	<i>*Environmental Process</i>
4147	10012448	F	自然災害	「環境プロセス」の一つ。
		<i>syn</i>	シゼンサイガイ	
4148	10006305	F	干ばつ	「自然災害」の一つで、以下の固有の特徴をもつ：長期的な乾燥状態、雨や水の欠如、または大地に影響を及ぼして植物の成長を妨げるような天候で、人間の生命や発達に影響を及ぼす。
		<i>syn</i>	カンバツ	
4149	10006490	F	地震	「自然災害」の一つ。
		<i>syn</i>	ジシン	
4150	10007679	F	飢え	「自然災害」の一つで、以下の固有の特徴をもつ：深刻かつ全体的な食糧の不足。広い地域に住む人々を養うための食糧が不足すること。
		<i>syn</i>	ウエ	
4151	10008004	F	洪水	「自然災害」の一つで、以下の固有の特徴をもつ：大地に水が溢れ、人間の生命や発達に影響を及ぼすこと。
		<i>syn</i>	コウズイ	
4152	10009271	F	ハリケーン	「自然災害」の一つで、以下の固有の特徴をもつ：強風を伴う破壊的な暴風雨で、通常は雨や雷を伴い、人間の生命や発達に影響を及ぼす。
4153	10019869	F	竜巻	「自然災害」の一つで、以下の固有の特徴をもつ：急速に回転する漏斗状の雲を伴う破壊的な風。通過路に沿ってあらゆる物を破壊することが多く、人間の生命や発達に影響を及ぼす。
		<i>syn</i>	タツマキ	
4154	10020200	F	津波	「自然災害」の一つで、以下の固有の特徴をもつ：海底地震や火山の噴火によって起こる巨大な海洋波。
		<i>syn</i>	ツナミ	
4155	10023959	DC	<i>*Negative Environmental Process</i>	[see line 3644]
4156	10013875	F	密集プロセス	「環境プロセス」の一つで、以下の固有の特徴をもつ：快適さ、安全性、プライバシーなどを守るには多すぎる人々が、特定の居住地、土地、その他の場所を占有したり、住居にすること。プライバシーの欠如や伝染病の危険に関連することが多い。
		<i>syn</i>	ミッシュウプロセス	
4157	10014735	F	汚濁	「環境プロセス」の一つで、以下の固有の特徴をもつ：何かが不潔で汚れていること。

		<i>syn</i>	オダク	
4158	10012718	F	機能不全家族	「家族プロセス」の一つで、以下の固有の特徴をもつ：家族としての機能や役割を果たせない家族。家族の役割変化。家族の目標の欠如。変化への無関心。援助の必要性を認識できないこと。緊張、ストレス、危機に対処できないこと。放任家庭。人間不信。絶望感。
		<i>syn</i>	キノウフゼンカソク	
4159	10012702	F	<i>*Impaired Family Communicating Act</i>	[see line 1599]
4160	10023078	DC	<i>*Impaired Family Process</i>	[see line 628]
4161	10032364	DC	<i>*Risk for Impaired Family Coping</i>	[see line 3797]
4162	10012756	F	<i>*Impaired Memory</i>	<i>*Memory</i>
4163	10002233	F	記憶喪失	「記憶」の一つで、以下の固有の特徴をもつ：記憶の喪失。脳損傷や情緒的危機に関連する。
		<i>syn</i>	キオクソウシツ	
4164	10001203	DC	<i>*Impaired Memory</i>	[see line 3723]
4165	10012858	F	<i>*Impaired Psychological Response</i>	<i>*Psychological Response</i>
4166	10032132	F	<i>*Negative Response To Situation</i>	<i>*Impaired Psychological Response</i>
4167	10016744	F	移転ストレス	「心理的反応」の一つで、以下の固有の特徴をもつ：ある環境から別の環境に移った結果として生じる生理的・心理的混乱に対応しようとする意向。
		<i>syn</i>	イテンスストレス	
4168	10021788	DC	<i>*Impaired Relocation Stress</i>	[see line 3724]
4169	10015292	DC	<i>*Risk For Relocation Stress</i>	[see line 3744]
4170	10020114	F	心的外傷反応	「心理的反応」の一つ。
		<i>syn</i>	シンテキガイショウハンノウ	
4171	10001699	DC	<i>*Post Trauma Response</i>	[see line 3734]
4172	10016357	F	レイブ心的外傷反応	「心的外傷反応」の一つで、以下の固有の特徴をもつ：レイブ後に被害者に起こる不適応反応。
		<i>syn</i>	レイブシンテキガイショウハンノウ	
4173	10001597	DC	<i>*Rape Trauma Response</i>	[see line 848]
4174	10015259	DC	<i>*Risk For Post Trauma Response</i>	[see line 3742]
4175	10012675	F	<i>*Negative Emotion</i>	<i>*Emotion</i>
4176	10002320	F	怒り	「情緒」の一つで、以下の固有の特徴をもつ：極度の不快感、激怒、憤慨、憎悪、フラストレーション、敵意。心の中から発生する、または防御メカニズムとして起こる。通常、自分あるいは他者に向けられる建設的または破壊的な行為として現れる。
		<i>syn</i>	イカリ	
4177	10002429	F	不安	「情緒」の一つで、以下の固有の特徴をもつ：理由もなく脅威、恐れを感じ悩むこと。パニック、自信喪失、筋緊張増大、心拍数増加、顔面蒼白、発汗増加、手掌の発汗、瞳孔拡大、声の震えを伴う。
		<i>syn</i>	フアン	
4178	10000477	DC	<i>*Anxiety</i>	[see line 550]
4179	10017880	F	分離不安	「不安」の一つで、以下の固有の特徴をもつ：馴染んだ環境や大事な人から引き離されることで生じる恐怖や心配。例えば、母親またはそのような存在の人から引き離された幼児。号泣、涙、悲しみの反応、感情表現の欠如、孤立、否認、あきらめを伴う。
		<i>syn</i>	ブンリフアン	
4180	10005784	F	抑うつ	「情緒」の一つで、以下の固有の特徴をもつ：気分が抑圧された状態。悲しみ、哀愁、無力症、理解の低下、集中の低下、罪悪感、および食欲喪失、不眠症、頭痛などの身体的症状を引き起こす。
		<i>syn</i>	ヨクウツ	
4181	10022402	DC	<i>*Depression</i>	[see line 555]
4182	10032329	DC	<i>*Risk for Depression</i>	[see line 3737]
4183	10005811	F	絶望	「情緒」の一つで、以下の固有の特徴をもつ：深い失望感、落胆感、無気力、空虚な気持ち。
		<i>syn</i>	ゼツボウ	
4184	10006118	F	苦悩	「情緒」の一つで、以下の固有の特徴をもつ：強く激しい痛み、悲しみ、苦しみの感情。
		<i>syn</i>	クノウ	
4185	10018583	F	霊的苦悩	「苦悩」の一つで、以下の固有の特徴をもつ：生命について

の信念の破綻。生きる意味への疑問。苦難に対する疑問、宗教的・文化的しがらみとの断絶。信念や価値観の変化、強い苦難、神に対する怒りに関連する。

		<i>syn</i>	レイテキクノウ	
4186	10015325	DC	<i>*Risk For Spiritual Distress</i>	[see line 3746]
4187	10001652	DC	<i>*Spiritual Distress</i>	[see line 571]
4188	10029839	DC	<i>*Emotional Problem</i>	[see line 3717]
4189	10007013	F	羨望	「情緒」の一つで、以下の固有の特徴をもつ：他者の幸運によって刺激される不満感や怒りの気持ち。幸運のなさは運命や社会のせいだと非難することに関連する。
		<i>syn</i>	センボウ	
4190	10007717	F	倦怠感	「情緒」の一つで、以下の固有の特徴をもつ：体力や持久力の低下を感じる。疲労感。肉体的または精神的な疲れ。だるく、十分に休んだ感じがせず、体力や能力が低下して頭や体がいつもどおりに働かないと感ずること。
		<i>syn</i>	ケンタイカン	
4191	10007327	F	消耗	「倦怠感」の一つで、以下の固有の特徴をもつ：体力や持久力の喪失。疲れ切った感じ、易興奮性の増強、体力の完全な枯渇。精力的な身体活動や心理的重圧に関連し、刺激に反応して正常に筋収縮を起こす組織の能力喪失に関連する。
		<i>syn</i>	ショウモウ	
4192	10024137	F	<i>*Treatment Exhaustion</i>	<i>*Exhaustion</i>
4193	10022833	DC	<i>*Treatment Exhaustion</i>	[see line 562]
4194	10000695	DC	<i>*Fatigue</i>	[see line 560]
4195	10007738	F	恐怖	「情緒」の一つで、以下の固有の特徴をもつ：原因がわかっている脅威、恐れ、苦悩。警戒、恐怖の原因に対する集中、目を見開いた積極的攻撃行動をとることもあれば、恐怖の原因から逃避することもある。
		<i>syn</i>	キョウフ	
4196	10000703	DC	<i>*Fear</i>	[see line 563]
4197	10026594	F	<i>*Fear About Being A Burden To Others</i>	<i>*Fear</i>
4198	10026541	F	<i>*Fear About Death</i>	<i>*Fear</i>
4199	10008252	F	フラストレーション	「情緒」の一つで、以下の固有の特徴をもつ：外的制限、外的支援の欠如により、願いどおりにならないことに不満をもち失望する感情。他者からの抵抗、または他者からの不正で、不名誉で、愚かな行動も原因となる。フラストレーションの気持ちは自分自身ではなく他者に向けられる。
4200	10008603	F	罪悪感	「情緒」の一つで、以下の固有の特徴をもつ：悪いことをしたという気持ち。自分が設定した基準より劣ってしまった時に感じる、内的に葛藤している価値観や緊張感。罪悪感とは他者ではなく自分自身に向けられる。
		<i>syn</i>	ザイアクカン	
4201	10008920	F	無気力感	「情緒」の一つで、以下の固有の特徴をもつ：助けを借りなければ一人で管理し行動できないという感情。無防備さ。コーピング能力の障害、学習した無力感、介護者など権威者に対する従順さを伴う。病者役割行動の発生に関連する。
		<i>syn</i>	ムキリョクカン	
4202	10009105	F	失望	「情緒」の一つ。
		<i>syn</i>	シツボウ	
4203	10000742	DC	<i>*Hopelessness</i>	[see line 565]
4204	10010311	F	不安定感	「情緒」の一つで、以下の固有の特徴をもつ：不確かな感情、自信のなさ、不十分、気後れした感じ、ぎこちない行動、他者との意見の対立に屈服し意見を変える。
		<i>syn</i>	フアンテイカン	
4205	10010952	F	嫉妬	「情緒」の一つで、以下の固有の特徴をもつ：恋愛や愛情の競争相手に対する疑惑や怒りの気持ち。嫉妬する気持ちは自分ではなく他者に向けられる。兄弟間の嫉妬に関連する。
		<i>syn</i>	シット	
4206	10011417	F	孤独感	「情緒」の一つで、以下の固有の特徴をもつ：帰属するものがないという感情、情緒的な孤立感。排除されている感情、憂うつで悲しい気持ち。仲間、共感、友情の欠如に関連する。無意味感、空虚感、引きこもり、自尊心の低下を伴う。
		<i>syn</i>	コドクカン	
4207	10015179	DC	<i>*Risk For Loneliness</i>	[see line 3741]
4208	10013071	F	緊張感	「情緒」の一つで、以下の固有の特徴をもつ：過度の興奮。動揺、身震い、手指の振戦、顔面紅潮に関連する。
		<i>syn</i>	キンチョウカン	
4209	10015394	F	無力感	「情緒」の一つで、以下の固有の特徴をもつ：現状や当面の

事態に対応できないという感情。選択能力の低下。自分の行為はアウトカムにほとんど影響しないという理解から、行動を起こすことができないこと。

		<i>syn</i>	ムリョクカン	
4210	10001578	DC	<i>*Powerlessness</i>	[see line 569]
4211	10015285	DC	<i>*Risk For Powerlessness</i>	[see line 3743]
4212	10021735	DC	<i>*Risk For Dysfunctional Grief</i>	[see line 3738]
4213	10017418	F	悲しみ	「情緒」の一つで、以下の固有の特徴をもつ：意気消沈し、憂うつな気分。エネルギーの欠如に関連する。
		<i>syn</i>	カナシミ	
4214	10000551	DC	<i>*Chronic Sadness</i>	[see line 553]
4215	10017996	F	羞恥心	「情緒」の一つで、以下の固有の特徴をもつ：自尊心をなくした気持ち。自分の不正・不名誉で、愚かな行動が原因となる。羞恥心の気持ちは他者ではなく自分自身に向けられる。
		<i>syn</i>	シュウチシン	
4216	10019055	F	苦しみ	「情緒」の一つで、以下の固有の特徴をもつ：長期にわたるひどい悲しみの気持ち。受難や過酷な状況に耐える必要性に関連する（例えば、疼痛、不快、障害などの慢性的な身体的症状、慢性的な精神的ストレス、悪い評判、不公平感など）。
		<i>syn</i>	クルシミ	
4217	10025588	DC	<i>*Suffering</i> □	[see line 573]
4218	10014121	F	病理学的プロセス	「生体プロセス」の一つで、以下の固有の特徴をもつ：疾患。
		<i>syn</i>	ビョウリガクテキプロセス	
4219	10025324	F	<i>*Contamination Exposure</i>	<i>*Pathological Process</i>
4220	10025297	DC	<i>*ContaminationExposure</i>	[see line 536]
4221	10025245	DC	<i>*Risk For Contamination Exposure</i>	[see line 43]
4222	10010104	F	感染	「病理学的プロセス」の一つで、以下の固有の特徴をもつ：病原性微生物が体内に侵入すること。病原性微生物は体内で繁殖し、局所の細胞損傷、毒素分泌、抗原抗体反応により病気を引き起こす。
		<i>syn</i>	カンセン	
4223	10005404	F	交差感染	「感染」の一つ。
		<i>syn</i>	コウサカンセン	
4224	10023032	DC	<i>*Infection</i>	[see line 763]
4225	10015133	DC	<i>*Risk For Infection</i>	[see line 44]
4226	10019713	F	驚口瘡	「感染」の一つで、以下の固有の特徴をもつ：白い皮膜で、真菌感染、白い斑点、浅い潰瘍を伴う。
		<i>syn</i>	ガコウソウ	
4227	10033306	F	<i>*Wart</i>	<i>*Infection</i>
4228	10031571	F	<i>*Infestation</i>	<i>*Pathological Process</i>
4229	10031345	F	<i>*Head Lice Infestation</i>	<i>*Infestation</i>
4230	10010127	F	炎症	「病理学的プロセス」の一つ。
		<i>syn</i>	エンショウ	
4231	10029927	DC	<i>*Inflammation</i> □	[see line 765]
4232	10014703	F	中毒	「病理学的プロセス」の一つ。
		<i>syn</i>	チュウドク	
4233	10015271	DC	<i>*Risk For Poisoning</i>	[see line 46]
4234	10032386	DC	<i>*Risk for Disease</i>	[see line 42]
4235	10020105	F	トラウマ	「病理学的プロセス」の一つ。
4236	10010284	F	損傷	「トラウマ」の一つ。
		<i>syn</i>	ソンショウ	
4237	10029530	F	<i>*Abuse Injury</i>	<i>*Injury</i>
4238	10029678	DC	<i>*Injury from Abuse</i>	[see line 767]
4239	10004191	F	化学的損傷	「損傷」の一つ。
		<i>syn</i>	カガクテキソンショウ	
4240	10006643	F	電氣的損傷	「損傷」の一つ。
		<i>syn</i>	デンキテキソンショウ	
4241	10031234	F	<i>*Environmental Injury</i>	<i>*Injury</i>
4242	10032355	DC	<i>*Risk for Environmental Injury</i>	[see line 49]
4243	10029936	DC	<i>*Injury</i>	[see line 766]
4244	10011159	F	レーザー損傷	「損傷」の一つ。
		<i>syn</i>	レーザーソンショウ	
4245	10011832	F	機械的損傷	「損傷」の一つ。
		<i>syn</i>	キカイテキソンショウ	
4246	10014372	F	周手術期体位性損傷	「損傷」の一つ。

		<i>syn</i>	シュウシュジュツキタイ イセイソンショウ		
4247	10023111	DC	<i>*Perioperative Positioning Injury</i>	<i>[see line 768]</i>	
4248	10015263	DC	<i>*Risk For Perioperative Positioning Injury</i>	<i>[see line 51]</i>	
4249	10016286	F	放射線損傷		「損傷」の一つ。
		<i>syn</i>	ハウシャセンソンショウ		
4250	10015146	DC	<i>*Risk For Injury</i>	<i>[see line 48]</i>	
4251	10019637	F	熱性損傷		「損傷」の一つ。
		<i>syn</i>	ネッセイソンショウ		
4252	10020024	F	移乗性損傷		「損傷」の一つで、以下の固有の特徴をもつ：場所を移動することによる損傷。
		<i>syn</i>	イジョウセイソンショウ		
4253	10032408	DC	<i>*Risk for Transfer Injury</i>	<i>[see line 769]</i>	
4254	10030074	DC	<i>*Transfer Injury</i>	<i>[see line 770]</i>	
4255	10016335	F	レイブ心的外傷		「トラウマ」の一つで、以下の固有の特徴をもつ：自分の意に反した強制的な性的暴力を受けた時に、転機（よい方向または悪い方向）に対処しようとする傾向。ライフスタイルの乱れ、ライフスタイルの長期的な再編過程に関連する。
		<i>syn</i>	レイブシンテキガイショウ		
4256	10015360	DC	<i>*Risk For Trauma</i>	<i>[see line 47]</i>	
4257	10012513	F	<i>*Problematic Action</i>	<i>*Action</i>	
4258	10012623	A	<i>*Impaired Communicating Act</i>	<i>[see line 1598]</i>	
4259	10027430	DC	<i>*Impaired Interactive Behaviour</i>	<i>[see line 3621]</i>	
4260	10010041	F	労使間闘争		「社会的プロセス」の一つで、以下の固有の特徴をもつ：労働条件（解雇予告や賃金を含む）に関する経営者側と労働者側との対立。
		<i>syn</i>	ロウシカントウソウ		
4261	10013643	F	公式ストライキ		「労使間闘争」の一つで、以下の固有の特徴をもつ：よりよい労働条件の獲得を目的とし、合意されたシステムに従って行われる闘争。通常は労働の継続を拒否することによって実施される。
		<i>syn</i>	コウシキストライキ		
4262	10020318	F	非公式ストライキ		「労使間闘争」の一つで、以下の固有の特徴をもつ：よりよい労働条件の獲得を目的とし、合意されたシステムに従わないで行われる闘争。通常は労働の継続を拒否することによって実施される。
		<i>syn</i>	ヒコウシキストライキ		
4263	10022822	DC	<i>*Lack Of Transportation</i>	<i>[see line 3641]</i>	
4264	10027411	DC	<i>*Risk For Elopement</i>	<i>[see line 3679]</i>	
4265	10015122	DC	<i>*Risk For Fall</i>	<i>[see line 3680]</i>	
4266	10019040	F	<i>*Sudden Infant Death</i>	<i>[see line 2625]</i>	
4267	10012940	F	<i>*Impaired Status</i>	<i>[see line 2965]</i>	
4268	10012955	L	<i>*Impaired Structural Body Part</i>	<i>[see line 445]</i>	
4269	10028834	F	<i>*No Complication</i>	<i>*Phenomenon</i>	
4270	10028823	DC	<i>*No Complication</i>	<i>[see line 1028]</i>	
4271	10014918	F	<i>*Positive Process</i>	<i>*Process</i>	
4272	10034599	DC	<i>*Access to Transportation</i>	<i>[see line 3548]</i>	
4273	10014939	F	<i>*Adequate Sleep</i>	<i>*Sleep</i>	
4274	10024930	DC	<i>*Adequate Sleep</i>	<i>[see line 3471]</i>	
4275	10005967	DC	尊厳死	<i>[see line 3478]</i>	
4276	10014828	F	<i>*Effective Communication□</i>	<i>[see line 1591]</i>	
4277	10014844	F	<i>*Effective Coping□</i>	<i>*Coping</i>	
4278	10034829	F	<i>*Effective Caregiver Coping□</i>	<i>*Caregiver Coping</i>	
4279	10034838	DC	<i>*Effective Caregiver Coping□</i>	<i>[see line 1073]</i>	
4280	10022378	DC	<i>*Effective Coping□</i>	<i>[see line 3715]</i>	
4281	10034762	F	<i>*Effective Family Coping□</i>	<i>*Family Coping</i>	
4282	10034770	DC	<i>*Effective Family Coping□</i>	<i>[see line 960]</i>	
4283	10034791	F	<i>*Positive Community Coping</i>	<i>*Community Coping</i>	
4284	10034801	DC	<i>*Positive Community Coping</i>	<i>[see line 954]</i>	
4285	10014863	F	<i>*Effective Family Process□</i>	<i>*Family Process</i>	
4286	10034762	F	<i>*Effective Family Coping□</i>	<i>[see line 4281]</i>	
4287	10025232	DC	<i>*Effective Family Process□</i>	<i>[see line 959]</i>	
4288	10028419	DC	<i>*Effective Growth□</i>	<i>[see line 3487]</i>	

4289	10028572	DC	<i>*Effective Human Development□</i>	<i>[see line 3488]</i>
4290	10028044	DC	<i>*Effective Immune System Process□</i>	<i>[see line 3489]</i>
4291	10028063	DC	<i>*Effective Interactive Behaviour□</i>	<i>[see line 3584]</i>
4292	10028426	F	<i>*Effective Memory□</i>	<i>*Memory</i>
4293	10028435	DC	<i>*Effective Memory□</i>	<i>[see line 3716]</i>
4294	10027675	DC	<i>*Effective Nervous System Process□</i>	<i>[see line 3491]</i>
4295	10014902	F	<i>*Effective Parenting□</i>	<i>[see line 1541]</i>
4296	10027532	F	<i>*Effective Regulatory System□</i> Process	<i>*Regulatory System Process</i>
4297	10033491	F	<i>*Acid Base Balance</i>	<i>*Effective Regulatory System Process□</i>
4298	10033663	DC	<i>*Effective Acid Base Balance□</i>	<i>[see line 3480]</i>
4299	10034373	F	<i>*Effective Blood Glucose Level□</i>	<i>*Effective Regulatory System Process□</i>
4300	10033685	DC	<i>*Effective Blood Glucose□</i> Level	<i>[see line 3481]</i>
4301	10028037	DC	<i>*Effective Endocrine System□</i> Process	<i>[see line 3484]</i>
4302	10033967	F	<i>*Electrolyte Balance</i>	<i>*Effective Regulatory System Process□</i>
4303	10033709	DC	<i>*Effective Electrolyte□</i> Balance	<i>[see line 3483]</i>
4304	10034114	F	<i>*Fluid Balance</i>	<i>*Effective Regulatory System Process□</i>
4305	10033721	DC	<i>*Effective Fluid Balance□</i>	<i>[see line 3485]</i>
4306	10029031	F	<i>*No Peripheral Oedema</i>	<i>*Effective Regulatory System Process□</i>
4307	10029020	DC	<i>*No Peripheral Oedema</i>	<i>[see line 3516]</i>
4308	10014973	F	<i>*Positive Thermoregulation</i>	<i>*Thermoregulation</i>
4309	10033848	DC	<i>*Effective□</i> Thermoregulation	<i>[see line 3496]</i>
4310	10027815	F	<i>*Effective Reproductive System□</i> Process	<i>*Reproductive System Process</i>
4311	10027827	DC	<i>*Effective Reproductive System□</i> Process	<i>[see line 3492]</i>
4312	10033427	DC	<i>*Effective Response to Enteral□</i> Nutrition	<i>[see line 3494]</i>
4313	10028670	DC	<i>*Effective Response to Medication□</i>	<i>[see line 3495]</i>
4314	10028604	F	<i>*Effective Urinary System Process□</i>	<i>*Urinary System Process</i>
4315	10028615	DC	<i>*Effective Urinary System□</i> Process	<i>[see line 3497]</i>
4316	10014987	F	<i>*Positive Urination</i>	<i>*Urination</i>
4317	10028141	DC	<i>*Effective Ventilatory Weaning□</i>	<i>[see line 3498]</i>
4318	10022345	DC	<i>*Grief</i>	<i>[see line 3718]</i>
4319	10025353	F	<i>*Hope</i>	<i>*Hope</i>
4320	10025780	DC	<i>*Hope</i>	<i>[see line 3719]</i>
4321	10034302	F	<i>*No Chemical Injury</i>	<i>*Positive Process</i>
4322	10033587	DC	<i>*No Chemical Injury</i>	<i>[see line 1027]</i>
4323	10034318	F	<i>*No Electrical Injury</i>	<i>*Positive Process</i>
4324	10033594	DC	<i>*No Electrical Injury</i>	<i>[see line 1035]</i>
4325	10034715	F	<i>*No Fatigue</i>	<i>*Positive Process</i>
4326	10034727	DC	<i>*No Fatigue</i>	<i>[see line 1038]</i>
4327	10028950	F	<i>*No Infection</i>	<i>*Positive Process</i>
4328	10028945	DC	<i>*No Infection</i>	<i>[see line 1039]</i>
4329	10028978	F	<i>*No Injury</i>	<i>*Positive Process</i>
4330	10028966	DC	<i>*No Injury</i>	<i>[see line 1040]</i>
4331	10034325	F	<i>*No Laser Injury</i>	<i>*Positive Process</i>
4332	10033616	DC	<i>*No Laser Injury</i>	<i>[see line 1041]</i>
4333	10029361	F	<i>*No Perioperative Injury</i>	<i>*Positive Process</i>
4334	10029374	DC	<i>*No Perioperative Injury</i>	<i>[see line 1042]</i>
4335	10034339	F	<i>*No Perioperative Positioning Injury</i>	<i>*Positive Process</i>
4336	10033628	DC	<i>*No Perioperative Positioning</i> Injury	<i>[see line 1043]</i>
4337	10029054	F	<i>*No Poisoning</i>	<i>*Positive Process</i>
4338	10029049	DC	<i>*No Poisoning</i>	<i>[see line 1045]</i>
4339	10034341	F	<i>*No Radiation Injury</i>	<i>*Positive Process</i>
4340	10033637	DC	<i>*No Radiation Injury</i>	<i>[see line 1047]</i>
4341	10034356	F	<i>*No Thermal Injury</i>	<i>*Positive Process</i>
4342	10033644	DC	<i>*No Thermal Injury</i>	<i>[see line 1054]</i>
4343	10034360	F	<i>*No Transfer Injury</i>	<i>*Positive Process</i>
4344	10033659	DC	<i>*No Transfer Injury</i>	<i>[see line 1055]</i>

4345	10029217	F	<i>*No Wandering</i>	<i>[see line 2552]</i>
4346	10022275	DC	<i>*Positive Attitude To Care</i>	<i>[see line 3729]</i>
4347	10014816	F	<i>*Positive Behaviour</i>	<i>*Behaviour</i>
4348	10027972	DC	<i>*Effective Breathing Pattern□</i>	<i>[see line 3575]</i>
4349	10028658	DC	<i>*Effective Caregiver Child□ Attachment</i>	<i>[see line 3578]</i>
4350	10028059	DC	<i>*Effective Infant Feeding□ Behaviour</i>	<i>[see line 3583]</i>
4351	10028187	DC	<i>*Effective Sexual Behaviour□</i>	<i>[see line 3593]</i>
4352	10030279	DC	<i>*Effective Sleep Pattern□</i>	<i>[see line 3594]</i>
4353	10000735	DC	<i>*Health Seeking Behaviour</i>	<i>[see line 3604]</i>
4354	10029096	F	<i>*No Self Destructive Behaviour</i>	<i>*Positive Behaviour</i>
4355	10029083	DC	<i>*No Self Destructive Behaviour</i>	<i>[see line 3648]</i>
4356	10029110	F	<i>*No Self Mutilation</i>	<i>*No Self Destructive Behaviour</i>
4357	10029106	DC	<i>*No Self Mutilation</i>	<i>[see line 1049]</i>
4358	10029134	F	<i>*No Substance Abuse</i>	<i>*Positive Behaviour</i>
4359	10028777	F	<i>*No Alcohol Abuse</i>	<i>*No Substance Abuse</i>
4360	10028765	DC	<i>*No Alcohol Abuse</i>	<i>[see line 1051]</i>
4361	10028875	F	<i>*No Drug Abuse</i>	<i>*No Substance Abuse</i>
4362	10028868	DC	<i>*No Drug Abuse</i>	<i>[see line 1052]</i>
4363	10029123	DC	<i>*No Substance Abuse</i>	<i>[see line 3649]</i>
4364	10029152	F	<i>*No Tobacco Abuse</i>	<i>*No Substance Abuse</i>
4365	10029147	DC	<i>*No Tobacco Abuse</i>	<i>[see line 1053]</i>
4366	10029175	F	<i>*No Violence</i>	<i>*Positive Behaviour</i>
4367	10029168	DC	<i>*No Violence</i>	<i>[see line 3650]</i>
4368	10013777	F	行動統合	「人間発達」の一つ。
		<i>syn</i>	コウドウトウゴウ	
4369	10013796	F	乳児行動統合	「行動統合」の一つ。
		<i>syn</i>	ニュウジコウドウトウゴウ	
4370	10001411	DC	<i>*Positive Breast Feeding</i>	<i>[see line 3654]</i>
4371	10025638	DC	<i>*Positive Caregiver Attitude</i>	<i>[see line 3730]</i>
4372	10028379	F	<i>*Positive Circulatory System Process</i>	<i>*Circulatory System Process</i>
4373	10028380	DC	<i>*Effective Circulatory System□ Process</i>	<i>[see line 3482]</i>
4374	10028118	F	<i>*Positive Vascular Process</i>	<i>*Vascular Process</i>
4375	10028139	DC	<i>*Effective Peripheral□ Vascular Process</i>	<i>[see line 940]</i>
4376	10028810	F	<i>*No Bleeding</i>	<i>*Positive Vascular Process</i>
4377	10028806	DC	<i>*No Bleeding</i>	<i>[see line 944]</i>
4378	10028102	F	<i>*Positive Neurovascular Process</i>	<i>*Neurovascular Process</i>
4379	10028125	DC	<i>*Effective Peripheral□ Neurovascular Process</i>	<i>[see line 941]</i>
4380	10028351	F	<i>*Positive Cognition</i>	<i>*Cognition</i>
4381	10028367	DC	<i>*Effective Cognition□</i>	<i>[see line 3714]</i>
4382	10025348	F	<i>*Effective Decision Making□</i>	<i>*Decision Making Process</i>
4383	10028731	DC	<i>*Effective Decision Making□</i>	<i>[see line 946]</i>
4384	10028852	F	<i>*No Confusion</i>	<i>*Positive Cognition</i>
4385	10028847	DC	<i>*No Confusion</i>	<i>[see line 947]</i>
4386	10034665	F	<i>*Positive Event Or Episode</i>	<i>[see line 2646]</i>
4387	10028000	F	<i>*Positive Gastrointestinal System Process</i>	<i>*Gastrointestinal System Process</i>
4388	10028398	F	<i>*Effective Defaecation□</i>	<i>*Defaecation</i>
4389	10028403	DC	<i>*Effective Defaecation□</i>	<i>[see line 965]</i>
4390	10028016	DC	<i>*Effective Gastrointestinal□ System Process</i>	<i>[see line 3486]</i>
4391	10029199	F	<i>*No Vomiting</i>	<i>*Positive Gastrointestinal System Process</i>
4392	10029181	DC	<i>*No Vomiting</i>	<i>[see line 966]</i>
4393	10028085	F	<i>*Positive Musculoskeletal System Process</i>	<i>*Musculoskeletal System Process</i>
4394	10028092	DC	<i>*Effective Musculoskeletal□ System Process</i>	<i>[see line 3490]</i>
4395	10028442	F	<i>*Positive Perception</i>	<i>*Perception</i>
4396	10034893	DC	<i>*Effective Kinaesthesia□</i>	<i>[see line 982]</i>
4397	10028173	DC	<i>*Effective Sensory Perception□</i>	<i>[see line 983]</i>

4398	10028997	F	*No Nausea	*Positive Perception
4399	10028984	DC	*No Nausea	[see line 984]
4400	10029012	F	*No Pain	*Positive Perception
4401	10029008	DC	*No Pain	[see line 985]
4402	10025779	DC	*Positive Pride	[see line 3731]
4403	10024159	F	*Positive Religious Belief	*Religious Belief
4404	10028156	F	*Positive Respiratory System Process	*Respiratory System Process
4405	10028160	DC	*Effective Respiratory System Process	[see line 3493]
4406	10028796	F	*No Aspiration	*Positive Respiratory System Process
4407	10028783	DC	*No Aspiration	[see line 1007]
4408	10029255	F	*No Dyspnea	*Positive Respiratory System Process
4409	10029264	DC	*No Dyspnea	[see line 1008]
4410	10025672	DC	*Positive Self Efficacy	[see line 3732]
4411	10014925	F	*Positive Self Image	*Self Image
4412	10027108	DC	*Positive Self Image	[see line 3733]
4413	10032317	DC	*Risk For Impaired Child Development	[see line 3525]
4414	10014960	F	*Positive Status	[see line 3265]
4415	10029238	L	*Positive Structural Body Part	[see line 485]
4416	10027022	F	*Emotional Support	*Phenomenon
4417	10006978	F	実体	「焦点」の一つで、以下の固有の特徴をもつ：特定の分離した単位として存在するもの。特性だけではなく、物として存在。
		syn	ジツタイ	
4418	10002591	M	人工物	「手段」の一つ。
		syn	ジンコウブツ	
4419	10005001	L	建造物	[see line 170]
4420	10005869	M	装置	[see line 1102]
4421	10006997	F	環境実体	「実体」の一つで、以下の固有の特徴をもつ：個人の生活またはコミュニティに影響を及ぼす身体的・化学的・生物的・社会的および文化的実体の複合物。
		syn	カンキョウジツタイ	
4422	10002057	F	農地開発	「環境実体」の一つで、以下の固有の特徴をもつ：食物の栽培や農耕に用いられる土地。土壌栽培、作物生産、家畜飼育に関連することが多い。
		syn	ノウチカイハツ	
4423	10010056	F	産業振興地	「環境実体」の一つで、以下の固有の特徴をもつ：鉱業、製造業、貯蔵業、商品流通業に用いられる土地。
		syn	サンギョウシンコウチ	
4424	10016524	F	レクリエーション施設開発地	「環境実体」の一つで、以下の固有の特徴をもつ：公共のレクリエーションやスポーツに用いられる土地。
		syn	レクリエーションシセツカイハツチ	
4425	10016894	F	住宅開発地	「環境実体」の一つで、以下の固有の特徴をもつ：家、および人間の住まい、集合住宅、都市住宅、郊外住宅のための構造物を建設するために用いられる土地。
		syn	ジュウタクカイハツチ	
4426	10010170	F	基本的設備	「環境実体」の一つで、以下の固有の特徴をもつ：道路、橋梁、下水などの基本的設備で、社会の経済基盤とみなされるもの。
		syn	キホンテキセツビ	
4427	10011809	M	食事	「栄養物」の一つ。
		syn	ショクジ	
4428	10014630	M	計画	「人工物」の一つ。
		syn	ケイカク	
4429	10003970	M	ケア計画	「計画」の一つ。
		syn	ケアケイカク	
4430	10004463	M	クリニカルパス	「計画」の一つ。
4431	10008585	M	ガイドライン	「計画」の一つ。
4432	10013978	M	疼痛ガイドライン	「ガイドライン」の一つ。
		syn	トウツウガイドライン	
4433	10015926	M	プロトコール	「計画」の一つ。
4434	10016609	F	治療計画	「計画」の一つ。
		syn	チリョウケイカク	
4435	10030850	F	*Breast Care Regime	*Regime

4436	10023596	F	*Complex Regime	*Regime
4437	10022206	F	*Complex Medication Regime	*Medication Regime
4438	10022983	DC	*Complex Medication Regime	[see line 525]
4439	10027448	F	*Polypharmacy	*Complex Medication Regime
4440	10030042	DC	*Polypharmacy	[see line 526]
4441	10027453	DC	*Risk for Polypharmacy	[see line 3689]
4442	10022350	DC	*Complex Treatment Regime	[see line 3558]
4443	10031004	F	*Continence Device Regime	*Regime
4444	10023651	F	*Diagnostic Testing Regime	*Regime
4445	10005951	F	食餌療法計画	「治療計画」の一つ。
		syn	ショクジリョウホウケイカク	
4446	10031223	F	*Enteral Feeding Regime	*Regime
4447	10023667	F	*Exercise Regime	*Regime
4448	10031281	F	*Eye Care Regime	*Regime
4449	10023701	F	*Fluid Regime	*Regime
4450	10011884	F	薬剤療法計画	「治療計画」の一つ。
		syn	ヤクザイリョウホウケイカク	
4451	10022206	F	*Complex Medication Regime	[see line 4437]
4452	10031537	F	*Immunisation Regime	*Medication Regime
4453	10032197	F	*Oral Care Regime	*Regime
4454	10032215	F	*Parenteral Feeding Regime	*Regime
4455	10032236	F	*Peritoneal Dialysis Regime	*Regime
4456	10032262	F	*Postpartum Care Regime	*Regime
4457	10032412	F	*PreNatal Care Regime	*Regime
4458	10032611	F	*Rehabilitation Regime	*Regime
4459	10024026	F	*Safety Regime	*Regime
4460	10032761	F	*Skin Care Regime	*Regime
4461	10032790	F	*Stoma Care Regime	*Regime
4462	10032166	F	*Nephrostomy Care Regime	*Stoma Care Regime
4463	10033174	F	*Tracheostomy Care Regime	*Stoma Care Regime
4464	10033212	F	*Travel Health Regime	*Regime
4465	10033283	F	*Urinary Catheter Care Regime	*Regime
4466	10017186	F	結果	「実体」の一つで、以下の固有の特徴をもつ：あることの成り行きや影響、成果。
		syn	ケツカ	
4467	10011074	F	検査結果	「結果」の一つ。
		syn	ケンサケツカ	
4468	10002543	F	動脈血ガス結果	「検査結果」の一つで、以下の固有の特徴をもつ：動脈血中の酸素と二酸化炭素のレベル。
		syn	ドウミャクケツガスケツカ	
4469	10019616	F	試験結果	「結果」の一つ。
		syn	シケンケツカ	
4470	10018423	L	社会構造	[see line 202]
4471	10002003	F	*Collection Of Things	*Entity
4472	10003388	L	身体	[see line 240]
4473	10008544	C	集団	[see line 129]
4474	10012521	F	*Impaired Aggregate Of Entity	[see line 3749]
4475	10025428	F	*Contraceptive	*Entity
4476	10006913	F	エネルギーフィールド	「環境実体」の一つで、以下の固有の特徴をもつ：人間を取り巻くエネルギーの流れまたはエネルギーパターン。
4477	10001149	DC	*Disrupted Energy Field	[see line 3565]
4478	10011775	M	材料	[see line 1265]
4479	10013783	F	有機体	「実体」の一つ。
		syn	ユウキタイ	
4480	10002331	F	動物	「有機体」の一つで、以下の固有の特徴をもつ：感覚能力と随意運動能力を有する生命体で、人間の生命や発達に影響を及ぼす。
		syn	ドウブツ	
4481	10006187	F	家畜	「動物」の一つで、以下の固有の特徴をもつ：所有者に帰属する飼いなされた動物。

		<i>syn</i>	カチク	
4482	10007900	C	胎児	[see line 128]
4483	10010018	C	個人	[see line 139]
4484	10021099	F	野生動物	「動物」の一つで、以下の固有の特徴をもつ：飼いならされておらず、家畜化しておらず、管理されていない動物で、人間の生命や発達に影響を及ぼす。
		<i>syn</i>	ヤセイドウブツ	
4485	10012014	F	微生物	「有機体」の一つで、以下の固有の特徴をもつ：人間の生命や発達に影響を及ぼす微小な有機体。
		<i>syn</i>	ビセイブツ	
4486	10014653	F	草木	「有機体」の一つ。
		<i>syn</i>	クサキ	
4487	10018531	F	検体	「生体物質」の一つ。
		<i>syn</i>	ケンタイ	
4488	10018916	L	構造	[see line 238]
4489	10006997	F	環境実体	[see line 4421]
4490	10023680	F	*Family Support	*Phenomenon
4491	10022473	DC	*Lack of Family Support	[see line 772]
4492	10028834	F	*No Complication	[see line 4269]
4493	10014477	F	*Phenomenon	**
4494	10004170	F	*Characteristic	[see line 2675]
4495	10005895	F	*Diagnosis and Outcome Phenomenon	[see line 3467]
4496	10027022	F	*Emotional Support	[see line 4416]
4497	10006978	F	実体	[see line 4417]
4498	10023680	F	*Family Support	[see line 4490]
4499	10015762	F	作用	「焦点」の一つで、以下の固有の特徴をもつ：ある結果をもたらす一連の機能または行為。
		<i>syn</i>	サヨウ	
4500	10003446	F	生体プロセス	「作用」の一つ。
		<i>syn</i>	セイタイプロセス	
4501	10000291	F	吸収	「消化器系プロセス」の一つで、以下の固有の特徴をもつ：分子にまで分解された食物や栄養素を、消化管の組織内へ取り込むこと。
		<i>syn</i>	キュウシュウ	
4502	10034421	F	*Body Process Diagnosis and Outcome	[see line 3470]
4503	10004416	F	循環器系プロセス	「生体プロセス」の一つ。
		<i>syn</i>	ジュンカンキケイプロセス	
4504	10003894	F	心臓プロセス	「循環器系プロセス」の一つで、以下の固有の特徴をもつ：心臓に血液を送ること。
		<i>syn</i>	シンゾウプロセス	
4505	10012597	F	*Impaired Cardiac Process	[see line 3876]
4506	10012606	F	*Impaired Circulatory System Process	[see line 3873]
4507	10028379	F	*Positive Circulatory System Process	[see line 4372]
4508	10020620	F	血管プロセス	「循環器系プロセス」の一つで、以下の固有の特徴をもつ：中枢動脈、静脈、および末梢毛細血管を通して血液を送ること。
		<i>syn</i>	ケツカンプロセス	
4509	10012993	F	*Impaired Vascular Process	[see line 3882]
4510	10013160	F	神経血管プロセス	「血管プロセス」の一つで、以下の固有の特徴をもつ：神経および血管の両方に関連する過程。
		<i>syn</i>	シンケイケツカンプロセス	
4511	10012794	F	*Impaired Neurovascular Process	[see line 3890]
4512	10028102	F	*Positive Neurovascular Process	[see line 4378]
4513	10028118	F	*Positive Vascular Process	[see line 4374]
4514	10019745	F	組織灌流	「血管プロセス」の一つで、以下の固有の特徴をもつ：酸素、水分、栄養分を細胞レベルで供給するための末梢組織の血流。皮膚温や皮膚の色、動脈拍動の消失、動脈圧の変化、創の治癒、体毛の成長に関連する。

		<i>syn</i>	ソシキカンリュウ	
4515	10028593	DC	<i>*Effective Tissue Perfusion</i> [see line 942]	
4516	10001344	DC	<i>*Ineffective Tissue Perfusion</i> [see line 3893]	
4517	10017281	DC	<i>*Risk For Ineffective Tissue Perfusion</i> [see line 3894]	
4518	10034497	F	<i>*Wound Perfusion</i> <i>*Tissue Perfusion</i>	
4519	10033853	DC	<i>*Effective Wound Perfusion</i> [see line 943]	
4520	10001993	F	<i>*Collection Of Body Processes</i> <i>*Body Process</i>	
4521	10012005	F	代謝	「生体プロセス」の一つで、以下の固有の特徴をもつ：化学的過程の総和で、成長、エネルギー生産、老廃物の排泄、身体機能の調節などをもたらす、消化後に栄養素を血液中へ流すことと関連している。代謝率の上昇には、運動、体温上昇、ホルモン活動、消化が関連している。
		<i>syn</i>	タイシャ	
4522	10005745	F	歯生	「生体システム」の一つ。
		<i>syn</i>	シセイ	
4523	10001131	DC	<i>*Impaired Dentition</i> [see line 3903]	
4524	10006403	F	臨終	「生体プロセス」の一つで、以下の固有の特徴をもつ：生命の途絶。徐々にまたは突然に身体機能が低下し、生命を維持している体内作用が停止する。
		<i>syn</i>	リンジュウ	
4525	10005967	DC	尊厳死	[see line 4275]
4526	10023389	DC	<i>*Undignified Dying</i> [see line 4117]	
4527	10006720	F	排泄	「生体プロセス」の一つで、以下の固有の特徴をもつ：老廃物を移動させ、排泄物として排出すること。
		<i>syn</i>	ハイセツ	
4528	10006932	F	充血	「血管プロセス」の一つ。
		<i>syn</i>	ジュウケツ	
4529	10012681	F	<i>*Impaired Engorgement</i> [see line 3904]	
4530	10008366	F	消化器系プロセス	「生体プロセス」の一つ。
		<i>syn</i>	ショウカキケイプロセス	
4531	10003785	F	げっぷ	「消化器系プロセス」の一つで、以下の固有の特徴をもつ：おくび。胃のガスや空気を口から吐き出すこと。赤ん坊を胸に抱いて、おくびを出させるために背中を軽くたたくこと。
		<i>syn</i>	ゲツプ	
4532	10012584	F	<i>*Burping</i> [see line 3908]	
4533	10005628	F	排便	「消化器系プロセス」の一つで、以下の固有の特徴をもつ：便の移動と排出。通常1日1回軟らかい有形便が排出される。
		<i>syn</i>	ハイベン	
4534	10028398	F	<i>*Effective Defaecation</i> [see line 4388]	
4535	10012652	F	<i>*Impaired Defaecation</i> [see line 3916]	
4536	10007985	F	鼓腸	「消化器系プロセス」の一つで、以下の固有の特徴をもつ：胃腸に大量の空気やガスがあり、排ガスが増加し、腹部が膨満する。諸器官の膨満と軽度から中程度の疼痛を伴う。
		<i>syn</i>	コチョウ	
4537	10012725	F	<i>*Flatulence</i> [see line 3915]	
4538	10012741	F	<i>*Impaired Gastrointestinal System Process</i> [see line 3907]	
4539	10028000	F	<i>*Positive Gastrointestinal System Process</i> [see line 4387]	
4540	10008563	F	成長	「人間発達」の一つで、以下の固有の特徴をもつ：幼児期から成人期までの、顕著な身体的変化を伴う正常な進行性の身体発達。出生前、乳児期、よちよち歩きから就学前までの幼児期、小児期、青年期などおよそその年齢と成長発達の段階に従って、段階的かつ正常な体の成長と同化が起こる。生後12カ月間および思春期の数カ月間の2度にわたって成長の加速期を迎える。
		<i>syn</i>	セイチョウ	
4541	10028419	DC	<i>*Effective Growth</i> [see line 4288]	
4542	10034903	F	<i>*Impaired Growth</i> [see line 3924]	
4543	10019709	F	身体発育過程	「成長」の一つで、以下の固有の特徴をもつ：特に子どもにおける、期待どおりの正常な体重増加と成長が見られる状態。必須な栄養素を十分に摂取し、栄養状態がよく、健康な身体であること。
		<i>syn</i>	シンタイハツイクカテイ	
4544	10008707	F	治療	「生体プロセス」の一つで、以下の固有の特徴をもつ：健康な状態に回復すること。

4545	10021236	<i>syn</i> F	チユ 創傷治癒	「治癒」の一つ。
4546	10009200	<i>syn</i> F	ソウショウチユ 人間発達	「生体プロセス」の一つで、以下の固有の特徴をもつ：小児期から成人期への移行時のおおよその年齢と思春期の成長発達段階に応じた、正常な進行性の身体発達過程。成長の加速期は9歳から16歳で、骨閉鎖、声変わり、性毛・体毛の分布、筋肉の形成、体脂肪の減少、皮脂腺分泌の増加、発汗の増加を伴う。
4547	10023343	<i>syn</i> F	ニンゲンハッタツ *Adolescent Development	*Human Development
4548	10023304	DC	*Impaired Adolescent Development	[see line 642]
4549	10023512	F	*Adult Development	*Human Development
4550	10023315	DC	*Impaired Adult Development	[see line 643]
4551	10023985	F	*Older Adult Development	*Adult Development Process
4552	10023327	DC	*Impaired Older Adult Development	[see line 644]
4553	10004324	F	小児発達	「人間発達」の一つで、以下の固有の特徴をもつ：誕生から小児期を経て成人期までのおおよその年齢と成長発達段階に応じた、正常な進行性の身体発達過程。
4554	10030222	<i>syn</i> DC	ショウニハッタツ *Effective Child Development	[see line 970]
4555	10023294	DC	*Impaired Child Development	[see line 645]
4556	10016012	F	精神運動発達	「小児発達」の一つで、以下の固有の特徴をもつ：自然な発達の過程。協調、コミュニケーション、社会化、可動性などの側面を併せもつ。人が行動を通して環境と相互作用する能力。
4557	10032317	<i>syn</i> DC	セイシンウンドウハッタツ *Risk For Impaired Child Development	[see line 4413]
4558	10028572	DC	*Effective Human Development	[see line 4289]
4559	10007890	F	胎児発達	「人間発達」の一つで、以下の固有の特徴をもつ：新たな個体が女性の体内で受胎から胚発育、胎生期を経て出生に至るまでのおおよその週数と成長発達段階に応じた、正常な進行性の生命発達過程。
4560	10023260	<i>syn</i> DC	タイジハッタツ *Impaired Human Development	[see line 3930]
4561	10023740	F	*Infant Development	*Human Development
4562	10023287	DC	*Impaired Infant Development	[see line 646]
4563	10023971	F	*Newborn Development	*Infant Development
4564	10023273	DC	*Impaired Newborn Development	[see line 647]
4565	10033375	DC	*Risk for Impaired Infant Development	[see line 4116]
4566	10009789	F	免疫系プロセス	「生体プロセス」の一つで、以下の固有の特徴をもつ：生化学的な複合作用。局所的なバリア形成や炎症反応によって、病原体や異物から身体を守っている。体液性の免疫反応は、細菌やウイルスの侵入に対して特に効果的。
4567	10028044	<i>syn</i> DC	メンエキケイプロセス *Effective Immune System Process	[see line 4290]
4568	10022996	DC	*Immunologic Impairment	[see line 3872]
4569	10012566	F	*Impaired Body Process	[see line 3870]
4570	10021607	F	外皮系プロセス	「生体プロセス」の一つ。
4571	10012274	<i>syn</i> F	ガイヒケイプロセス 運動	「筋骨格系プロセス」の一つ。
4572	10012363	<i>syn</i> F	ウンドウ 筋骨格系プロセス	「生体プロセス」の一つ。
4573	10003414	<i>syn</i> F	キンコッカクケイプロセス 身体運動	「筋骨格系プロセス」の一つで、以下の固有の特徴をもつ：自発的、無意識、または不随意的筋肉・関節・骨の動き、および運動性機能。

		<i>syn</i>	シンタイウンドウ	
4574	10012773	F	<i>*Impaired Musculoskeletal System Process</i>	[see line 3932]
4575	10028085	F	<i>*Positive Musculoskeletal System Process</i>	[see line 4393]
4576	10013102	F	神経系プロセス	「生体プロセス」の一つ。
		<i>syn</i>	シンケイケイプロセス	
4577	10027675	DC	<i>*Effective Nervous System Process</i>	[see line 4294]
4578	10014270	F	知覚	「神経系プロセス」の一つで、以下の固有の特徴をもつ：感覚的刺激を意識して心に記録すること。感覚器官を通して物体やデータを認識すること。
		<i>syn</i>	チカク	
4579	10009259	F	空腹感	「知覚」の一つで、以下の固有の特徴をもつ：食物を強く欲する感覚。口や胃に関連する感覚。食糧の欠乏による疼痛、不快、消耗した状態。乳幼児に見られる、手を口に入れる行為、物を吸う行為、おしゃぶりをする行為。
		<i>syn</i>	クウフクカン	
4580	10012815	F	<i>*Impaired Perception</i>	[see line 3948]
4581	10034872	F	<i>*Kinaesthesia</i>	<i>*Perception: Faculty of noticing and being aware of body position and movements due to responses to stimuli from sensory nerves in muscles and joints.</i>
4582	10034893	DC	<i>*Effective Kinaesthesia</i>	[see line 4396]
4583	10034886	DC	<i>*Impaired Kinaesthesia</i>	[see line 508]
4584	10028442	F	<i>*Positive Perception</i>	[see line 4395]
4585	10024042	F	<i>*Sensory Perception</i>	<i>*Perception</i>
4586	10028173	DC	<i>*Effective Sensory Perception</i>	[see line 4397]
4587	10008814	F	聴覚	「知覚」の一つで、以下の固有の特徴をもつ：ものを聴く能力。聴覚器官からの刺激に対する反応の結果。聴く能力。
		<i>syn</i>	チョウカク	
4588	10018124	F	視覚	「知覚」の一つで、以下の固有の特徴をもつ：ものを見る機能。視覚器官からの刺激に対する反応の結果。見る能力。
		<i>syn</i>	シカク	
4589	10018327	F	嗅覚	「知覚」の一つで、以下の固有の特徴をもつ：においを感じる機能。嗅覚器官からの刺激に対する反応の結果。臭気をかぐ能力。
		<i>syn</i>	キュウカク	
4590	10019458	F	味覚	「知覚」の一つで、以下の固有の特徴をもつ：味を感じる機能。味覚器官からの刺激に対する反応の結果。食物や飲料を味わう能力。
		<i>syn</i>	ミカク	
4591	10019895	F	触覚	「知覚」の一つで、以下の固有の特徴をもつ：触感を得る機能。触覚器官からの刺激に対する反応の結果。皮膚の触覚器官からの接触や圧迫によって方向づける能力。
		<i>syn</i>	ショツカク	
4592	10019671	F	渇き	「知覚」の一つで、以下の固有の特徴をもつ：水などの飲料を欲する感覚。口や喉、口と喉の乾燥した粘膜に関連する。
		<i>syn</i>	カワキ	
4593	10016008	F	精神運動性活動	「神経系プロセス」の一つで、以下の固有の特徴をもつ：意識的な精神活動において運動を調節すること。自発的に身体各器官を動かす方法で、ある程度の神経筋の協調を必要とする。
		<i>syn</i>	セイシンウンドウセイカツドウ	
4594	10025094	F	<i>*Impaired Psychomotor Activity</i>	[see line 4011]
4595	10014505	F	身体反応	「生体プロセス」の一つ。
		<i>syn</i>	シンタイハンノウ	
4596	10012827	F	<i>*Impaired Physical Response</i>	[see line 3989]
4597	10016582	F	反射	「身体反応」の一つ。
		<i>syn</i>	ハンシャ	
4598	10012862	F	<i>*Impaired Reflex</i>	[see line 4001]
4599	10012257	F	運動反射	「反射」の一つで、以下の固有の特徴をもつ：特定の刺激に反応した身体部位または身体各器官の不随意運動。刺激を受けた直後に生じる不随意の動き。意思や意識を伴わない運動。
		<i>syn</i>	ウンドウハンシャ	
4600	10016175	F	瞳孔反射	「反射」の一つ。

4601	10019017	<i>syn</i> F	ドウコウハンシャ 吸啜反射	「反射」の一つで、以下の固有の特徴をもつ：乳児が母親の乳房を吸い授乳されながら、母親への適切な愛着を形成すること。母親と触れ合い、母親からの合図を理解し、適切に乳輪を口に入れ、舌をうまく配置して吸い、一方の乳房につき最低5～10分音を立てて飲み、満足感を得ると乳輪を口から外す。
4602	10017070	<i>syn</i> F	キューテツハンシャ 治療に対する反応	「身体反応」の一つ。
4603	10024832	<i>syn</i> F	チリョウニタイスルハンノウ *Negative Response To Treatment	[see line 4005]
4604	10017027	<i>syn</i> F	血液製剤に対する反応 ケツエキセイザイニタイ スルハンノウ	「治療に対する反応」の一つ。
4605	10033404	F	*Response To Enteral Nutrition	*Response To Treatment
4606	10033427	DC	*Effective Response□[see line 4312] to Enteral Nutrition	
4607	10033415	DC	*Negative Response [see line 4008] to Enteral Nutrition	
4608	10017036	<i>syn</i> F	輸液療法に対する反応 ユエキリョウホウニタイ スルハンノウ	「治療に対する反応」の一つ。
4609	10017043	<i>syn</i> F	薬剤に対する反応 ヤクザイニタイスルハン ノウ	「治療に対する反応」の一つ。
4610	10028670	DC	*Effective Response□[see line 4313] to Medication	
4611	10023916	F	*Medication Side Effect□	*Response To Medication
4612	10022626	DC	*Medication Side Effect□	[see line 3461]
4613	10033381	DC	*Negative Response [see line 4009] to Medication	
4614	10017015	<i>syn</i> F	麻酔に対する反応 マスイニタイスルハン ノウ	「薬剤に対する反応」の一つ。
4615	10022977	DC	*Risk For Negative Response to Medication	[see line 4010]
4616	10034450	F	*Response To Pain Management	*Response To Treatment
4617	10017058	<i>syn</i> F	非経口的栄養法に対する 反応 ヒケイコウテキエイヨウ ホウニタイスルハンノウ	「治療に対する反応」の一つ。
4618	10034466	F	*Response To Procedure	*Response To Treatment
4619	10017062	<i>syn</i> F	体温調節に対する反応 タイオンチョウセツニタイ スルハンノウ	「治療に対する反応」の一つ。
4620	10017089	<i>syn</i> F	人工換気離脱に対する反 応 ジンコウカンキリダツニ カンスルハンノウ	「治療に対する反応」の一つ。
4621	10028141	DC	*Effective□ Ventilatory Weaning	[see line 4317]
4622	10001261	DC	*Impaired Ventilatory Weaning	[see line 4006]
4623	10016621	<i>syn</i> F	制御系プロセス セイギョウケイプロセス	「生体プロセス」の一つ。
4624	10027532	F	*Effective Regulatory□ System Process	[see line 4296]
4625	10023045	F	*Endocrine System Process	*Regulatory System Process
4626	10028037	DC	*Effective Endocrine□ System Process	[see line 4301]
4627	10022965	DC	*Impaired Endocrine System Process	[see line 700]
4628	10006909	F	エネルギー保存	「制御系プロセス」の一つで、以下の固有の特徴をもつ：活動を開始し持続するためのエネルギーを積極的に管理すること。

4629	10012870	<i>syn</i> F	エネルギーホゾン *Impaired Regulatory System Process	[see line 4013]
4630	10019644	F	体温調節	「制御系プロセス」の一つで、以下の固有の特徴をもつ：生理的機序による熱産生と熱放出の制御で、視床下部、皮膚および体温により作動する。
4631	10012964	<i>syn</i> F	タイオンチョウセツ *Impaired Thermoregulation	[see line 4058]
4632	10014973	F	*Positive Thermoregulation	[see line 4308]
4633	10018045	F	震え	「体温調節」の一つで、以下の固有の特徴をもつ：筋収縮または筋けいれんを伴う不随意の震え。体温が正常値以下に下降した際の冷感、麻酔の副作用、発熱の悪寒時に関連する。
4634	10016860	<i>syn</i> F	フルエ 生殖器系プロセス	「生体プロセス」の一つで、以下の固有の特徴をもつ：女性と男性が両者の生殖能力を前提として子づくりに関与する能力。正常な生殖器官を前提とした女性と男性の性交、または人工受精方法。
4635	10027815	<i>syn</i> F	セイシヨクキケイプロセス *Effective Reproductive□ System Process	[see line 4310]
4636	10012889	F	*Impaired Reproductive System Process	[see line 4075]
4637	10011976	F	月経	「生殖器系プロセス」の一つで、以下の固有の特徴をもつ：子宮内膜の剥奪、再生および増殖が繰り返されるサイクル。月経初日から次の月経初日までの平均月経サイクルは28日。周期、持続期間、経血量はさまざま。月経周期は初潮に始まり閉経で終わる。
4638	10015421	<i>syn</i> F	ゲツケイ 妊娠	「生殖器系プロセス」の一つで、以下の固有の特徴をもつ：胎内で発育する胎児を育てはぐくむ状態。受胎から出産まで約266日間続く。妊娠は正常で健康な状態だが、身体機能の急激で避けられない変化を伴う。妊娠の始まりは、月経停止、つわり、乳房の腫脹、乳頭の色素沈着に現れる。
4639	10012836	<i>syn</i> F	ニンシン *Impaired Pregnancy	[see line 4079]
4640	10017977	F	生殖プロセス	「生殖器系プロセス」の一つで、以下の固有の特徴をもつ：性交に参加する能力。男性の場合は射精する能力。
4641	10028194	<i>syn</i> DC	セイシヨクプロセス *Effective Sexual□ Functioning	[see line 1002]
4642	10001288	DC	*Impaired Sexual Functioning	[see line 4082]
4643	10020523	F	子宮収縮	「生殖器系プロセス」の一つで、以下の固有の特徴をもつ：出産中に子宮上部の筋群が痛みを伴いながら規則的に引き締まること。初めは穏やかで徐々に強くなる。2分間隔で起こり、1分以上持続するようになり、子宮を締め、子宮口を完全に広げ、産道に胎児を通過させる。
4644	10020534	<i>syn</i> F	シキユウシュウシュク 娩出	「生殖器系プロセス」の一つで、以下の固有の特徴をもつ：痛みを伴う子宮と腹部の筋肉の収縮で、分娩中に産道を通して胎児と胎盤と膜を排出すること。胎児が完全に娩出され、胎盤と膜が排出されるまで続く。
4645	10016991	<i>syn</i> F	ベンシュツ 呼吸器系プロセス	「生体プロセス」の一つで、以下の固有の特徴をもつ：肺での酸素と二酸化炭素の分子交換から、細胞への酸素供給に至るまでの一連のプロセス。脳の呼吸中枢ならびに気管・大動脈の呼吸受容体、および拡散作用によって調節される。
4646	10002090	<i>syn</i> F	コキユウキケイプロセス 気道浄化	「呼吸器系プロセス」の一つで、以下の固有の特徴をもつ：口、気管、気管支から肺への経路の開存性を保ち、空気が流れるようにする過程のことで、気道から分泌物や閉塞物を取り除き、気道の開通性を保つ能力。
4647	10027964	<i>syn</i> DC	キドウジョウカ *Effective Airway□ Clearance	[see line 1005]
4648	10007362	F	痰略出	「気道浄化」の一つで、以下の固有の特徴をもつ：粘液、痰または液体を、気管、気管支または肺から、咳嗽により唾液とともに排出すること。
4649	10001051	<i>syn</i> DC	タンカクシュツ *Impaired Airway Clearance	[see line 714]

4650	10008309	F	ガス交換	「呼吸器系プロセス」の一つで、以下の固有の特徴をもつ：肺胞における酸素と二酸化炭素の交換。換気灌流のバランスが呼吸、皮膚の色、活力に影響する。
		<i>syn</i>	ガスコウカン	
4651	10027993	DC	<i>*Effective Gas Exchange</i>	<i>[see line 1006]</i>
4652	10001177	DC	<i>*Impaired Gas Exchange</i>	<i>[see line 716]</i>
4653	10012891	F	<i>*Impaired Respiratory System Process</i>	<i>[see line 4085]</i>
4654	10028156	F	<i>*Positive Respiratory System Process</i>	<i>[see line 4404]</i>
4655	10020704	F	換気	「呼吸器系プロセス」の一つで、以下の固有の特徴をもつ：一定の回数、リズム、吸気深度、呼気強度で、空気が肺を出入りすること。
		<i>syn</i>	カンキ	
4656	10018651	F	自発換気	「換気」の一つ。
		<i>syn</i>	ジハツカンキ	
4657	10001316	DC	<i>*Impaired Breathing</i>	<i>[see line 715]</i>
4658	10017101	F	安静	「生体プロセス」の一つで、以下の固有の特徴をもつ：覚醒して意識がある間に繰り返される身体活動の低下。覚醒して意識がある間の不動姿勢。
		<i>syn</i>	アンセイ	
4659	10018273	F	睡眠	「安静」の一つで、以下の固有の特徴をもつ：意識の低下、覚醒状態でないことを特徴として繰り返される身体活動の低下。認識のなさ、代謝の低下、不動姿勢、身体活動の減少、低下しているがいつでも元に戻る外部刺激に対する鋭敏性を伴う。
		<i>syn</i>	スイミン	
4660	10014939	F	<i>*Adequate Sleep</i>	<i>[see line 4273]</i>
4661	10012929	F	<i>*Impaired Sleep</i>	<i>[see line 4107]</i>
4662	10017626	F	分泌プロセス	「生体プロセス」の一つで、以下の固有の特徴をもつ：特定の目的のために、腺からホルモン、化学物質、液体などが、体腔、器官、血液、皮膚表面などへ排出されること。
		<i>syn</i>	ブンビプロセス	
4663	10011100	F	乳汁分泌	「分泌プロセス」の一つで、以下の固有の特徴をもつ：成熟した女性の乳腺から人乳が合成・分泌する過程。炭水化物、タンパク質、浮遊脂肪、各種ビタミンとミネラルを含む。人乳は乳幼児を養う基本食品である。
		<i>syn</i>	ニュウジュウブンビ	
4664	10029943	DC	<i>*Impaired Lactation</i>	<i>[see line 3931]</i>
4665	10014431	F	発汗作用	「分泌プロセス」の一つで、以下の固有の特徴をもつ：湿潤した皮膚表面や呼吸器系からの蒸発によって水分を喪失すること、また分泌腺から汗が出ること。排出と体温調節の仕組みとして起こる。
		<i>syn</i>	ハッカンスアヨウ	
4666	10017460	F	唾液分泌	「分泌プロセス」の一つで、以下の固有の特徴をもつ：口腔内の唾液腺と粘液腺から唾液が合成・分泌する過程。唾液には水分、ムチン、塩分、消化酵素のプチアリンが含まれており、口腔内を潤し、デンプンの消化を促し、食物を嚥んで飲み込みやすくする。
		<i>syn</i>	ダエキブンビ	
4667	10020445	F	泌尿器系プロセス	「生体プロセス」の一つで、以下の固有の特徴をもつ：放尿によって尿を排出すること。通常日中4～6回、平均排泄量は、普通の食餌状況で24時間当たり1,000～2,000mL。
		<i>syn</i>	ヒニョウケイプロセス	
4668	10028604	F	<i>*Effective Urinary System Process</i>	<i>[see line 4314]</i>
4669	10012972	F	<i>*Impaired Urinary System Process</i>	<i>[see line 4112]</i>
4670	10024163	F	<i>*Kidney Process</i>	<i>*Urinary System Process</i>
4671	10028490	DC	<i>*Effective Kidney Function</i>	<i>[see line 1021]</i>
4672	10023169	DC	<i>*Impaired Kidney Function</i>	<i>[see line 730]</i>
4673	10020450	F	排尿	「泌尿器系プロセス」の一つ。
		<i>syn</i>	ハイニョウ	
4674	10012986	F	<i>*Impaired Urination</i>	<i>[see line 4114]</i>
4675	10014987	F	<i>*Positive Urination</i>	<i>[see line 4316]</i>
4676	10002019	F	<i>*Collection Of Processes</i>	<i>*Process</i>
4677	10001986	F	<i>*Collection Of Acts</i>	<i>[see line 3435]</i>
4678	10001993	F	<i>*Collection Of Body Processes</i>	<i>[see line 4520]</i>

4679	10017384	F	日課	「自分自身で行う活動」の一つで、以下の固有の特徴をもつ：規則的に行われる細かな行為。習慣的なやり方または行動。変わらないまたは習慣となっている行為。
		<i>syn</i>	ニッカ	
4680	10004820	F	コミュニティプロセス	「作用」の一つで、以下の固有の特徴をもつ：区切られた地域や地理の中で共に生活し作用しながら、集合的利害、共通の労働・教育・保健機関、公共サービス、自然・人為的環境を共有するコミュニティ構成員間の関係を作り出す、継続的かつ積極的または消極的な相互作用およびパターン。
4681	10004746	F	コミュニティベースの集団プロセス	「コミュニティプロセス」の一つで、以下の固有の特徴をもつ：コミュニティ集団の構成員による活動および相互作用。
		<i>syn</i>	コミュニティベースノシュウダンプロセス	
4682	10034743	F	*Community Coping	*Coping
4683	10034817	DC	*Impaired Community Coping	[see line 625]
4684	10034791	F	*Positive Community Coping	[see line 4283]
4685	10004751	F	コミュニティ発達	[see line 1403]
4686	10004798	F	コミュニティマネジメント	[see line 2330]
4687	10004812	F	コミュニティ参加	[see line 1609]
4688	10007009	F	環境プロセス	「作用」の一つ。
		<i>syn</i>	カンキョウプロセス	
4689	10025369	F	*Contamination	*Environmental Process
4690	10012699	F	*Impaired Environmental Process	[see line 4146]
4691	10013230	F	騒音	「環境プロセス」の一つで、以下の固有の特徴をもつ：うるさいと感じる音量や音の高さ。
		<i>syn</i>	ソウオン	
4692	10016264	F	放射線	「環境プロセス」の一つで、以下の固有の特徴をもつ：電磁波や運動する粒子としてエネルギーが放出されること。人間の生命や発達に影響を及ぼす。
		<i>syn</i>	ホウシャセン	
4693	10016272	F	放射線被曝	「放射線」の一つ。
		<i>syn</i>	ホウシャセンヒバク	
4694	10019086	F	太陽光	「放射線」の一つで、以下の固有の特徴をもつ：太陽系の光と熱との活性エネルギー源で、人間の生命や発達に影響を及ぼす。
		<i>syn</i>	タイヨウコウ	
4695	10019119	F	供給	「環境プロセス」の一つで、以下の固有の特徴をもつ：人間の生活を支えるために必要で、入手・利用可能な基本的物資の資源および分配。
		<i>syn</i>	キョウキユウ	
4696	10008138	F	食糧供給	「供給」の一つで、以下の固有の特徴をもつ：人間の栄養分として用いることができる入手可能な物質・液体・固体の利用可能性。
		<i>syn</i>	ショクリョウキョウキユウ	
4697	10022494	DC	*Lack of Food Supply	[see line 825]
4698	10023928	F	*Medication Supply	*Supply
4699	10023937	DC	*Medication Supply Deficit□	[see line 827]
4700	10020988	F	飲料水供給	「供給」の一つで、以下の固有の特徴をもつ：人間の生活を支えるために必要で、入手可能な純水の利用可能性。
		<i>syn</i>	インリョウスイキョウキユウ	
4701	10022879	DC	*Lack Of Water Supply	[see line 826]
4702	10021006	F	天候	「環境プロセス」の一つで、以下の固有の特徴をもつ：一定の時と場所における大気の状態。温度、気温、湿度、雲の状態、その他の気象条件の変化に関するもので、人間の生命や発達に影響を及ぼす。
		<i>syn</i>	テンコウ	
4703	10004526	F	寒冷天候	「天候」の一つで、以下の固有の特徴をもつ：外気温が人体の温度よりはるかに低くなることで、人間の生命や発達に影響を及ぼす。
		<i>syn</i>	カンレイテンコウ	
4704	10009179	F	熱暑天候	「天候」の一つで、以下の固有の特徴をもつ：外気温が人体の温度よりはるかに高くなることで、人間の生命や発達に影響を及ぼす。
		<i>syn</i>	ネッショテンコウ	
4705	10009237	F	湿潤天候	「天候」の一つ。
		<i>syn</i>	シツジュンテンコウ	

4706	10021121	F	風	「環境プロセス」の一つで、以下の固有の特徴をもつ：空気 の自然な動き。地表と平行して大気中を移動する知覚可能な 空気の流れで、人間の生命や発達に影響を及ぼす。
		<i>syn</i>	<i>カゼ</i>	
4707	10024850	F	*Exercise Process	*Process
4708	10007315	F	エクササイズ	[see line 2503]
4709	10007646	F	家族プロセス	「作用」の一つで、以下の固有の特徴をもつ：家族構成員間 の関係を作り出す、継続的かつ積極的または消極的な相互作 用およびパターン。
		<i>syn</i>	<i>カゾクプロセス</i>	
4710	10014863	F	*Effective Family Process□	[see line 4285]
4711	10023646	F	*Family Attitude	*Attitude
4712	10022456	DC	*Conflicting (Negative)□ Family Attitude	[see line 3760]
4713	10034736	F	*Family Coping	*Coping
4714	10034762	F	*Effective Family□ Coping	[see line 4286]
4715	10034789	DC	*Impaired Family Coping	[see line 630]
4716	10032364	DC	*Risk for Impaired Family Coping	[see line 4161]
4717	10026556	F	*Family Decision Making Process	*Decision Making Process
4718	10007622	F	家族計画	「家族プロセス」の一つで、以下の固有の特徴をもつ：家族 における子どもの数と出産間隔を調整する行動過程。慣習や 法律、家族内の理想的または容認可能な子どもと成人の数、 性別の好みなどが検討要因になる。
		<i>syn</i>	<i>カゾクケイカク</i>	
4719	10012718	F	機能不全家族	[see line 4158]
4720	10034510	F	*Heredity	*Process: The genetic transmission of characteristics from ancestors to descendants.
4721	10012843	F	*Impaired Process	[see line 3754]
4722	10010459	F	*Intentional Process	*Process
4723	10000386	A	*Action	*Intentional Process
4724	10002911	A	世話をする	[see line 1388]
4725	10001986	F	*Collection Of Acts	[see line 4677]
4726	10005824	A	判定する	[see line 1616]
4727	10010162	A	情報を提供する	[see line 1956]
4728	10010535	A	*Intervention	[see line 2040]
4729	10011625	A	管理する	[see line 2328]
4730	10034216	A	*Non Body Process and Non Psychological Process Intervention	*Action
4731	10030383	IC	*Administering Antibiotic	[see line 2335]
4732	10001836	IC	*Administering Blood Therapy	[see line 2336]
4733	10030396	IC	*Administering Electrolyte Therapy	[see line 2337]
4734	10030401	IC	*Administering Fluid Therapy	[see line 2338]
4735	10030417	IC	*Administering Insulin	[see line 2339]
4736	10023084	IC	*Administering Pain Medication	[see line 2341]
4737	10030429	IC	*Administering Vaccine	[see line 2343]
4738	10030438	IC	*Administering Vitamin B12	[see line 2344]
4739	10030440	IC	*Advising About Employment	[see line 2050]
4740	10030455	IC	*Advising About Housing	[see line 2051]
4741	10024171	IC	*Arranging Transportation Service	[see line 2441]
4742	10026249	IC	*Assessing Acceptance Of Health Status	[see line 1804]
4743	10024185	IC	*Assessing Adherence	[see line 1805]
4744	10030543	IC	*Assessing Arterial Blood Flow Using Ultrasound	[see line 1806]
4745	10024214	IC	*Assessing Barriers To Adherence	[see line 1811]

4746	<u>10026040</u>	IC	<i>*Assessing Capabilities</i>	<i>[see line 1812]</i>
4747	<u>10024222</u>	IC	<i>*Assessing Caregiver Stress</i>	<i>[see line 1814]</i>
4748	<u>10002747</u>	IC	<i>*Assessing Eating Or Drinking Behaviour</i>	<i>[see line 1821]</i>
4749	<u>10026064</u>	IC	<i>*Assessing Environment</i>	<i>[see line 1823]</i>
4750	<u>10024251</u>	IC	<i>*Assessing Exercise Pattern</i>	<i>[see line 1824]</i>
4751	<u>10030618</u>	IC	<i>*Assessing Health And Social Care Needs</i>	<i>[see line 1830]</i>
4752	<u>10030625</u>	IC	<i>*Assessing Housing Condition</i>	<i>[see line 1831]</i>
4753	<u>10033882</u>	IC	<i>*Assessing Knowledge</i>	<i>[see line 1832]</i>
4754	<u>10030641</u>	IC	<i>*Assessing Mobility Pattern</i>	<i>[see line 1833]</i>
4755	<u>10033368</u>	IC	<i>*Assessing Need</i>	<i>[see line 1834]</i>
4756	<u>10030660</u>	IC	<i>*Assessing Nutritional Status</i>	<i>[see line 1835]</i>
4757	<u>10030694</u>	IC	<i>*Assessing Physiological Status</i>	<i>[see line 1838]</i>
4758	<u>10030734</u>	IC	<i>*Assessing Psychological Status</i>	<i>[see line 1839]</i>
4759	<u>10002781</u>	IC	<i>*Assessing Readiness To Learn</i>	<i>[see line 1840]</i>
4760	<u>10023520</u>	IC	<i>*Assessing Risk For Falls</i>	<i>[see line 1842]</i>
4761	<u>10026142</u>	IC	<i>*Assessing Roles</i>	<i>[see line 1846]</i>
4762	<u>10033922</u>	IC	<i>*Assessing Skin Integrity</i>	<i>[see line 1850]</i>
4763	<u>10030752</u>	IC	<i>*Assessing Social Status</i>	<i>[see line 1851]</i>
4764	<u>10030768</u>	IC	<i>*Assessing Spiritual Status</i>	<i>[see line 1854]</i>
4765	<u>10002821</u>	IC	<i>*Assessing Susceptibility To Infection</i>	<i>[see line 1855]</i>
4766	<u>10026161</u>	IC	<i>*Assessing Symptom Control</i>	<i>[see line 1856]</i>
4767	<u>10024320</u>	IC	<i>*Assessing Traditional Therapies</i>	<i>[see line 1858]</i>
4768	<u>10030809</u>	IC	<i>*Assisting Care Provider</i>	<i>[see line 1459]</i>
4769	<u>10030813</u>	IC	<i>*Assisting With Anger Control</i>	<i>[see line 1461]</i>
4770	<u>10030821</u>	IC	<i>*Assisting With Hygiene</i>	<i>[see line 1462]</i>
4771	<u>10030884</u>	IC	<i>*Catheterising Bladder</i>	<i>[see line 2534]</i>
4772	<u>10030924</u>	IC	<i>*Checking Device Safety</i>	<i>[see line 1937]</i>
4773	<u>10030907</u>	IC	<i>*Checking Inhalation Technique</i>	<i>[see line 1938]</i>
4774	<u>10030911</u>	IC	<i>*Checking Patient Identity</i>	<i>[see line 1939]</i>
4775	<u>10030930</u>	IC	<i>*Collaborating In Electrolyte Therapy</i>	<i>[see line 1569]</i>
4776	<u>10030948</u>	IC	<i>*Collaborating In Fluid Therapy</i>	<i>[see line 1570]</i>
4777	<u>10004561</u>	IC	<i>*Collaborating In Initiating Patient Controlled Analgesia</i>	<i>[see line 1571]</i>
4778	<u>10026190</u>	IC	<i>*Collaborating On Dietary Regime</i>	<i>[see line 1572]</i>
4779	<u>10030953</u>	IC	<i>*Collaborating With Legal Service</i>	<i>[see line 1573]</i>
4780	<u>10023554</u>	IC	<i>*Collaborating With Pharmacist</i>	<i>[see line 1574]</i>
4781	<u>10023565</u>	IC	<i>*Collaborating With Physician</i>	<i>[see line 1575]</i>
4782	<u>10023577</u>	IC	<i>*Collaborating With Social Worker</i>	<i>[see line 1576]</i>
4783	<u>10030969</u>	IC	<i>*Collecting Cervical Cells</i>	<i>[see line 2403]</i>
4784	<u>10005029</u>	IC	<i>*Consulting Care</i>	<i>[see line 1579]</i>

			<i>Provider</i>	
4785	<u>10024331</u>	IC	<i>*Consulting for Pain Management</i>	<i>[see line 1580]</i>
4786	<u>10021816</u>	IC	<i>*Consulting Home Care Service</i>	<i>[see line 1581]</i>
4787	<u>10024349</u>	IC	<i>*Contracting for Adherence</i>	<i>[see line 1584]</i>
4788	<u>10031027</u>	IC	<i>*Coordinating Care Plan</i>	<i>[see line 2442]</i>
4789	<u>10031036</u>	IC	<i>*Counselling About Alcohol Use</i>	<i>[see line 2088]</i>
4790	<u>10031043</u>	IC	<i>*Counselling About Drug Use</i>	<i>[see line 2089]</i>
4791	<u>10031058</u>	IC	<i>*Counselling About Tobacco Use</i>	<i>[see line 2090]</i>
4792	<u>10034506</u>	IC	<i>*Counting Surgical Device And Wound Dressing</i>	<i>[see line 1941]</i>
4793	<u>10024710</u>	IC	<i>*Demonstrating Falls Prevention</i>	<i>[see line 2491]</i>
4794	<u>10024354</u>	IC	<i>*Demonstrating Medication Administration</i>	<i>[see line 2492]</i>
4795	<u>10024365</u>	IC	<i>*Demonstrating Relaxation Technique</i>	<i>[see line 2493]</i>
4796	<u>10021695</u>	IC	<i>*Demonstrating Subcutaneous Injection Technique</i>	<i>[see line 2494]</i>
4797	<u>10031140</u>	IC	<i>*Diagnostic Testing</i>	<i>[see line 2097]</i>
4798	<u>10006016</u>	IC	<i>*Discharge Planning</i>	<i>[see line 2444]</i>
4799	<u>10006834</u>	IC	<i>*Encouraging Breathing Or Coughing Technique</i>	<i>[see line 1476]</i>
4800	<u>10024377</u>	IC	<i>*Encouraging Positive Affirmations□</i>	<i>[see line 1477]</i>
4801	<u>10006966</u>	IC	<i>*Ensuring Continuity Of Care</i>	<i>[see line 2456]</i>
4802	<u>10024706</u>	IC	<i>*Environmental Safety Management</i>	<i>[see line 2364]</i>
4803	<u>10023738</u>	IC	<i>*Establishing Rapport</i>	<i>[see line 1596]</i>
4804	<u>10007078</u>	IC	<i>*Evaluating Cardiac Status After Operation</i>	<i>[see line 1864]</i>
4805	<u>10031252</u>	IC	<i>*Evaluating Care Plan</i>	<i>[see line 1865]</i>
4806	<u>10033980</u>	IC	<i>*Evaluating Count of Surgical Device and Gauze Dressing</i>	<i>[see line 1866]</i>
4807	<u>10033998</u>	IC	<i>*Evaluating Endocrine Status</i>	<i>[see line 1867]</i>
4808	<u>10034007</u>	IC	<i>*Evaluating Gastrointestinal Status</i>	<i>[see line 1868]</i>
4809	<u>10034011</u>	IC	<i>*Evaluating Genitourinary Status</i>	<i>[see line 1869]</i>
4810	<u>10007084</u>	IC	<i>*Evaluating Home Before Home Care</i>	<i>[see line 1870]</i>
4811	<u>10034024</u>	IC	<i>*Evaluating Management of Specimen</i>	<i>[see line 1871]</i>
4812	<u>10034030</u>	IC	<i>*Evaluating Musculoskeletal Status</i>	<i>[see line 1872]</i>
4813	<u>10007097</u>	IC	<i>*Evaluating Neurological Status After Operation</i>	<i>[see line 1873]</i>
4814	<u>10007169</u>	IC	<i>*Evaluating Respiratory Status After Operation</i>	<i>[see line 1876]</i>
4815	<u>10031268</u>	IC	<i>*Evaluating Treatment Regime</i>	<i>[see line 1884]</i>
4816	<u>10034076</u>	IC	<i>*Evaluating Tubes and Drains</i>	<i>[see line 1885]</i>
4817	<u>10034082</u>	IC	<i>*Evaluating Verification□ of Patient Before Operation</i>	<i>[see line 1886]</i>
4818	<u>10034095</u>	IC	<i>*Evaluating Verification□ of Surgical Site and</i>	<i>[see line 1887]</i>

4819	10007389	IC	<i>Laterality</i>	
			<i>*Explaining Event Or Episode</i>	<i>[see line 2103]</i>
4820	10007391	IC	<i>*Explaining Patient Right</i>	<i>[see line 2104]</i>
4821	10031275	IC	<i>*Eye Care</i>	<i>[see line 2105]</i>
4822	10026616	IC	<i>*Facilitating Ability To Communicate Feelings</i>	<i>[see line 1481]</i>
4823	10026277	IC	<i>*Facilitating Ability To Perform Role</i>	<i>[see line 1482]</i>
4824	10026265	IC	<i>*Facilitating Ability To Talk About Dying Process</i>	<i>[see line 1483]</i>
4825	10024401	IC	<i>*Facilitating Access to Treatment</i>	<i>[see line 1484]</i>
4826	10024417	IC	<i>*Facilitating Financial Recovery</i>	<i>[see line 1485]</i>
4827	10007531	IC	転倒転落予防	<i>[see line 1557]</i>
4828	10031332	IC	<i>*Flushing Earwax</i>	<i>[see line 2478]</i>
4829	10034523	IC	<i>*Genetic Counselling</i>	<i>[see line 2107]</i>
4830	10027154	IC	<i>*Identifying Non Normal Body Part Before Perioperative Positioning</i>	<i>[see line 1893]</i>
4831	10009683	IC	<i>*Identifying Obstruction To Communication</i>	<i>[see line 1894]</i>
4832	10009612	IC	<i>*Identifying Physiological Status</i>	<i>[see line 1895]</i>
4833	10009620	IC	<i>*Identifying Psychosocial Status</i>	<i>[see line 1896]</i>
4834	10009855	IC	<i>*Implementing Aseptic Technique</i>	<i>[see line 2366]</i>
4835	10009864	IC	<i>*Implementing Clinical Pathway</i>	<i>[see line 2367]</i>
4836	10031544	IC	<i>*Implementing Compression Therapy</i>	<i>[see line 2368]</i>
4837	10026283	IC	<i>*Implementing Diversional Therapy</i>	<i>[see line 2369]</i>
4838	10026296	IC	<i>*Implementing Humour Therapy</i>	<i>[see line 2370]</i>
4839	10031559	IC	<i>*Implementing Immunisation Regime</i>	<i>[see line 2371]</i>
4840	10009872	IC	<i>*Implementing Pain Guideline</i>	<i>[see line 2373]</i>
4841	10026306	IC	<i>*Implementing Reminiscence Therapy</i>	<i>[see line 2374]</i>
4842	10026310	IC	<i>*Implementing Validation Therapy</i>	<i>[see line 2375]</i>
4843	10010245	IC	<i>*Initiating Patient Controlled Analgesia</i>	<i>[see line 2425]</i>
4844	10034200	IC	<i>*Inserting Vascular Access Device</i>	<i>[see line 2536]</i>
4845	10010503	IC	<i>*Interpreting Arterial Blood Gas Result</i>	<i>[see line 1901]</i>
4846	10031592	IC	<i>*Invasive Device Site Care</i>	<i>[see line 2121]</i>
4847	10031674	IC	<i>*Maintaining Airway</i>	<i>[see line 2427]</i>
4848	10011515	IC	<i>*Maintaining Confidentiality□</i>	<i>[see line 2428]</i>
4849	10011527	IC	<i>*Maintaining Dignity And Privacy</i>	<i>[see line 2429]</i>
4850	10031707	IC	<i>*Managing Anticoagulation Therapy</i>	<i>[see line 2378]</i>
4851	10031748	IC	<i>*Managing Crisis</i>	<i>[see line 2379]</i>
4852	10031753	IC	<i>*Managing Defaecation</i>	<i>[see line 2380]</i>
4853	10031776	IC	<i>*Managing Device</i>	<i>[see line 2381]</i>
4854	10031782	IC	<i>*Managing Encopresis</i>	<i>[see line 2383]</i>
4855	10034608	IC	<i>*Managing Financial Status</i>	<i>[see line 2384]</i>
4856	10031822	IC	<i>*Managing Health</i>	<i>[see line 2386]</i>

			<i>Status After Hospitalisation</i>	
4857	<u>10011641</u>	IC	<i>*Managing Medication</i>	<i>[see line 2388]</i>
4858	<u>10031833</u>	IC	<i>*Managing Negative Behaviour</i>	<i>[see line 2390]</i>
4859	<u>10031898</u>	IC	<i>*Managing Oxygen Therapy</i>	<i>[see line 2394]</i>
4860	<u>10011687</u>	IC	<i>*Managing Specimen</i>	<i>[see line 2397]</i>
4861	<u>10011694</u>	IC	<i>*Managing Transporting</i>	<i>[see line 2399]</i>
4862	<u>10031879</u>	IC	<i>*Managing Urinary Incontinence</i>	<i>[see line 2400]</i>
4863	<u>10031983</u>	IC	<i>*Massaging Infant</i>	<i>[see line 2547]</i>
4864	<u>10031996</u>	IC	<i>*Measuring Blood Pressure</i>	<i>[see line 1903]</i>
4865	<u>10032006</u>	IC	<i>*Measuring Body Temperature</i>	<i>[see line 1904]</i>
4866	<u>10012098</u>	IC	<i>*Minimising Duration Of Operation</i>	<i>[see line 2422]</i>
4867	<u>10032034</u>	IC	<i>*Monitoring Blood Glucose</i>	<i>[see line 1919]</i>
4868	<u>10032047</u>	IC	<i>*Monitoring Blood Oxygen Saturation Using Pulse Oximeter</i>	<i>[see line 1920]</i>
4869	<u>10032052</u>	IC	<i>*Monitoring Blood Pressure</i>	<i>[see line 1921]</i>
4870	<u>10032075</u>	IC	<i>*Monitoring For Child Abuse</i>	<i>[see line 1922]</i>
4871	<u>10032081</u>	IC	<i>*Monitoring Height</i>	<i>[see line 1924]</i>
4872	<u>10032099</u>	IC	<i>*Monitoring Laboratory Result</i>	<i>[see line 1925]</i>
4873	<u>10012183</u>	IC	<i>*Monitoring Physiological Status</i>	<i>[see line 1926]</i>
4874	<u>10032121</u>	IC	<i>*Monitoring Weight</i>	<i>[see line 1930]</i>
4875	<u>10032184</u>	IC	<i>*Oral Care</i>	<i>[see line 2175]</i>
4876	<u>10013765</u>	IC	<i>*Ordering Care Plan</i>	<i>[see line 2406]</i>
4877	<u>10032227</u>	IC	<i>*Patient Controlled Analgesia</i>	<i>[see line 2459]</i>
4878	<u>10014317</u>	IC	<i>*Performing Role</i>	<i>[see line 2559]</i>
4879	<u>10032258</u>	IC	<i>*Physical Examination</i>	<i>[see line 2180]</i>
4880	<u>10014761</u>	IC	<i>*Positioning Patient</i>	<i>[see line 2567]</i>
4881	<u>10024438</u>	IC	<i>*Prioritising (treatment) Regime</i>	<i>[see line 2446]</i>
4882	<u>10032449</u>	IC	<i>*Promoting Adherence To Regime</i>	<i>[see line 1501]</i>
4883	<u>10032496</u>	IC	<i>*Promoting Effective□ Parenting</i>	<i>[see line 1503]</i>
4884	<u>10032465</u>	IC	<i>*Promoting Health Seeking Behaviour</i>	<i>[see line 1504]</i>
4885	<u>10032477</u>	IC	<i>*Promoting Hygiene</i>	<i>[see line 1506]</i>
4886	<u>10026334</u>	IC	<i>*Promoting Limit Setting</i>	<i>[see line 1507]</i>
4887	<u>10032505</u>	IC	<i>*Promoting Psychological Status</i>	<i>[see line 1509]</i>
4888	<u>10026347</u>	IC	<i>*Promoting Self Care</i>	<i>[see line 1510]</i>
4889	<u>10024472</u>	IC	<i>*Promoting Use of Memory Devices</i>	<i>[see line 1513]</i>
4890	<u>10015903</u>	IC	<i>*Protecting Patient Record And Belonging</i>	<i>[see line 1561]</i>
4891	<u>10015919</u>	IC	<i>*Protecting Patient Right</i>	<i>[see line 1562]</i>
4892	<u>10024486</u>	IC	<i>*Providing Assistive Device Therapy</i>	<i>[see line 2352]</i>
4893	<u>10032514</u>	IC	<i>*Providing Domestic Violence Therapy</i>	<i>[see line 2353]</i>
4894	<u>10026375</u>	IC	<i>*Providing Family Anticipatory Guidance</i>	<i>[see line 2355]</i>
4895	<u>10032522</u>	IC	<i>*Providing Health Promotion Service</i>	<i>[see line 2356]</i>
4896	<u>10026399</u>	IC	<i>*Providing Privacy</i>	<i>[see line 2358]</i>
4897	<u>10024515</u>	IC	<i>*Providing Reality Orientation</i>	<i>[see line 2359]</i>

4898	<u>10032546</u>	IC	<i>*Providing Smoking Cessation Therapy</i>	<i>[see line 2361]</i>
4899	<u>10016168</u>	IC	<i>*Puncturing Vein</i>	<i>[see line 2540]</i>
4900	<u>10016217</u>	IC	<i>*Putting On Or In Haemostatic Agent</i>	<i>[see line 2543]</i>
4901	<u>10032567</u>	IC	<i>*Referring To Care Provider</i>	<i>[see line 2450]</i>
4902	<u>10024536</u>	IC	<i>*Referring To Family Therapy</i>	<i>[see line 2451]</i>
4903	<u>10032607</u>	IC	<i>*Referring To Services</i>	<i>[see line 2452]</i>
4904	<u>10024558</u>	IC	<i>*Referring To Support Group Therapy</i>	<i>[see line 2453]</i>
4905	<u>10026427</u>	IC	<i>*Reinforcing Achievements</i>	<i>[see line 1521]</i>
4906	<u>10024562</u>	IC	<i>*Reinforcing Adherence</i>	<i>[see line 1522]</i>
4907	<u>10026436</u>	IC	<i>*Reinforcing Capabilities</i>	<i>[see line 1523]</i>
4908	<u>10026188</u>	IC	<i>*Reinforcing Priority Setting</i>	<i>[see line 1524]</i>
4909	<u>10032630</u>	IC	<i>*Removing Suture</i>	<i>[see line 2579]</i>
4910	<u>10032648</u>	IC	<i>*Removing Wound Clip</i>	<i>[see line 2580]</i>
4911	<u>10016785</u>	IC	<i>*Reporting Arterial Blood Gas Result</i>	<i>[see line 2255]</i>
4912	<u>10016802</u>	IC	<i>*Reporting Implantable Device</i>	<i>[see line 2256]</i>
4913	<u>10016818</u>	IC	<i>*Reporting Presence Or Absence Of Implantable Cardiac Device</i>	<i>[see line 2257]</i>
4914	<u>10016825</u>	IC	<i>*Reporting Status To Family Member</i>	<i>[see line 2258]</i>
4915	<u>10016839</u>	IC	<i>*Reporting Test Result</i>	<i>[see line 2259]</i>
4916	<u>10017571</u>	IC	<i>*Screening Abuse</i>	<i>[see line 1947]</i>
4917	<u>10017592</u>	IC	<i>*Screening Substance Abuse</i>	<i>[see line 1952]</i>
4918	<u>10032757</u>	IC	<i>*Skin Care</i>	<i>[see line 2273]</i>
4919	<u>10032788</u>	IC	<i>*Stoma Care</i>	<i>[see line 2279]</i>
4920	<u>10032800</u>	IC	<i>*Supporting Ability To Manage Regime</i>	<i>[see line 1525]</i>
4921	<u>10032816</u>	IC	<i>*Supporting Breastfeeding</i>	<i>[see line 1527]</i>
4922	<u>10019161</u>	IC	<i>*Supporting Psychological Status</i>	<i>[see line 1532]</i>
4923	<u>10024591</u>	IC	<i>*Supporting Spiritual Rituals</i>	<i>[see line 1533]</i>
4924	<u>10026491</u>	IC	<i>*Supporting Use Of Traditional Therapy</i>	<i>[see line 1534]</i>
4925	<u>10032902</u>	IC	<i>*Teaching About Device</i>	<i>[see line 2282]</i>
4926	<u>10019462</u>	IC	<i>*Teaching About Dietary Need</i>	<i>[see line 2283]</i>
4927	<u>10032918</u>	IC	<i>*Teaching About Eating Pattern</i>	<i>[see line 2285]</i>
4928	<u>10032994</u>	IC	<i>*Teaching About Effective Parenting□</i>	<i>[see line 2286]</i>
4929	<u>10033001</u>	IC	<i>*Teaching About Effective Weight□</i>	<i>[see line 2287]</i>
4930	<u>10032939</u>	IC	<i>*Teaching About Fluid Intake</i>	<i>[see line 2290]</i>
4931	<u>10032956</u>	IC	<i>*Teaching About Health Seeking Behaviour</i>	<i>[see line 2291]</i>
4932	<u>10032960</u>	IC	<i>*Teaching About House Safety</i>	<i>[see line 2292]</i>
4933	<u>10019470</u>	IC	<i>*Teaching About Medication</i>	<i>[see line 2293]</i>
4934	<u>10024618</u>	IC	<i>*Teaching About Nutrition</i>	<i>[see line 2294]</i>
4935	<u>10033038</u>	IC	<i>*Teaching About Sexual Behaviour</i>	<i>[see line 2295]</i>
4936	<u>10033040</u>	IC	<i>*Teaching About Sleep Pattern</i>	<i>[see line 2296]</i>
4937	<u>10024639</u>	IC	<i>*Teaching About Substance Abuse</i>	<i>[see line 2297]</i>
4938	<u>10024625</u>	IC	<i>*Teaching About</i>	<i>[see line 2298]</i>

4939	10033072	IC	Treatment Regime *Teaching About Vaccine	[see line 2299]
4940	10033093	IC	*Teaching Caregiver About Toilet Training	[see line 2027]
4941	10033103	IC	*Teaching Caregiver About Weaning	[see line 2028]
4942	10023406	IC	*Teaching Falls Prevention	[see line 2301]
4943	10019518	IC	*Teaching Family Caregiver About Operation Before Operation	[see line 2029]
4944	10024660	IC	*Teaching How To Increase Activity Tolerance	[see line 2302]
4945	10032973	IC	*Teaching Infant Massage	[see line 2303]
4946	10024673	IC	*Teaching Memory Training Technique	[see line 2304]
4947	10024687	IC	*Teaching Safety Measures	[see line 2306]
4948	10033135	IC	*Teaching Self Catheterisation	[see line 2307]
4949	10033277	IC	*Urinary Catheter Care	[see line 2313]
4950	10020743	IC	*Verifying Consent Before Operation	[see line 1910]
4951	10033296	IC	*Verifying Death	[see line 1911]
4952	10020758	IC	*Verifying Patient Before Operation	[see line 1912]
4953	10020762	IC	*Verifying Presence Or Absence Of Corrective Device	[see line 1913]
4954	10020770	IC	*Verifying Surgical Act Site And Laterality	[see line 1914]
4955	10024953	IC	*Violence Prevention	[see line 1566]
4956	10033347	IC	*Wound Care	[see line 2315]
4957	10014145	A	*Patient Activity	[see line 2458]
4958	10014291	A	実施する	[see line 2462]
4959	10012513	F	*Problematic Action	[see line 4257]
4960	10017004	A	応答	[see line 2593]
4961	10019663	F	思考	「認知」の一つで、以下の固有の特徴をもつ：思考を区分、整理、分類する過程。論理的に考え、考えを音声出力で表す。目標指向であること、概念形成の使用、心の変化に関連する。
		syn	シコウ	
4962	10011246	F	学習	「思考」の一つで、以下の固有の特徴をもつ：体系的な勉強、指導、練習、訓練、経験によって知識やスキルを習得する過程。
		syn	ガクシュウ	
4963	10004492	F	認知学習	「学習」の一つで、以下の固有の特徴をもつ：問題解決能力の獲得。知性や意識的思考に関連する。
		syn	ニンチガクシュウ	
4964	10018225	F	スキル学習	「学習」の一つで、以下の固有の特徴をもつ：実践能力の獲得。訓練、演習、練習に関連する。
		syn	スキルガクシュウ	
4965	10020133	A	治療する	「世話をする」の一つで、以下の固有の特徴をもつ：何かを減らし、終わらせ、取り除き、回復させるケアを行うこと。
		syn	チリョウスル	
4966	10002171	A	和らげる	「治療する」の一つで、以下の固有の特徴をもつ：何かを耐えやすくすること。
		syn	ヤワラゲル	
4967	10016716	A	軽減する	「治療する」の一つで、以下の固有の特徴をもつ：何かを減らす、終わらせる、または取り除くこと。
		syn	ケイゲンスル	
4968	10017140	A	回復させる	「治療する」の一つで、以下の固有の特徴をもつ：かつてのまたは本来の状態に戻すこと。身体的・精神的な元気を復活させる、よみがえらせること。
		syn	カイフクサセル	
4969	10016645	A	リハビリテーションを行う	「回復させる」の一つで、以下の固有の特徴をもつ：特に病気の後に、トレーニングによって効果的な機能や正常な生活を取り戻させること。

		<i>syn</i>	リハビリテーション ヲオコナウ		
4970	10017193	A	蘇生する		「回復させる」の一つで、以下の固有の特徴をもつ：人や物事を生き返らせること。
		<i>syn</i>	ソセイスル		
4971	10019212	M	外科手術		「技術」の一つ。
		<i>syn</i>	ゲカシュジュツ		
4972	10002246	M	切断		「外科手術」の一つ。
		<i>syn</i>	セツダン		
4973	10004143	M	帝王切開		「外科手術」の一つ。
		<i>syn</i>	テイオウセツカイ		
4974	10013156	M	神経外科的処置		「外科手術」の一つ。
		<i>syn</i>	シンケイゲカテキ ショチ		
4975	10013847	M	人工肛門形成術		「外科手術」の一つ。
		<i>syn</i>	ジンコウコウモンケ イセイジュツ		
4976	10019951	M	気管開口術		「外科手術」の一つ。
		<i>syn</i>	キカンカイコウジュ ツ		
4977	10020053	M	移植術		「外科手術」の一つ。
		<i>syn</i>	イショクジュツ		
4978	10019525	M	技術		[see line 1312]
4979	10019587	A	妊娠中絶をする		「治療する」の一つで、以下の固有の特徴をもつ：墮胎によって、計画外の妊娠、望まない妊娠、母体の生命を脅かす妊娠を終結させること。
		<i>syn</i>	ニンシンチュウゼツヲス ル		
4980	10033220	IC	*Treating Injury		[see line 2312]
4981	10033231	IC	*Treating Skin Condition		[see line 2278]
4982	10033249	IC	*Wart Treatment		[see line 2314]
4983	10003217	F	行動		「作用」の一つで、以下の固有の特徴をもつ：意図的な行為。
		<i>syn</i>	コウドウ		
4984	10002660	F	主張行動		「相互作用行動」の一つで、以下の固有の特徴をもつ：個人の権利、思考、信念、感情を直接的、率直的、および適切な方法で表現すること。
		<i>syn</i>	シュチョウコウドウ		
4985	10002897	F	愛着		「相互作用行動」の一つで、以下の固有の特徴をもつ：愛情の結び付きまたは絆。
		<i>syn</i>	アイチャク		
4986	10027183	F	*Caregiver Child Attachment		*Attachment: Establishing close relationship between caregiver and child.
4987	10028658	DC	*Effective Caregiver□ Child Attachment		[see line 4349]
4988	10027219	DC	*Impaired Caregiver Child Attachment		[see line 811]
4989	10027196	F	*Parent Child Attachment		*Caregiver Child Attachment: Establishing of close relationships between parent and infant.
4990	10027203	DC	*Risk For Impaired Parent Child Attachment		[see line 63]
4991	10027235	DC	*Risk for Impaired Caregiver Child Attachment		[see line 3851]
4992	10003678	F	呼吸パターン		「自分自身で行う活動」の一つ。
		<i>syn</i>	コキユウパターン		
4993	10027972	DC	*Effective Breathing□ Pattern		[see line 4348]
4994	10001108	DC	*Impaired Breathing Pattern		[see line 810]
4995	10006540	F	飲食パターン		「日課」の一つ。
		<i>syn</i>	インショクパターン		
4996	10003582	F	人工栄養		「飲食パターン」の一つ。
		<i>syn</i>	ジンコウエイヨウ		
4997	10003645	F	母乳栄養		「飲食パターン」の一つで、以下の固有の特徴をもつ：母乳を与えて乳児を養育し、乳児に声をかけ、触れ合い、乳児の性格や空腹の早期のサインを理解しながら、母としての乳児への適切な愛着を形成すること。

4998	10007273	<i>syn</i> F	ボニュウエイヨウ 完全母乳栄養		「母乳栄養」の一つで、以下の固有の特徴をもつ：生後4～6 カ月間、母乳以外のものを与えず、乳児が母乳を欲しがると びに授乳すること。
4999	10001098	<i>syn</i> DC	カンゼンボニュウエ イヨウ *Impaired Breast Feeding Pattern	[see line 808]	
5000	10001411	DC	*Positive Breast Feeding	[see line 4370]	
5001	10006282	F	飲水パターン		「飲食パターン」の一つ。
5002	10006529	<i>syn</i> F	インスイパターン		「飲食パターン」の一つ。
5003	10028059	<i>syn</i> DC	摂食パターン セッシュクパターン *Effective Infant Feeding Behaviour	[see line 4350]	
5004	10012668	F	*Impaired Eating Behaviour	[see line 3836]	
5005	10006731	F	排泄パターン		「日課」の一つ。
5006	10005637	<i>syn</i> F	ハイスツパターン 排便パターン		「排泄パターン」の一つ。
5007	10020466	<i>syn</i> F	ハイベンパターン 排尿パターン		「排泄パターン」の一つ。
5008	10007294	<i>syn</i> F	ハインヨウパターン 運動パターン		「日課」の一つ。
5009	10022043	DC	ウンドウパターン *Impaired Exercise Pattern	[see line 812]	
5010	10008782	F	保健探索行動		「自分自身で行う活動」の一つで、以下の固有の特徴をも つ：保健医療資源を識別・使用・管理・確保するための予測 可能な方法。他者の支援を要請し獲得するために容認されて いる方法に関する期待。
5011	10000735	<i>syn</i> DC	ホケンタンサクコウドウ *Health Seeking Behaviour	[see line 4353]	
5012	10022920	DC	*Impaired Health Seeking Behaviour	[see line 813]	
5013	10009292	F	清潔パターン		「日課」の一つ。
5014	10032204	<i>syn</i> F	セイケツパターン *Oral Hygiene Pattern	*Hygiene Pattern	
5015	10012545	F	*Impaired Behaviour	[see line 3803]	
5016	10012112	F	可動性パターン		「日課」の一つ。
5017	10014816	<i>syn</i> F	カドウセイパターン *Positive Behaviour	[see line 4347]	
5018	10017129	F	休息パターン		「日課」の一つ。
5019	10017949	<i>syn</i> F	キュウソクパターン 性的行動		「相互作用行動」の一つ。
5020	10028187	<i>syn</i> DC	セイテキコウドウ *Effective Sexual Behaviour	[see line 4351]	
5021	10012901	F	*Impaired Sexual Behaviour	[see line 3840]	
5022	10018287	F	睡眠パターン		「日課」の一つ。
5023	10030279	<i>syn</i> DC	スイミンパターン *Effective Sleep Pattern	[see line 4352]	
5024	10001300	DC	*Impaired Sleep Pattern	[see line 815]	
5025	10012411	F	仮眠		「睡眠パターン」の一つで、以下の固有の特徴をもつ：短時 間の軽い睡眠、またはうたた寝。年齢に応じて数分から1～2 時間。通常、日中または夕方に行う。
5026	10018565	<i>syn</i> F	カミン 精神的行動		「精神的プロセス」の一つ。
5027	10011897	<i>syn</i> F	セイシンテキコウドウ 瞑想		「精神的行動」の一つ。
5028	10015413	<i>syn</i> F	メイソウ 祈り		「精神的行動」の一つ。
5029	10021166	<i>syn</i> F	イノリ 崇拜		「精神的行動」の一つ。
5030	10013555	<i>syn</i> F	スウハイ 閉塞		「相互作用行動」の一つで、以下の固有の特徴をもつ：障 害、または何かが詰まっていること。

		<i>syn</i>	ヘイソク		
5031	10024768	F	*Barriers to Adherence	[see line 3755]	
5032	10013564	F	コミュニケーション障害	[see line 3756]	
5033	10014918	F	*Positive Process	[see line 4271]	
5034	10015961	F	心理的プロセス	「作用」の一つ。	
		<i>syn</i>	シンリテキプロセス		
5035	10002930	F	考え方	「心理的プロセス」の一つで、以下の固有の特徴をもつ：心理モデル。容認されている志向や意見。	
		<i>syn</i>	カンガエカタ		
5036	10024747	F	*Attitude To Pathological Process	*Attitude	
5037	10024752	F	*Attitude To Regime	*Attitude	
5038	10022418	F	*Attitude Toward Dietary Regime	*Attitude	
5039	10024969	DC	*Conflicting□ Attitude Toward Dietary Regime	[see line 531]	
5040	10023549	F	*Attitude Toward Exercise Regime	*Attitude	
5041	10023614	DC	*Conflicting□ Attitude Toward Exercise	[see line 532]	
5042	10023622	DC	*Conflicting Attitude□ Toward Therapeutic Regime	[see line 3762]	
5043	10002948	F	ケアに対する考え方	「考え方」の一つで、以下の固有の特徴をもつ：治療およびヘルスケア提供者に関する意見。	
		<i>syn</i>	ケアニタイスルカンガエカタ		
5044	10002969	F	在宅ケアに対する考え方	「考え方」の一つで、以下の固有の特徴をもつ：在宅で提供される治療に関する意見。	
		<i>syn</i>	ザイタクケアニタイスルカンガエカタ		
5045	10034105	F	*Expectation About Home Care	*Expectation	
5046	10002953	F	薬剤管理に対する考え方	「考え方」の一つで、以下の固有の特徴をもつ：投与計画および治療に関する意見。	
		<i>syn</i>	ヤクザイカンリニタイスルカンガエカタ		
5047	10022299	DC	*Conflicting□ Attitude Toward Medication Management	[see line 529]	
5048	10022281	DC	*Conflicting Attitude□ Toward Care	[see line 3761]	
5049	10022275	DC	*Positive Attitude To Care	[see line 4346]	
5050	10002976	F	栄養状態に対する考え方	「考え方」の一つで、以下の固有の特徴をもつ：食物摂取に関連した体重に関する意見。	
		<i>syn</i>	エイヨウジョウタイニタイスルカンガエカタ		
5051	10025492	DC	*Impaired Attitude To Nutritional Status	[see line 3763]	
5052	10002982	F	手術に対する考え方	「考え方」の一つで、以下の固有の特徴をもつ：予定されているまたは終了した手術に関する意見。	
		<i>syn</i>	シュジュツニタイスルカンガエカタ		
5053	10002995	F	疼痛に対する考え方	「考え方」の一つで、以下の固有の特徴をもつ：痛みの質と強さに関する意見。	
		<i>syn</i>	トウツウニタイスルカンガエカタ		
5054	10003229	F	信念	「考え方」の一つで、以下の固有の特徴をもつ：意見、確信、信条。	
		<i>syn</i>	シンネン		
5055	10005427	F	文化的信条	「信念」の一つで、以下の固有の特徴をもつ：ある行為を続行するか中止するかに関する個人的確信および意向で、自らの文化価値を考慮に入れている。	
		<i>syn</i>	ブンカテキシンジョウ		
5056	10022397	DC	*Conflicting□ (Negative) Cultural beliefs	[see line 3765]	
5057	10023679	F	*Expectation	*Belief	
5058	10034105	F	*Expectation About	[see line 5045]	

5059	10024144	F	Home Care *Unrealistic Expectation	[see line 3790]
5060	10022058	F	*Health Belief	*Belief
5061	10022516	DC	*Conflicting Health Belief	[see line 3766]
5062	10012550	F	*Impaired Belief	[see line 3764]
5063	10016728	F	宗教的信念	「信念」の一つで、以下の固有の特徴をもつ：ある行為を続行するか中止するかに関する個人的確信および意向で、自らの宗教的見解や原理、および人の生物学的・社会心理学的性質を支配・統合・超越する宗教的信条を考慮に入れている。
		syn	シュウキョウテキシンネン	
5064	10025463	F	*Negative Religious Belief	[see line 3775]
5065	10024159	F	*Positive Religious Belief	[see line 4403]
5066	10024911	F	*Self Efficacy	*Belief
5067	10027131	DC	*Low Self Efficacy	[see line 3774]
5068	10025672	DC	*Positive Self Efficacy	[see line 4410]
5069	10017776	F	自己像	「信念」の一つで、以下の固有の特徴をもつ：自分に関するパターン、認識、確信。
		syn	ジコゾウ	
5070	10003405	F	ボディイメージ	「自己像」の一つで、以下の固有の特徴をもつ：自分の身体、身体の一部、外見に関する心理的イメージ。
5071	10001079	DC	*Disturbed Body Image	[see line 832]
5072	10028564	DC	*Positive Body Image	[see line 1080]
5073	10023963	F	*Negative Self Image	[see line 3778]
5074	10014412	F	人格の同一性	「自己像」の一つで、以下の固有の特徴をもつ：自分の個性、価値、能力、限界に関する考え・感情・態度から成る。他人についての意見。本質的・性格的・質的に変わらない状態。
		syn	ジンカクノドウィツセイ	
5075	10001257	DC	*Disturbed Personal Identity	[see line 833]
5076	10008384	F	性同一性	「人格の同一性」の一つで、以下の固有の特徴をもつ：自分の個人的または内的意味での男らしさ・女らしさを考慮に入れた、自分の性に関する考え・感情・態度から成る。
		syn	セイドウィツセイ	
5077	10014420	F	人格	「人格の同一性」の一つで、以下の固有の特徴をもつ：一個人として他者との区別をつける行動的特性と態度から成る。時間を経ても本質、性格、質は変わらない。
		syn	ジンカク	
5078	10007447	F	外向型人格	「人格」の一つで、以下の固有の特徴をもつ：関心が自分よりも外側に向かう特性と態度から成る。心の中の感情や思考ではなく、主に外部の現実や環境に関心をもつ。社交的、行動的、積極的、エネルギッシュ、熱心で外向的、衝動的、感情表現が豊か、おしゃべり。
		syn	ガイコウガタジンカク	
5079	10010820	F	内向型人格	「人格」の一つで、以下の固有の特徴をもつ：関心が自分の内面に向かう特性と態度から成る。受け身、内気、引っ込みがち、控えめ、自分のことに夢中になりやすい。
		syn	ナイコウガタジンカク	
5080	10011061	F	不安定な人格	「人格」の一つで、以下の固有の特徴をもつ：急激に変化する、情緒不安定な、転位しがちな特性と態度から成る。情緒的变化と感情起伏の傾向を伴う。
		syn	フアンテイナジンカク	
5081	10025664	DC	*Positive Personal Identity	[see line 1081]
5082	10014925	F	*Positive Self Image	[see line 4411]
5083	10017724	F	セルフエスティーム	「自己像」の一つで、以下の固有の特徴をもつ：自分に関する意見、または自分自身の価値と能力についての見方。自分への信念を言葉に表し、自分を信用する。自己受容と自己制限を言葉に表す。自分自身の否定的イメージに挑戦する。称賛、激励、建設的批判を受け入れる。
5084	10011472	F	*Low Self Esteem	[see line 3779]

5085	10025751	DC	<i>*Positive Self Esteem</i>	[see line 1082]
5086	10018577	F	霊的信念	「信念」の一つで、以下の固有の特徴をもつ：ある行為を続行するか中止するかに関する個人的確信および意向で、人の生物学的・社会心理学的性質を支配・統合・超越する生命の原理を考慮に入れている。
5087	10022769	DC	<i>syn</i> レイテキシシネン <i>*Conflicting□ Spiritual Belief</i>	[see line 3767]
5088	10019404	F	タブー	「信念」の一つで、以下の固有の特徴をもつ：ある物の使用やそれに対する言及、またはそれとの関わりを禁じること。特定の食べ物や行動の禁忌に関連することが多い。
5089	10019980	F	伝統	「信念」の一つで、以下の固有の特徴をもつ：口伝や習慣によって伝えられる慣習、ルール、儀礼、象徴、神話で、世代や歴史を超えた結束の手段として機能するもの。
5090	10017309	F	<i>syn</i> デントウ 儀礼	「伝統」の一つ。
5091	10020599	F	<i>syn</i> ギレイ 価値観	「信念」の一つで、以下の固有の特徴をもつ：ある行為を続行するか中止するかに関する意向で、物事の善悪についての自分の意見を考慮に入れている。
5092	10025617	F	<i>syn</i> カチカン <i>*Caregiver Attitude</i>	<i>*Attitude</i>
5093	10034758	F	<i>*Community Coping</i>	<i>*Coping</i>
5094	10034829	F	<i>*Effective Caregiver□ Coping</i>	[see line 4278]
5095	10025629	DC	<i>*Negative Caregiver Attitude</i>	[see line 3802]
5096	10025638	DC	<i>*Positive Caregiver Attitude</i>	[see line 4371]
5097	10005208	F	コーピング	「考え方」の一つで、以下の固有の特徴をもつ：生命のニーズや役割を満たすために必要な人それぞれの資源に対するストレスを管理すること。肯定的な自己評価に対する脅威から身を守る自己防御パターン。統制感、ストレスの減少、状況の受容を言葉にすること、心理的安楽の増加を伴う。
5098	10000329	F	受容	「コーピング」の一つで、以下の固有の特徴をもつ：ストレスの長期的な管理および対処。不安感や緊張感を除去または軽減する。破壊的な行動を抑制する。
5099	10001741	F	<i>syn</i> ジュヨウ 適応	「コーピング」の一つで、以下の固有の特徴をもつ：新しい状況や課題を処理すること。
5100	10024866	F	<i>syn</i> テキオウ <i>*Adaptation Techniques for Sensory Deficit□</i>	<i>*Adaptation</i>
5101	10022027	DC	<i>*Impaired Adaptation</i>	<i>*Adaptation</i>
5102	10002845	F	同化	「コーピング」の一つで、以下の固有の特徴をもつ：新たな事実を受け入れる過程。新たな状況に反応すること、または新たに認識した情報や経験を自らの既存認識に取り入れること。
5103	10000355	F	<i>syn</i> ドウカ 文化変容	「同化」の一つで、以下の固有の特徴をもつ：異文化との接触の結果、集団または個人に変化が起きること。
5104	10034758	F	<i>syn</i> ブンカヘンヨウ <i>*Community Coping</i>	[see line 5093]
5105	10034743	F	<i>*Community Coping</i>	[see line 4682]
5106	10034840	F	<i>*Defensive Coping</i>	<i>*Coping Process</i>
5107	10034855	DC	<i>*Defensive Coping</i>	[see line 622]
5108	10034864	DC	<i>*Effective Defensive□ Coping</i>	[see line 952]
5109	10014844	F	<i>*Effective Coping□</i>	[see line 4277]
5110	10034736	F	<i>*Family Coping</i>	[see line 4713]
5111	10012647	F	<i>*Impaired Coping Process</i>	[see line 3792]
5112	10023646	F	<i>*Family Attitude</i>	[see line 4711]
5113	10012532	F	<i>*Impaired Attitude</i>	[see line 3759]
5114	10020855	F	意志	「考え方」の一つで、以下の固有の特徴をもつ：意識的選択。自らの願望に従って選択する行為。
5115	10013000	F	<i>syn</i> イシ <i>*Impaired Volition</i>	[see line 3798]
5116	10009903	F	衝動	「意志」の一つで、以下の固有の特徴をもつ：推進力、駆り

		<i>syn</i>	ショウドウ	立てるもの、原動力。
5117	10010250	F	自主性	「意志」の一つで、以下の固有の特徴をもつ：行動し考えを導入する、または意思決定しそれに基づき行動すること。
		<i>syn</i>	ジシュセイ	
5118	10022571	DC	<i>*Low Initiative</i>	[see line 798]
5119	10017690	F	セルフコントロール	「意志」の一つで、以下の固有の特徴をもつ：自分自身を維持するために必要なことを行うこと。自分を前進させること。基本的かつ私的なニーズや生活活動に対応すること。
5120	10027469	DC	<i>*Low Self Control</i>	[see line 799]
5121	10021109	F	自制心	「意志」の一つで、以下の固有の特徴をもつ：ある行為を続行するか中止するかに関する意向。意志、意図、好みなどの考えを考慮に入れた上で、衝動を制御する、あるいは制御しないこと。
		<i>syn</i>	ジセイシン	
5122	10021113	F	生きる意志	「意志」の一つで、以下の固有の特徴をもつ：困難な状況にもかかわらず生き続けようという考えと願いに影響された意志。生きようとする強い衝動。生命を永続させようと選択または行動すること。
		<i>syn</i>	イキルイシ	
5123	10004485	F	認知	「心理的プロセス」の一つで、以下の固有の特徴をもつ：ある行為を続行するか中止するかに関する意向で、その人物が有する知識を考慮に入れている。知覚、思考、推論、記憶のあらゆる側面に関わった知的プロセス。
		<i>syn</i>	ニンチ	
5124	10000301	F	抽象的思考	「認知」の一つで、以下の固有の特徴をもつ：思考は順応性があり柔軟で、概念の使用や一般化も行われる。問題解決では、一連の観察事項に基づき、仮説を立て検証しながら、論理的に結論を導く。認知思考過程の最終的な発達段階で、12～15歳以上の子どもに見られる。
		<i>syn</i>	チュウショウテキシコウ	
5125	10003083	F	認識	「認知」の一つ。
		<i>syn</i>	ニンシキ	
5126	10017642	F	自己認識	「認識」の一つで、以下の固有の特徴をもつ：ある行為を続行するか中止するかの意向を実感すること。行為の一次理由。
		<i>syn</i>	ジコニンシキ	
5127	10029451	DC	<i>*Lack of Self Awareness</i>	[see line 616]
5128	10029446	DC	<i>*Self Awareness</i>	[see line 948]
5129	10004910	F	集中	「認知」の一つで、以下の固有の特徴をもつ：知識を蓄え呼び出すために集められた注意力と精神力。
		<i>syn</i>	シュウチュウ	
5130	10002924	F	注意	「集中」の一つで、以下の固有の特徴をもつ：選択的に集中している状態で、特定の情報を選択的に受け取り、それ以外の情報を抑圧することを促進する。
		<i>syn</i>	チュウイ	
5131	10004923	F	具体的思考	「認知」の一つで、以下の固有の特徴をもつ：思考が次第に論理的で理路整然とすること。事実を区分、整理、分類する能力をもつが、一般化や抽象化を行うことはできない。問題解決は知覚した事柄に基づき、具体的な体系的方法で行われる。文字どおりの言葉の意味を捉え、言葉を種全体としてではなく特定の事例として用いる。認知思考過程の発達段階の一つで、7～11歳以降の子どもに見られる。
		<i>syn</i>	グタイテキシコウ	
5132	10005594	F	意思決定プロセス	「認知」の一つで、以下の固有の特徴をもつ：ある行為を続行するか中止するかの意向で、判断を考慮する。関連情報、個々の代案がもたらす結果の見込み、支援資源、自分の望みとの整合性を見極めることによって、また代案を比較し選ぶことによって、2つまたはそれ以上の代案の中から選択する能力。自分自身と他者に影響を及ぼす選択を行うこと。
		<i>syn</i>	イシケツテイプロセス	
5133	10025348	F	<i>*Effective Decision Making</i>	[see line 4382]
5134	10026556	F	<i>*Family Decision Making Process</i>	[see line 4717]
5135	10012610	F	<i>*Impaired Cognition</i>	[see line 4118]
5136	10010158	F	情報処理	「認知」の一つ。
		<i>syn</i>	ジョウホウショリ	
5137	10028351	F	<i>*Positive Cognition</i>	[see line 4380]
5138	10006765	F	情緒	「心理的プロセス」の一つで、以下の固有の特徴をもつ：感情。ある行動を続行するか中止するかの根拠として考慮する楽しい気持ちまたは苦しい気持ち。感情には意識的なものと

無意識なもの、表現されるものと表現されないものがある。基本的感情は通常、精神障害や疾病によるストレスの多い時期、人生におけるさまざまな過渡期に増大する。

		<i>syn</i>	ジョウチョ		
5139	10002205	F	両面感情		「情緒」の一つで、以下の固有の特徴をもつ：同一の対象に関して、矛盾した正反対の感情をもつこと。
		<i>syn</i>	リョウメンカンジョウ		
5140	10007050	F	多幸感		「情緒」の一つで、以下の固有の特徴をもつ：高揚感。身体的および情緒的な安寧を大げさに感じ取ること。極端な喜び、楽観主義、自己満足として表れ、現実や真実に基づいていない。理由に対して不相応、状況に不適切。双極性障害や薬物使用など精神障害の躁段階に関連する。
		<i>syn</i>	タクウカン		
5141	10008516	F	悲嘆		「情緒」の一つで、以下の固有の特徴をもつ：予想されるまたは実際の重大な損失や死に関連した悲しい気持ち。ショックと不信（ショック段階）。消耗感、極度の疲労感と虚脱感、精神的苦痛、喪失や悲しみに対する反応、号泣、すすり泣き、不安、不信、否認、怒り（反応段階）、適応、受容、新たな方向付け、喪失感の表出、失った事実の受容、身体的ストレスの欠如、将来についての前向きな予想を表すこと（受容段階）。
		<i>syn</i>	ヒタン		
5142	10001183	DC	<i>*Dysfunctional Grief</i>	[see line 558]	
5143	10022345	DC	<i>*Grief</i>	[see line 4318]	
5144	10021735	DC	<i>*Risk For Dysfunctional Grief</i>	[see line 4212]	
5145	10009095	F	希望		「情緒」の一つで、以下の固有の特徴をもつ：可能性があるという感情。他者や未来への信頼。生きる意欲。生きることの理由や意欲を表現すること。心の平安。楽観主義。目標設定やエネルギーの動員に関連する。
		<i>syn</i>	キボウ		
5146	10025353	F	<i>*Hope</i>	[see line 4319]	
5147	10012675	F	<i>*Negative Emotion</i>	[see line 4175]	
5148	10014682	F	快感		「情緒」の一つで、以下の固有の特徴をもつ：欲動がすぐに満たされること。喉が渇いた時に飲む、空腹時に食べるなど、基本的ニーズが満たされること。泣いている時に慰められること。通常は快適さとして表れる。
		<i>syn</i>	カイカン		
5149	10015727	F	自尊心		「情緒」の一つで、以下の固有の特徴をもつ：自分の名誉となる功績、特質、財産について得意になり満足する気持ち。自分の価値や重要性に関する考え。
		<i>syn</i>	ジソンシン		
5150	10025693	DC	<i>*Lack Of Pride</i>	[see line 566]	
5151	10025779	DC	<i>*Positive Pride</i>	[see line 4402]	
5152	10025934	F	<i>*Trust</i>	<i>*Emotion: Feeling of confidence, believing in goodness, strength and reliability of others.</i>	
5153	10025947	DC	<i>*Low Trust</i>	[see line 567]	
5154	10011907	F	記憶		「心理的プロセス」の一つで、以下の固有の特徴をもつ：感覚、印象、考えなどを保存し取り出す精神的活動。過去の経験、知識、アイデア、感覚、思考を精神的に記録し、保存し、呼び戻すこと。
		<i>syn</i>	キオク		
5155	10028426	F	<i>*Effective Memory</i>	[see line 4292]	
5156	10012756	F	<i>*Impaired Memory</i>	[see line 4162]	
5157	10011429	F	長期記憶		「記憶」の一つで、以下の固有の特徴をもつ：過去の出来事や経験を思い出す能力。
		<i>syn</i>	チョウキキオク		
5158	10018078	F	短期記憶		「記憶」の一つで、以下の固有の特徴をもつ：最近の出来事や経験を思い出す能力。
		<i>syn</i>	タンキキオク		
5159	10034445	F	<i>*Psychological Process Diagnosis and Outcome</i>	[see line 3706]	
5160	10015974	F	心理的反応		「心理的プロセス」の一つ。
		<i>syn</i>	シンリテキハンノウ		
5161	10012858	F	<i>*Impaired Psychological Response</i>	[see line 4165]	
5162	10012261	F	喪		「心理的反応」の一つで、以下の固有の特徴をもつ：悲しみを解決する過程。大きな個人的喪失を乗り越えるための情緒的反応。哀悼や死別を通して処理された極端な悲しみ。意識的に悲嘆反応や情緒に働きかける。
		<i>syn</i>	モ		
5163	10007614	F	家族の喪		「喪」の一つで、以下の固有の特徴をもつ：愛する人、有

形・無形の財産を失った後に家族が経験する悲しみ。複数の家族構成員が身体的・情緒的に苦難の症状を示す。家族が悲嘆や苦悩の雰囲気にも包まれること。悲しみの共有、家族の日常活動が一時的に秩序を失うこと。

	<i>syn</i>	カゾクノモ	
5164	10024781	F	*Psychological Response To Teaching
5165	10016020	F	指導に対する心理社会的反応
	<i>syn</i>	シドウニタイスルシンリシャカイテキハンノウ	「心理的反応」の一つ。
5166	10022309	F	*Psychosocial Response To Instruction About Exercise
5167	10016031	F	薬剤指導に対する心理社会的反応
	<i>syn</i>	ヤクザイシドウニタイスルシンリシャカイテキハンノウ	「指導に対する心理社会的反応」の一つ。
5168	10016049	F	栄養指導に対する心理社会的反応
	<i>syn</i>	エイヨウシドウニタイスルシンリシャカイテキハンノウ	「指導に対する心理社会的反応」の一つ。
5169	10016054	F	疼痛指導に対する心理社会的反応
	<i>syn</i>	トウツウシドウニタイスルシンリシャカイテキハンノウ	「指導に対する心理社会的反応」の一つ。
5170	10016065	F	創傷指導に対する心理社会的反応
	<i>syn</i>	ソウショウシドウニタイスルシンリシャカイテキハンノウ	「指導に対する心理社会的反応」の一つ。
5171	10016077	F	疼痛管理に対する心理社会的反応
	<i>syn</i>	トウツウカンリニタイスルシンリシャカイテキハンノウ	「指導に対する心理社会的反応」の一つ。
5172	10016083	F	ケア計画に対する心理社会的反応
	<i>syn</i>	ケアケイカクニタイスルシンリシャカイテキハンノウ	「指導に対する心理社会的反応」の一つ。
5173	10034413	F	*Psychosocial Response To Procedure
5174	10018202	T	状況
5175	10018406	F	社会的プロセス
	<i>syn</i>	シヤカイテキプロセス	[see line 2605]
5176	10004428	F	市民的不服従
	<i>syn</i>	シミンテキフフクジュウ	「社会的プロセス」の一つで、以下の固有の特徴をもつ：良心に従って法に従うことを拒否することにより、非暴力的な方法で法律に反対すること。
5177	10005368	F	犯罪行為
	<i>syn</i>	ハンザイコウイ	「市民的不服従」の一つで、以下の固有の特徴をもつ：法によって処罰される違法行為。
5178	10022384	DC	*Crime
5179	10020608	F	破壊行為
	<i>syn</i>	ハカイコウイ	「市民的不服従」の一つで、以下の固有の特徴をもつ：公共建物やその他の公共財産に対して、不要な損害を意図的に加えること、またはそれらを破壊すること。
5180	10018362	F	社会的一体性
	<i>syn</i>	シヤカイテキイッタイセイ	「社会的プロセス」の一つで、以下の固有の特徴をもつ：一緒にいる過程または行為。
5181	10018596	F	精神的プロセス
	<i>syn</i>	セイシンテキプロセス	「作用」の一つ。
5182	10018565	F	精神的行動
5183	10018577	F	霊的信念
5184	10018583	F	霊的苦悩
5185	10015838	F	*Prophylactic
			*Phenomenon

5186	10015620	A	予防する	[see line 1542]
5187	10024057	F	*Side Effect□	*Phenomenon
5188	10023916	F	*Medication Side Effect□	[see line 4611]
5189	10018130	F	徴候	「身体反応」の一つ。
		syn	チョウコウ	
5190	10018148	F	感染の徴候	「徴候」の一つ。
		syn	カンセンノチョウコウ	
5191	10020829	F	バイタルサイン	「徴候」の一つ。
5192	10003342	F	血圧サイン	[see line 3211]
5193	10003511	F	体温度	[see line 3217]
5194	10008846	F	心拍数バイタルサイン	[see line 3367]
5195	10024074	F	*Social Support	*Phenomenon
5196	10022753	DC	*Lack Of Social Support	[see line 793]
5197	10027033	F	*Spiritual Support	*Phenomenon
5198	10019368	F	症状	「知覚」の一つで、以下の固有の特徴をもつ：身体の変化。身体の変化を主観的に感じる。機能または外観。
		syn	ショウジョウ	
5199	10019375	F	感染症状	「症状」の一つ。
		syn	カンセンショウジョウ	
5200	10019721	T	時点または間隔	[see line 2656]
5201	10012513	F	*Problematic Action	[see line 4959]
5202	10015762	F	作用	[see line 4499]
5203	10015838	F	*Prophylactic	[see line 5185]
5204	10017908	F	サービス	[see line 3436]
5205	10024057	F	*Side Effect□	[see line 5187]
5206	10018130	F	徴候	[see line 5189]
5207	10024074	F	*Social Support	[see line 5195]
5208	10027033	F	*Spiritual Support	[see line 5197]
5209	10018793	F	状態	[see line 2760]
5210	10019368	F	症状	[see line 5198]
5211	10019663	F	思考	[see line 4961]
5212	10001836	IC	*Administering Blood Therapy	[see line 4732]
5213	10025444	IC	*Administering Medication	[see line 2340]
5214	10001827	IC	*Administering Prophylactic Phenomenon	[see line 2342]
5215	10002472	IC	*Applying Safety Device	[see line 2348]
5216	10024171	IC	*Arranging Transportation Service	[see line 4741]
5217	10026249	IC	*Assessing Acceptance Of Health Status	[see line 4742]
5218	10024185	IC	*Assessing Adherence	[see line 4743]
5219	10024192	IC	*Assessing Attitude Toward Disease	[see line 2195]
5220	10002687	IC	*Assessing Attitude Toward Medication Management	[see line 2196]
5221	10002694	IC	*Assessing Attitude Toward Nutritional Status	[see line 2197]
5222	10024205	IC	*Assessing Attitude Toward Treatment Regime	[see line 2198]
5223	10024214	IC	*Assessing Barriers To Adherence	[see line 4745]
5224	10026040	IC	*Assessing Capabilities	[see line 4746]
5225	10002706	IC	*Assessing Cardiac Status Using Monitoring Device	[see line 1670]
5226	10024222	IC	*Assessing Caregiver Stress	[see line 4747]
5227	10025883	IC	*Assessing Cognition	[see line 2199]
5228	10002710	IC	*Assessing Control Of Pain	[see line 1671]
5229	10002723	IC	*Assessing Coping	[see line 2200]
5230	10024233	IC	*Assessing Cultural Beliefs	[see line 2201]
5231	10026055	IC	*Assessing Depression	[see line 2202]
5232	10002747	IC	*Assessing Eating Or Drinking Behaviour	[see line 4748]
5233	10026064	IC	*Assessing Environment	[see line 4749]
5234	10024251	IC	*Assessing Exercise Pattern	[see line 4750]
5235	10026072	IC	*Assessing Expectations	[see line 2203]
5236	10026600	IC	*Assessing Family Coping	[see line 1638]

5237	10026086	IC	<i>*Assessing Fatigue</i>	<i>[see line 2204]</i>
5238	10024267	IC	<i>*Assessing Fear</i>	<i>[see line 2205]</i>
5239	10026103	IC	<i>*Assessing Grief</i>	<i>[see line 2206]</i>
5240	10002752	IC	<i>*Assessing Knowledge Of Wound Care And Wound Healing</i>	<i>[see line 1672]</i>
5241	10002768	IC	<i>*Assessing Neurological Status Before Operation</i>	<i>[see line 1673]</i>
5242	10026119	IC	<i>*Assessing Pain</i>	<i>[see line 2056]</i>
5243	10002781	IC	<i>*Assessing Readiness To Learn</i>	<i>[see line 4759]</i>
5244	10002799	IC	<i>*Assessing Respiratory Status Using Monitoring Device</i>	<i>[see line 1674]</i>
5245	10024279	IC	<i>*Assessing Response To Teaching</i>	<i>[see line 2207]</i>
5246	10023520	IC	<i>*Assessing Risk For Falls</i>	<i>[see line 4760]</i>
5247	10002809	IC	<i>*Assessing Risk For Hypothermia</i>	<i>[see line 1684]</i>
5248	10002813	IC	<i>*Assessing Risk For Ineffective Tissue Perfusion</i>	<i>[see line 1701]</i>
5249	10026142	IC	<i>*Assessing Roles</i>	<i>[see line 4761]</i>
5250	10027080	IC	<i>*Assessing Self Image</i>	<i>[see line 2208]</i>
5251	10024280	IC	<i>*Assessing Self-efficacy</i>	<i>[see line 2209]</i>
5252	10024298	IC	<i>*Assessing Social Support</i>	<i>[see line 1852]</i>
5253	10024308	IC	<i>*Assessing Spiritual Beliefs</i>	<i>[see line 2210]</i>
5254	10002821	IC	<i>*Assessing Susceptibility To Infection</i>	<i>[see line 4765]</i>
5255	10026161	IC	<i>*Assessing Symptom Control</i>	<i>[see line 4766]</i>
5256	10024320	IC	<i>*Assessing Traditional Therapies</i>	<i>[see line 4767]</i>
5257	10002866	IC	<i>*Assisting Surgeon During Operation</i>	<i>[see line 1460]</i>
5258	10023531	IC	<i>*Assisting With Toileting</i>	<i>[see line 1394]</i>
5259	10004073	IC	<i>*Categorising Surgical Wound</i>	<i>[see line 2319]</i>
5260	10004561	IC	<i>*Collaborating In Initiating Patient Controlled Analgesia</i>	<i>[see line 4777]</i>
5261	10026190	IC	<i>*Collaborating On Dietary Regime</i>	<i>[see line 4778]</i>
5262	10023554	IC	<i>*Collaborating With Pharmacist</i>	<i>[see line 4780]</i>
5263	10023565	IC	<i>*Collaborating With Physician</i>	<i>[see line 4781]</i>
5264	10023577	IC	<i>*Collaborating With Social Worker</i>	<i>[see line 4782]</i>
5265	10004588	IC	<i>*Collecting Specimen</i>	<i>[see line 2404]</i>
5266	10005029	IC	<i>*Consulting Care Provider</i>	<i>[see line 4784]</i>
5267	10024331	IC	<i>*Consulting for Pain Management</i>	<i>[see line 4785]</i>
5268	10021816	IC	<i>*Consulting Home Care Service</i>	<i>[see line 4786]</i>
5269	10005093	IC	継続的サーベイランス	<i>[see line 1933]</i>
5270	10024349	IC	<i>*Contracting for Adherence</i>	<i>[see line 4787]</i>
5271	10026208	IC	<i>*Counselling About Fears</i>	<i>[see line 2211]</i>
5272	10026212	IC	<i>*Counselling About Hopes</i>	<i>[see line 2212]</i>
5273	10026231	IC	<i>*Counselling About Spiritual Distress</i>	<i>[see line 2213]</i>
5274	10024710	IC	<i>*Demonstrating Falls Prevention</i>	<i>[see line 4793]</i>
5275	10024354	IC	<i>*Demonstrating Medication Administration</i>	<i>[see line 4794]</i>
5276	10024365	IC	<i>*Demonstrating Relaxation Technique</i>	<i>[see line 4795]</i>
5277	10021695	IC	<i>*Demonstrating Subcutaneous Injection Technique</i>	<i>[see line 4796]</i>
5278	10006016	IC	<i>*Discharge Planning</i>	<i>[see line 4798]</i>
5279	10006712	IC	<i>*Eliciting Attitude Toward Operation</i>	<i>[see line 2214]</i>
5280	10006834	IC	<i>*Encouraging Breathing Or Coughing Technique</i>	<i>[see line 4799]</i>
5281	10024377	IC	<i>*Encouraging Positive Affirmations</i>	<i>[see line 4800]</i>
5282	10024383	IC	<i>*Encouraging Rest</i>	<i>[see line 2059]</i>
5283	10006966	IC	<i>*Ensuring Continuity Of Care</i>	<i>[see line 4801]</i>
5284	10024706	IC	<i>*Environmental Safety Management</i>	<i>[see line 4802]</i>
5285	10023738	IC	<i>*Establishing Rapport</i>	<i>[see line 4803]</i>
5286	10024396	IC	<i>*Establishing Trust</i>	<i>[see line 2215]</i>
5287	10007078	IC	<i>*Evaluating Cardiac Status After Operation</i>	<i>[see line 4804]</i>
5288	10007084	IC	<i>*Evaluating Home Before Home Care</i>	<i>[see line 4810]</i>

5289	10007097	IC	<i>*Evaluating Neurological Status After Operation</i>	<i>[see line 4813]</i>
5290	10007107	IC	<i>*Evaluating Psychosocial Response To Instruction</i>	<i>[see line 2216]</i>
5291	10007153	IC	<i>*Evaluating Psychosocial Response To Plan Of Care</i>	<i>[see line 2217]</i>
5292	10007169	IC	<i>*Evaluating Respiratory Status After Operation</i>	<i>[see line 4814]</i>
5293	10007176	IC	<i>*Evaluating Response To Fluid Therapy</i>	<i>[see line 2060]</i>
5294	10007182	IC	<i>*Evaluating Response To Medication</i>	<i>[see line 2061]</i>
5295	10007195	IC	<i>*Evaluating Response To Thermoregulation</i>	<i>[see line 2063]</i>
5296	10007202	IC	<i>*Evaluating Tissue Perfusion After Operation</i>	<i>[see line 2064]</i>
5297	10007218	IC	<i>*Evaluating Wound Healing</i>	<i>[see line 2065]</i>
5298	10007389	IC	<i>*Explaining Event Or Episode</i>	<i>[see line 4819]</i>
5299	10007391	IC	<i>*Explaining Patient Right</i>	<i>[see line 4820]</i>
5300	10026616	IC	<i>*Facilitating Ability To Communicate Feelings</i>	<i>[see line 4822]</i>
5301	10026277	IC	<i>*Facilitating Ability To Perform Role</i>	<i>[see line 4823]</i>
5302	10026265	IC	<i>*Facilitating Ability To Talk About Dying Process</i>	<i>[see line 4824]</i>
5303	10024401	IC	<i>*Facilitating Access to Treatment</i>	<i>[see line 4825]</i>
5304	10024417	IC	<i>*Facilitating Financial Recovery</i>	<i>[see line 4826]</i>
5305	10007531	IC	転倒転落予防	<i>[see line 4827]</i>
5306	10009048	IC	<i>*Home Care</i>	<i>[see line 2109]</i>
5307	10009649	IC	<i>*Identifying Attitude Toward Care</i>	<i>[see line 2218]</i>
5308	10009654	IC	<i>*Identifying Attitude Toward Pain</i>	<i>[see line 2219]</i>
5309	10027154	IC	<i>*Identifying Non Normal Body Part Before Perioperative Positioning</i>	<i>[see line 4830]</i>
5310	10009683	IC	<i>*Identifying Obstruction To Communication</i>	<i>[see line 4831]</i>
5311	10009612	IC	<i>*Identifying Physiological Status</i>	<i>[see line 4832]</i>
5312	10009620	IC	<i>*Identifying Psychosocial Status</i>	<i>[see line 4833]</i>
5313	10009696	IC	<i>*Identifying Risk For Haemorrhaging</i>	<i>[see line 2066]</i>
5314	10009855	IC	<i>*Implementing Aseptic Technique</i>	<i>[see line 4834]</i>
5315	10009864	IC	<i>*Implementing Clinical Pathway</i>	<i>[see line 4835]</i>
5316	10026283	IC	<i>*Implementing Diversional Therapy</i>	<i>[see line 4837]</i>
5317	10026296	IC	<i>*Implementing Humour Therapy</i>	<i>[see line 4838]</i>
5318	10024694	IC	<i>*Implementing Oxygen Therapy</i>	<i>[see line 2372]</i>
5319	10009872	IC	<i>*Implementing Pain Guideline</i>	<i>[see line 4840]</i>
5320	10026306	IC	<i>*Implementing Reminiscence Therapy</i>	<i>[see line 4841]</i>
5321	10026310	IC	<i>*Implementing Validation Therapy</i>	<i>[see line 4842]</i>
5322	10010232	IC	<i>*Initiating Managing Transporting</i>	<i>[see line 2424]</i>
5323	10010245	IC	<i>*Initiating Patient Controlled Analgesia</i>	<i>[see line 4843]</i>
5324	10010382	IC	<i>*Instructing Patient</i>	<i>[see line 2036]</i>
5325	10010503	IC	<i>*Interpreting Arterial Blood Gas Result</i>	<i>[see line 4845]</i>
5326	10026323	IC	<i>*Involving In Decision Making Process</i>	<i>[see line 2220]</i>
5327	10011515	IC	<i>*Maintaining Confidentiality□</i>	<i>[see line 4848]</i>
5328	10011527	IC	<i>*Maintaining Dignity And Privacy</i>	<i>[see line 4849]</i>
5329	10011536	IC	<i>*Maintaining Health</i>	<i>[see line 2430]</i>
5330	10011641	IC	<i>*Managing Medication</i>	<i>[see line 4857]</i>
5331	10021837	IC	<i>*Managing Medication Side Effect□</i>	<i>[see line 2389]</i>
5332	10024429	IC	<i>*Managing Negative Response to Treatment</i>	<i>[see line 2393]</i>
5333	10011660	IC	<i>*Managing Pain</i>	<i>[see line 2395]</i>
5334	10011673	IC	<i>*Managing Regime</i>	<i>[see line 2396]</i>
5335	10011687	IC	<i>*Managing Specimen</i>	<i>[see line 4860]</i>
5336	10011694	IC	<i>*Managing Transporting</i>	<i>[see line 4861]</i>
5337	10012098	IC	<i>*Minimising Duration Of Operation</i>	<i>[see line 4866]</i>
5338	10023944	IC	<i>*Monitor Using an Exit Alarm</i>	<i>[see line 1918]</i>

5339	10012183	IC	<i>*Monitoring Physiological Status</i>	<i>[see line 4873]</i>
5340	10012203	IC	<i>*Monitoring Signs And Symptoms Of Infection</i>	<i>[see line 1928]</i>
5341	10013517	IC	<i>*Observing Altered Perception</i>	<i>[see line 2071]</i>
5342	10013461	IC	<i>*Observing Injury</i>	<i>[see line 1955]</i>
5343	10013765	IC	<i>*Ordering Care Plan</i>	<i>[see line 4876]</i>
5344	10014301	IC	<i>*Performing Phenomenon Using Device</i>	<i>[see line 2558]</i>
5345	10014317	IC	<i>*Performing Role</i>	<i>[see line 4878]</i>
5346	10014761	IC	<i>*Positioning Patient</i>	<i>[see line 4880]</i>
5347	10025213	IC	<i>*Pregnancy Prevention</i>	<i>[see line 2072]</i>
5348	10025221	IC	<i>*Pregnancy Promotion</i>	<i>[see line 2073]</i>
5349	10015484	IC	<i>*Preparing Skin Before Operation</i>	<i>[see line 2573]</i>
5350	10015523	IC	<i>*Prescribing Medication</i>	<i>[see line 2408]</i>
5351	10015631	IC	<i>*Preventing Chemical Injury</i>	<i>[see line 1545]</i>
5352	10015649	IC	<i>*Preventing Cross Infection</i>	<i>[see line 1546]</i>
5353	10015654	IC	<i>*Preventing Electrical Injury</i>	<i>[see line 1547]</i>
5354	10015665	IC	<i>*Preventing Laser Injury</i>	<i>[see line 1548]</i>
5355	10015677	IC	<i>*Preventing Latex Allergy</i>	<i>[see line 2074]</i>
5356	10015683	IC	<i>*Preventing Mechanical Injury</i>	<i>[see line 1550]</i>
5357	10015696	IC	<i>*Preventing Radiation Injury</i>	<i>[see line 1552]</i>
5358	10015704	IC	<i>*Preventing Thermal Injury</i>	<i>[see line 1553]</i>
5359	10024438	IC	<i>*Prioritising (treatment) Regime</i>	<i>[see line 4881]</i>
5360	10024440	IC	<i>*Promoting Hope</i>	<i>[see line 2228]</i>
5361	10026334	IC	<i>*Promoting Limit Setting</i>	<i>[see line 4886]</i>
5362	10021703	IC	<i>*Promoting Medication Adherence Using Pillbox</i>	<i>[see line 1411]</i>
5363	10015817	IC	<i>*Promoting Positive Thermoregulation</i>	<i>[see line 2076]</i>
5364	10026347	IC	<i>*Promoting Self Care</i>	<i>[see line 4888]</i>
5365	10024455	IC	<i>*Promoting Self-esteem</i>	<i>[see line 2229]</i>
5366	10024464	IC	<i>*Promoting Social Support</i>	<i>[see line 1512]</i>
5367	10024472	IC	<i>*Promoting Use of Memory Devices</i>	<i>[see line 4889]</i>
5368	10026368	IC	<i>*Protecting Cultural Beliefs</i>	<i>[see line 2230]</i>
5369	10015886	IC	<i>*Protecting Patient Before Operation</i>	<i>[see line 1559]</i>
5370	10015893	IC	<i>*Protecting Patient During Neurosurgical Act</i>	<i>[see line 1560]</i>
5371	10015903	IC	<i>*Protecting Patient Record And Belonging</i>	<i>[see line 4890]</i>
5372	10015919	IC	<i>*Protecting Patient Right</i>	<i>[see line 4891]</i>
5373	10026381	IC	<i>*Protecting Religious Beliefs</i>	<i>[see line 2231]</i>
5374	10024486	IC	<i>*Providing Assistive Device Therapy</i>	<i>[see line 4892]</i>
5375	10027051	IC	<i>*Providing Emotional Support</i>	<i>[see line 2354]</i>
5376	10026375	IC	<i>*Providing Family Anticipatory Guidance</i>	<i>[see line 4894]</i>
5377	10024493	IC	<i>*Providing Instructional Material</i>	<i>[see line 2357]</i>
5378	10026399	IC	<i>*Providing Privacy</i>	<i>[see line 4896]</i>
5379	10024515	IC	<i>*Providing Reality Orientation</i>	<i>[see line 4897]</i>
5380	10024527	IC	<i>*Providing Safety Devices</i>	<i>[see line 2360]</i>
5381	10027046	IC	<i>*Providing Social Support</i>	<i>[see line 2362]</i>
5382	10027067	IC	<i>*Providing Spiritual Support</i>	<i>[see line 2363]</i>
5383	10016168	IC	<i>*Puncturing Vein</i>	<i>[see line 4899]</i>
5384	10016217	IC	<i>*Putting On Or In Haemostatic Agent</i>	<i>[see line 4900]</i>
5385	10024536	IC	<i>*Referring To Family Therapy</i>	<i>[see line 4902]</i>
5386	10026174	IC	<i>*Referring To Funeral Service</i>	<i>[see line 2248]</i>
5387	10026404	IC	<i>*Referring To Legal Service</i>	<i>[see line 2250]</i>
5388	10026415	IC	<i>*Referring To Occupational Therapy</i>	<i>[see line 2242]</i>
5389	10024019	IC	<i>*Referring To Physical Therapy</i>	<i>[see line 2243]</i>
5390	10024543	IC	<i>*Referring To Religious Service</i>	<i>[see line 2251]</i>
5391	10024558	IC	<i>*Referring To Support Group Therapy</i>	<i>[see line 4904]</i>
5392	10026427	IC	<i>*Reinforcing Achievements</i>	<i>[see line 4905]</i>
5393	10024562	IC	<i>*Reinforcing Adherence</i>	<i>[see line 4906]</i>

5394	10026436	IC	<i>*Reinforcing Capabilities</i>	<i>[see line 4907]</i>
5395	10026443	IC	<i>*Reinforcing Personal Identity</i>	<i>[see line 1443]</i>
5396	10026188	IC	<i>*Reinforcing Priority Setting</i>	<i>[see line 4908]</i>
5397	10022537	IC	<i>*Reinforcing Self Efficacy□</i>	<i>[see line 1444]</i>
5398	10016785	IC	<i>*Reporting Arterial Blood Gas Result</i>	<i>[see line 4911]</i>
5399	10016792	IC	<i>*Reporting Belief</i>	<i>[see line 2232]</i>
5400	10016802	IC	<i>*Reporting Implantable Device</i>	<i>[see line 4912]</i>
5401	10016818	IC	<i>*Reporting Presence Or Absence Of Implantable Cardiac Device</i>	<i>[see line 4913]</i>
5402	10016825	IC	<i>*Reporting Status To Family Member</i>	<i>[see line 4914]</i>
5403	10016839	IC	<i>*Reporting Test Result</i>	<i>[see line 4915]</i>
5404	10017571	IC	<i>*Screening Abuse</i>	<i>[see line 4916]</i>
5405	10017592	IC	<i>*Screening Substance Abuse</i>	<i>[see line 4917]</i>
5406	10026458	IC	<i>*Supporting Beliefs</i>	<i>[see line 2233]</i>
5407	10024570	IC	<i>*Supporting Caregiver</i>	<i>[see line 1528]</i>
5408	10024589	IC	<i>*Supporting Decision Making Process</i>	<i>[see line 2234]</i>
5409	10026489	IC	<i>*Supporting Mourning Process</i>	<i>[see line 2236]</i>
5410	10019161	IC	<i>*Supporting Psychological Status</i>	<i>[see line 4922]</i>
5411	10024591	IC	<i>*Supporting Spiritual Rituals</i>	<i>[see line 4923]</i>
5412	10026491	IC	<i>*Supporting Use Of Traditional Therapy</i>	<i>[see line 4924]</i>
5413	10019462	IC	<i>*Teaching About Dietary Need</i>	<i>[see line 4926]</i>
5414	10024116	IC	<i>*Teaching About Disease</i>	<i>[see line 2284]</i>
5415	10026502	IC	<i>*Teaching About Dying Process</i>	<i>[see line 2081]</i>
5416	10024602	IC	<i>*Teaching About Exercise</i>	<i>[see line 2288]</i>
5417	10019489	IC	<i>*Teaching About Managing Pain</i>	<i>[see line 2082]</i>
5418	10019470	IC	<i>*Teaching About Medication</i>	<i>[see line 4933]</i>
5419	10024618	IC	<i>*Teaching About Nutrition</i>	<i>[see line 4934]</i>
5420	10024639	IC	<i>*Teaching About Substance Abuse</i>	<i>[see line 4937]</i>
5421	10024625	IC	<i>*Teaching About Treatment Regime</i>	<i>[see line 4938]</i>
5422	10023717	IC	<i>*Teaching Adaptation Techniques</i>	<i>[see line 2237]</i>
5423	10023406	IC	<i>*Teaching Falls Prevention</i>	<i>[see line 4942]</i>
5424	10019518	IC	<i>*Teaching Family Caregiver About Operation Before Operation</i>	<i>[see line 4943]</i>
5425	10024660	IC	<i>*Teaching How To Increase Activity Tolerance</i>	<i>[see line 4944]</i>
5426	10024673	IC	<i>*Teaching Memory Training Technique</i>	<i>[see line 4946]</i>
5427	10024687	IC	<i>*Teaching Safety Measures</i>	<i>[see line 4947]</i>
5428	10026518	IC	<i>*Teaching The Family About Delirium</i>	<i>[see line 2238]</i>
5429	10020095	IC	<i>*Transporting Patient</i>	<i>[see line 2590]</i>
5430	10020736	IC	<i>*Verifying Allergy</i>	<i>[see line 2084]</i>
5431	10020743	IC	<i>*Verifying Consent Before Operation</i>	<i>[see line 4950]</i>
5432	10020758	IC	<i>*Verifying Patient Before Operation</i>	<i>[see line 4952]</i>
5433	10020762	IC	<i>*Verifying Presence Or Absence Of Corrective Device</i>	<i>[see line 4953]</i>
5434	10020770	IC	<i>*Verifying Surgical Act Site And Laterality</i>	<i>[see line 4954]</i>
5435	10024953	IC	<i>*Violence Prevention</i>	<i>[see line 4955]</i>